R3850-1.2 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, United States, 1985

A Companion Volume To Length of Stay by Diagnosis, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in ***Concurrent Review Screening.*** Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	342466	3.0	14	<1	1	2	3	5	8	18
20-34	774231	3.1	7	<1	1	3	4	5	7	13
35-49	297677	4.1	15	<1	1	3	5	8	11	18
50-64	229524	4.7	19	1	1	3	6	10	12	21
65+	191475	5.7	30	1	1	4	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	336940	5.5	76	1	1	3	6	11	19	56
20-34	784180	5.0	33	1	1	4	6	9	13	31
35-49	580197	6.5	47	1	1	5	8	12	17	37
50-64	765322	7.9	64	1	2	6	10	16	22	43
65+	1395305	9.6	84	2	2	7	12	19	26	52
TOT. SINGLE DX	1835373	3.7	15	<1	1	3	4	7	10	18
" MULTIPLE DX	3861944	7.5	67	1	2	5	9	15	22	45
TOTAL 0-19 YRS	679406	4.2	46	<1	1	2	4	8	13	39
20-34	1558411	4.0	21	1	1	3	5	7	10	23
35-49	877874	5.6	37	1	1	4	7	11	15	32
50-64	934846	7.1	56	1	1	5	9	14	20	39
65+	1586780	9.2	79	1	2	7	12	18	25	49
GRAND TOTAL	**5697317**	**6.3**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	491	8.0	45	1	2	7	11	15	19	29
20-34	431	9.7	47	3	3	9	12	17	21	28
35-49	554	10.6	55	3	4	9	13	18	22	37
50-64	644	11.1	57	3	5	9	14	20	25	42
65+	593	12.7	98	4	5	10	15	24	30	54
2. MULTIPLE DX										
0-19 YRS	919	15.3	236	2	3	11	19	36	56	99+
20-34	779	20.0	333	4	6	14	27	59	96	99+
35-49	1028	18.5	271	4	6	13	24	44	70	99+
50-64	1871	18.8	223	5	6	14	23	41	56	99+
65+	2655	20.2	216	5	7	16	26	41	56	99+
TOT. SINGLE DX	2713	10.6	65	2	3	9	13	19	24	42
" MULTIPLE DX	7252	19.0	244	4	6	14	24	43	61	99+
TOTAL 0-19 YRS	1410	12.7	183	1	2	9	16	28	44	99+
20-34	1210	16.4	256	3	4	11	20	42	68	99+
35-49	1582	15.7	210	3	5	11	18	35	57	99+
50-64	2515	16.8	192	4	6	13	21	36	51	99+
65+	3248	18.8	203	5	6	15	24	38	53	99+
GRAND TOTAL	**9965**	**16.7**	**209**	**3**	**5**	**12**	**21**	**36**	**53**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	7.4	58	2	3	5	8	13	20	41
20-34	157	9.6	62	3	4	8	12	16	21	66
35-49	152	10.8	58	3	4	9	13	19	25	54
50-64	186	11.2	93	3	4	9	13	19	26	60
65+	147	12.8	112	3	5	10	14	23	29	63
2. MULTIPLE DX										
0-19 YRS	459	17.4	297	3	4	11	23	44	64	99+
20-34	416	18.4	288	4	5	13	25	49	77	99+
35-49	358	20.0	317	4	6	14	25	52	69	99+
50-64	478	20.5	255	5	7	16	27	44	61	99+
65+	704	21.9	270	6	8	17	28	46	64	99+
TOT. SINGLE DX	931	9.9	78	3	3	8	12	18	24	56
" MULTIPLE DX	2415	19.9	285	4	6	14	26	45	65	99+
TOTAL 0-19 YRS	748	13.5	228	3	3	8	15	36	50	98
20-34	573	16.0	242	3	4	11	20	43	68	99+
35-49	510	17.3	258	4	5	12	21	38	59	99+
50-64	664	17.9	227	4	5	13	23	40	54	92
65+	851	20.3	255	5	7	16	25	42	62	99
GRAND TOTAL	**3346**	**17.1**	**247**	**3**	**4**	**12**	**22**	**40**	**58**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	756	4.8	7	2	2	4	6	8	9	13
20-34	184	5.0	8	1	2	4	7	9	11	70
35-49	84	6.2	21	2	2	5	8	11	13	29
50-64	41	7.8	62	2	3	6	8	13	19	51
65+	25	6.2	19	2	2	6	7	11	17	21
2. MULTIPLE DX										
0-19 YRS	580	9.3	134	2	3	6	9	19	37	99+
20-34	417	11.5	171	2	3	7	13	25	44	89
35-49	194	11.7	153	3	3	8	13	25	43	66
50-64	113	10.9	153	2	3	8	13	21	36	88
65+	85	13.9	195	4	4	9	16	28	38	80
TOT. SINGLE DX	1090	5.1	11	2	2	4	6	8	10	16
" MULTIPLE DX	1389	10.7	155	2	3	7	12	23	39	92
TOTAL 0-19 YRS	1336	6.7	67	2	2	5	7	11	17	61
20-34	601	9.5	131	2	3	6	11	20	34	91
35-49	278	10.1	119	2	3	7	11	18	32	63
50-64	154	10.1	131	2	3	7	12	20	32	81
65+	110	12.1	165	3	3	8	14	25	33	73
GRAND TOTAL	**2479**	**8.2**	**99**	**2**	**3**	**5**	**9**	**15**	**27**	**75**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	6.4	24	2	3	5	8	10	15	29
20-34	53	7.9	17	2	4	7	11	15	17	18
35-49	41	6.9	19	3	3	6	8	11	13	28
50-64	61	9.5	35	4	4	8	11	14	22	33
65+	136	10.6	37	3	4	9	13	19	23	33
2. MULTIPLE DX										
0-19 YRS	815	15.4	292	3	4	9	20	46	72	99+
20-34	172	16.3	241	3	4	11	24	47	68	99+
35-49	125	18.2	352	4	5	13	23	67	89	99+
50-64	262	19.0	267	4	6	14	25	43	69	99+
65+	704	20.6	247	5	7	16	28	42	62	99+
TOT. SINGLE DX	625	7.8	31	2	3	6	9	14	18	32
" MULTIPLE DX	2078	17.9	278	4	4	13	24	45	70	99+
TOTAL 0-19 YRS	1149	12.8	231	3	3	7	15	35	61	99+
20-34	225	14.3	201	3	4	10	17	37	61	99+
35-49	166	15.4	293	3	4	10	17	40	76	99+
50-64	323	17.2	238	4	5	12	22	39	58	99+
65+	840	19.0	227	5	6	15	24	38	55	99+
GRAND TOTAL	**2703**	**15.5**	**239**	**3**	**4**	**10**	**20**	**37**	**60**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	659	5.0	20	1	2	4	6	9	13	26
20-34	171	7.6	44	1	2	6	9	16	24	34
35-49	93	9.2	130	1	2	6	11	16	25	71
50-64	64	7.2	29	2	2	6	9	16	20	89
65+	52	8.8	37	1	2	7	14	18	20	23
2. MULTIPLE DX										
0-19 YRS	2132	9.4	147	2	2	5	10	23	34	83
20-34	527	15.7	291	2	3	10	20	43	65	99+
35-49	311	16.2	235	2	3	11	23	43	63	99+
50-64	367	17.2	242	3	4	12	23	40	53	99+
65+	407	17.9	262	2	3	14	25	40	61	99+
TOT. SINGLE DX	1039	6.1	38	1	2	4	7	12	16	30
" MULTIPLE DX	3744	12.6	210	2	2	7	16	31	47	99+
TOTAL 0-19 YRS	2791	8.4	121	1	2	5	9	20	30	75
20-34	698	13.7	243	2	3	8	16	36	53	99+
35-49	404	14.6	220	2	3	10	19	38	54	99+
50-64	431	15.7	223	2	3	11	21	37	51	99+
65+	459	16.9	245	2	3	13	23	38	51	99+
GRAND TOTAL	**4783**	**11.2**	**179**	**2**	**2**	**6**	**14**	**28**	**42**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	10.8	91	3	4	8	12	21	27	59
20-34	743	8.4	29	3	4	7	10	14	18	32
35-49	1594	7.9	23	3	4	7	9	13	17	25
50-64	1589	8.3	21	3	4	7	10	14	17	25
65+	1007	9.6	29	4	5	8	12	16	19	28
2. MULTIPLE DX										
0-19 YRS	180	15.4	171	4	5	10	20	32	47	68
20-34	827	12.1	99	4	5	9	14	23	34	59
35-49	1944	11.1	78	4	4	9	12	20	28	57
50-64	3071	12.3	108	4	5	9	14	22	31	66
65+	3760	15.0	116	5	6	12	18	28	36	63
TOT. SINGLE DX	5013	8.5	26	3	4	7	10	14	18	28
" MULTIPLE DX	9782	13.2	108	4	5	10	15	25	33	62
TOTAL 0-19 YRS	260	14.0	151	4	5	9	17	28	41	68
20-34	1570	10.3	70	3	4	8	12	19	26	46
35-49	3538	9.7	56	3	4	8	11	17	22	46
50-64	4660	10.9	82	4	5	9	12	19	26	56
65+	4767	13.9	103	5	6	11	16	26	34	59
GRAND TOTAL	**14795**	**11.6**	**86**	**4**	**5**	**9**	**13**	**21**	**29**	**53**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	8.5	56	1	2	7	11	17	21	35
20-34	551	5.7	31	1	1	4	8	12	16	23
35-49	623	5.7	38	1	1	4	7	12	16	27
50-64	338	6.2	23	1	1	5	9	13	16	24
65+	146	7.8	67	1	1	5	10	17	23	40
2. MULTIPLE DX										
0-19 YRS	380	14.4	161	3	4	10	18	30	44	75
20-34	668	11.1	111	1	2	8	14	25	34	60
35-49	925	10.4	118	1	2	8	13	21	30	66
50-64	762	12.8	142	2	2	10	16	27	38	66
65+	661	16.4	189	2	3	13	22	35	45	70
TOT. SINGLE DX	1844	6.3	38	1	1	4	9	13	17	28
" MULTIPLE DX	3396	12.7	146	2	2	9	16	27	38	66
TOTAL 0-19 YRS	566	12.5	134	2	3	9	15	25	36	62
20-34	1219	8.7	82	1	1	6	11	19	27	51
35-49	1548	8.5	91	1	2	6	11	18	25	61
50-64	1100	10.8	115	1	2	8	14	23	32	64
65+	807	14.8	178	2	2	11	20	33	42	66
GRAND TOTAL	**5240**	**10.4**	**118**	**1**	**2**	**7**	**13**	**23**	**32**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	3.1	9	<1	<1	2	3	7	11	15
20-34	448	3.0	15	<1	<1	2	3	7	9	23
35-49	675	3.2	9	<1	<1	2	4	7	10	15
50-64	645	3.0	9	<1	1	2	3	7	9	14
65+	342	3.2	10	<1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	113	4.0	14	1	1	3	5	10	13	51
20-34	418	5.5	77	<1	1	3	6	12	17	44
35-49	520	5.2	56	1	1	3	6	11	16	41
50-64	675	5.9	52	1	1	3	7	14	21	38
65+	565	7.2	93	1	1	3	9	17	26	65
TOT. SINGLE DX	2238	3.1	11	<1	<1	2	3	7	9	15
" MULTIPLE DX	2291	5.9	67	1	1	3	7	13	20	42
TOTAL 0-19 YRS	241	3.5	12	<1	1	2	4	8	11	17
20-34	866	4.2	47	<1	1	2	4	9	14	39
35-49	1195	4.1	31	<1	1	2	5	9	13	23
50-64	1320	4.5	34	<1	1	2	5	10	14	29
65+	907	5.7	66	1	1	3	7	13	22	39
GRAND TOTAL	**4529**	**4.5**	**41**	**<1**	**1**	**2**	**5**	**10**	**14**	**36**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	409	2.3	5	<1	<1	2	2	4	6	13
20-34	2049	2.0	2	<1	<1	1	2	3	5	9
35-49	2614	2.0	2	<1	<1	2	2	3	5	9
50-64	2202	2.0	2	<1	<1	2	2	3	5	9
65+	1072	2.1	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	648	2.6	15	<1	1	2	3	5	7	20
20-34	1855	3.0	19	<1	1	2	3	6	8	21
35-49	2194	3.7	21	<1	1	2	4	8	11	25
50-64	2441	3.6	22	<1	1	2	4	8	11	22
65+	1833	4.0	31	<1	1	2	4	9	14	28
TOT. SINGLE DX	8346	2.0	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	8971	3.5	23	<1	1	2	4	8	11	24
TOTAL 0-19 YRS	1057	2.5	12	<1	<1	2	3	5	7	17
20-34	3904	2.5	11	<1	<1	2	3	5	7	14
35-49	4808	2.8	12	<1	<1	2	3	5	8	18
50-64	4643	2.8	14	<1	<1	2	3	6	8	16
65+	2905	3.3	22	<1	<1	2	3	7	11	23
GRAND TOTAL	**17317**	**2.8**	**14**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.9	5	1	1	4	5	7	8	8
20-34	98	5.3	14	1	2	5	6	9	12	23
35-49	71	5.8	16	<1	2	5	7	10	17	20
50-64	59	6.0	33	2	2	5	7	10	11	41
65+	51	9.6	118	2	3	8	10	17	22	76
2. MULTIPLE DX										
0-19 YRS	11	5.2	11	1	2	5	6	9	14	14
20-34	144	6.7	50	2	3	5	7	10	12	56
35-49	145	8.9	42	3	4	7	12	16	21	41
50-64	245	12.3	107	3	4	9	15	25	33	72
65+	507	12.9	99	4	5	10	15	23	33	61
TOT. SINGLE DX	289	6.3	39	1	2	5	8	11	15	27
" MULTIPLE DX	1052	11.3	91	3	4	9	14	21	30	56
TOTAL 0-19 YRS	21	4.6	9	1	1	5	6	7	11	14
20-34	242	6.2	36	2	2	5	7	10	12	29
35-49	216	7.9	36	2	3	6	10	15	19	32
50-64	304	11.1	99	2	3	8	13	22	32	59
65+	558	12.6	102	4	5	10	15	22	32	62
GRAND TOTAL	**1341**	**10.2**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**50**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.8	5	<1	1	3	3	4	8	10
20-34	104	4.2	17	<1	1	3	6	9	12	23
35-49	138	4.7	20	<1	<1	3	6	11	15	20
50-64	86	4.0	11	<1	1	3	5	9	11	16
65+	33	4.8	22	<1	<1	3	7	11	15	19
2. MULTIPLE DX										
0-19 YRS	14	2.8	4	1	1	2	4	6	7	7
20-34	143	7.2	59	<1	1	4	10	16	23	40
35-49	235	8.3	70	1	1	6	10	21	25	38
50-64	246	7.9	68	1	1	6	10	15	21	48
65+	287	9.2	86	1	2	7	12	18	24	48
TOT. SINGLE DX	377	4.3	17	<1	1	3	5	10	13	19
" MULTIPLE DX	925	8.2	73	1	1	6	10	18	23	43
TOTAL 0-19 YRS	30	2.8	4	1	1	3	3	5	7	10
20-34	247	5.9	44	<1	1	4	7	13	21	36
35-49	373	7.0	55	<1	1	4	9	16	22	35
50-64	332	6.9	56	1	1	4	9	13	19	46
65+	320	8.7	82	1	1	6	11	18	23	45
GRAND TOTAL	**1302**	**7.1**	**60**	**1**	**1**	**4**	**9**	**16**	**21**	**38**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	325	3.3	3	1	1	3	4	5	6	11
20-34	2144	3.3	3	1	2	3	4	5	6	10
35-49	2717	3.3	2	1	2	3	4	5	6	9
50-64	1842	3.5	2	1	2	3	4	5	6	9
65+	780	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	140	4.7	16	1	2	4	5	8	11	25
20-34	1085	4.4	14	2	2	4	5	7	9	18
35-49	1657	4.2	8	1	2	4	5	7	9	18
50-64	1929	4.9	19	2	2	4	5	8	12	23
65+	1590	7.2	58	2	3	5	8	15	22	43
TOT. SINGLE DX	7808	3.4	3	1	2	3	4	5	6	9
" MULTIPLE DX	6401	5.2	27	2	2	4	5	9	13	27
TOTAL 0-19 YRS	465	3.7	8	1	2	3	4	6	8	12
20-34	3229	3.7	8	1	2	3	4	5	7	13
35-49	4374	3.6	5	1	2	3	4	5	7	12
50-64	3771	4.2	12	2	2	4	5	6	9	17
65+	2370	6.1	43	2	2	4	6	11	18	39
GRAND TOTAL	**14209**	**4.2**	**15**	**1**	**2**	**4**	**5**	**6**	**9**	**20**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	651	2.0	2	<1	1	2	2	3	4	8
20-34	414	2.3	2	1	1	2	3	4	5	9
35-49	342	3.1	4	1	1	3	4	5	8	11
50-64	336	3.7	7	1	1	3	4	6	8	13
65+	142	4.5	11	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	138	4.3	19	<1	1	3	6	10	13	33
20-34	306	6.5	42	1	2	5	8	12	18	44
35-49	512	6.3	36	1	2	4	7	12	18	33
50-64	841	7.1	64	2	2	5	8	14	21	43
65+	830	8.8	89	2	3	5	10	19	27	58
TOT. SINGLE DX	1885	2.7	5	1	1	2	3	5	7	11
" MULTIPLE DX	2627	7.3	63	1	2	5	8	15	22	44
TOTAL 0-19 YRS	789	2.4	7	<1	1	2	3	4	7	16
20-34	720	4.1	24	1	1	3	4	9	12	30
35-49	854	5.0	26	1	1	4	5	10	14	27
50-64	1177	6.2	51	1	2	4	7	12	17	35
65+	972	8.1	80	2	3	5	9	17	25	57
GRAND TOTAL	**4512**	**5.4**	**44**	**1**	**1**	**4**	**6**	**11**	**16**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	68	7.3	13	1	3	7	9	12	15	17
20-34	142	8.0	12	4	5	8	9	12	16	19
35-49	122	7.7	8	4	5	7	9	12	14	17
50-64	119	8.7	11	5	5	8	10	13	15	20
65+	67	9.6	25	2	5	9	11	17	20	28
2. MULTIPLE DX										
0-19 YRS	83	13.5	115	5	6	10	17	29	36	88
20-34	214	10.5	67	4	5	8	11	19	25	44
35-49	265	11.8	62	5	6	9	14	21	31	41
50-64	387	13.0	126	3	5	10	15	25	33	70
65+	322	15.0	146	3	5	12	18	28	39	66
TOT. SINGLE DX	518	8.2	13	3	5	8	9	13	16	20
" MULTIPLE DX	1271	12.9	110	4	5	10	15	24	33	61
TOTAL 0-19 YRS	151	10.7	79	2	4	8	13	20	30	66
20-34	356	9.5	47	4	5	8	10	17	21	35
35-49	387	10.5	49	4	5	8	12	19	24	39
50-64	506	12.0	102	4	5	9	13	22	30	59
65+	389	14.0	130	3	5	11	17	26	36	62
GRAND TOTAL	**1789**	**11.5**	**86**	**4**	**5**	**9**	**13**	**21**	**29**	**55**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	302	1.3	1	<1	<1	<1	1	2	2	5
20-34	48	1.7	2	<1	<1	1	2	3	4	8
35-49	76	1.6	1	<1	<1	1	2	3	3	8
50-64	110	1.6	1	<1	<1	1	2	3	3	6
65+	167	1.9	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	57	2.8	65	<1	<1	1	2	4	5	58
20-34	45	4.3	59	<1	<1	2	3	15	19	45
35-49	121	3.6	30	<1	<1	2	4	8	16	57
50-64	198	4.4	42	<1	<1	2	4	11	16	33
65+	418	5.3	84	<1	1	2	6	12	18	49
TOT. SINGLE DX	703	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	839	4.6	64	<1	<1	2	5	11	17	45
TOTAL 0-19 YRS	359	1.5	12	<1	<1	<1	1	2	3	6
20-34	93	2.9	31	<1	<1	1	2	5	14	34
35-49	197	2.8	20	<1	<1	1	3	6	11	34
50-64	308	3.4	29	<1	<1	2	3	8	12	32
65+	585	4.4	63	<1	<1	2	4	9	15	40
GRAND TOTAL	**1542**	**3.2**	**38**	**<1**	**<1**	**1**	**3**	**7**	**11**	**32**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	1.5	1	<1	<1	1	2	2	3	7
20-34	128	1.7	1	1	1	1	2	3	4	7
35-49	102	1.8	1	1	1	1	2	3	4	8
50-64	135	1.8		1	1	2	2	3	4	5
65+	189	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	118	2.3	12	<1	1	1	2	4	6	24
20-34	93	1.9	2	<1	1	1	2	3	5	9
35-49	113	2.6	8	1	1	2	3	4	8	19
50-64	188	2.1	2	1	1	2	2	3	4	10
65+	417	2.4	4	1	1	2	3	4	6	13
TOT. SINGLE DX	681	1.7	1	<1	1	1	2	3	3	7
" MULTIPLE DX	929	2.3	5	1	1	2	2	4	6	13
TOTAL 0-19 YRS	245	1.9	7	<1	<1	1	2	3	5	10
20-34	221	1.8	2	<1	1	1	2	3	4	8
35-49	215	2.2	5	1	1	2	2	4	5	13
50-64	323	2.0	2	1	1	2	2	3	4	8
65+	606	2.2	3	1	1	2	2	3	4	12
GRAND TOTAL	**1610**	**2.1**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	637	1.5		<1	<1	1	2	2	3	6
20-34	179	1.8	5	<1	<1	1	2	3	4	5
35-49	289	1.7	1	<1	<1	1	2	3	4	6
50-64	414	1.5		<1	<1	1	2	2	3	6
65+	357	1.7	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	927	2.6	10	<1	1	2	3	5	7	15
20-34	1124	3.3	24	<1	1	2	4	6	9	20
35-49	854	3.3	17	<1	1	2	4	7	10	23
50-64	1007	3.3	34	<1	1	2	3	6	10	33
65+	1458	5.2	63	1	1	2	5	12	18	47
TOT. SINGLE DX	1876	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	5370	3.7	34	<1	1	2	4	7	12	31
TOTAL 0-19 YRS	1564	2.2	7	<1	<1	1	2	4	6	13
20-34	1303	3.1	23	<1	1	2	4	6	9	19
35-49	1143	2.8	14	<1	1	2	3	6	9	18
50-64	1421	2.8	25	<1	1	2	3	5	7	22
65+	1815	4.5	53	<1	1	2	4	10	17	43
GRAND TOTAL	**7246**	**3.1**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.2		<1	<1	1	1	2	3	3
20-34	26	3.3	27	<1	<1	2	3	7	12	27
35-49	15	1.8	4	<1	<1	1	2	3	7	9
50-64	18	2.0	1	<1	<1	1	3	4	5	5
65+	24	3.9	16	<1	<1	2	5	8	14	18
2. MULTIPLE DX										
0-19 YRS	51	4.7	59	<1	<1	2	6	8	10	45
20-34	29	3.5	13	<1	<1	2	4	8	10	18
35-49	32	6.8	222	<1	<1	3	5	11	37	79
50-64	37	4.3	18	<1	1	2	6	11	12	20
65+	64	4.7	34	1	1	3	5	10	16	30
TOT. SINGLE DX	131	2.3	10	<1	<1	1	2	5	7	20
" MULTIPLE DX	213	4.8	63	<1	1	2	5	10	13	42
TOTAL 0-19 YRS	99	3.0	33	<1	<1	1	3	6	8	40
20-34	55	3.4	20	<1	<1	2	4	8	10	27
35-49	47	5.2	157	<1	<1	2	5	9	16	79
50-64	55	3.6	14	<1	<1	2	5	9	11	20
65+	88	4.4	29	<1	1	2	5	10	14	29
GRAND TOTAL	**344**	**3.8**	**44**	**<1**	**<1**	**2**	**4**	**8**	**11**	**35**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.2	1	<1	1	2	3	4	4	9
20-34	274	2.2	1	1	1	2	3	4	4	6
35-49	203	2.4	2	1	1	2	3	4	5	9
50-64	191	2.2	1	1	1	2	3	4	5	6
65+	621	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	63	2.9	4	1	1	3	3	5	7	12
20-34	124	3.1	15	1	1	3	3	5	6	18
35-49	164	3.1	13	1	1	2	3	5	7	25
50-64	406	3.3	6	1	1	3	4	6	8	15
65+	1911	3.2	7	1	1	3	4	5	7	13
TOT. SINGLE DX	1350	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	2668	3.2	8	1	1	3	4	5	7	14
TOTAL 0-19 YRS	124	2.6	3	<1	1	2	3	4	5	10
20-34	398	2.5	6	1	1	2	3	4	5	8
35-49	367	2.7	7	1	1	2	3	4	5	16
50-64	597	3.0	5	1	1	3	3	5	7	14
65+	2532	3.0	6	1	1	3	4	5	6	12
GRAND TOTAL	**4018**	**2.9**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**12**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	2.6	3	<1	<1	2	4	5	6	10
20-34	441	1.9	1	<1	<1	1	2	4	5	6
35-49	292	1.9	4	<1	<1	1	2	4	5	10
50-64	131	2.1	3	<1	<1	1	2	4	5	12
65+	127	2.0	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	266	3.6	5	<1	1	3	5	6	8	12
20-34	274	3.7	11	<1	<1	3	5	6	8	18
35-49	183	3.5	10	<1	1	3	5	7	9	19
50-64	141	4.2	29	<1	1	3	5	9	14	29
65+	303	3.9	36	1	1	2	4	8	12	26
TOT. SINGLE DX	1280	2.1	3	<1	<1	1	3	4	6	9
" MULTIPLE DX	1167	3.8	19	<1	1	3	5	7	9	20
TOTAL 0-19 YRS	555	3.1	5	<1	1	3	4	6	7	10
20-34	715	2.6	6	<1	<1	2	3	5	6	11
35-49	475	2.5	8	<1	<1	2	3	6	7	12
50-64	272	3.2	18	<1	<1	2	3	6	11	22
65+	430	3.4	27	<1	1	2	4	7	9	21
GRAND TOTAL	**2447**	**2.9**	**11**	**<1**	**<1**	**2**	**4**	**6**	**7**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	2.2	4	<1	<1	2	2	5	6	32
20-34	73	3.1	9	1	1	2	4	6	8	19
35-49	140	2.7	3	<1	1	2	3	5	6	9
50-64	348	2.5	2	<1	1	2	3	4	6	9
65+	491	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	83	3.0	11	<1	<1	2	4	7	10	20
20-34	103	3.8	18	1	1	3	4	7	10	26
35-49	144	3.7	9	1	1	3	4	8	9	15
50-64	464	3.4	7	1	1	3	4	6	9	14
65+	1229	3.7	16	1	1	3	4	7	10	21
TOT. SINGLE DX	1185	2.5	4	<1	1	2	3	4	6	11
" MULTIPLE DX	2023	3.6	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	216	2.5	8	<1	<1	2	3	5	7	20
20-34	176	3.5	15	1	1	3	4	6	9	19
35-49	284	3.2	7	1	1	2	4	6	8	14
50-64	812	3.0	6	1	1	2	4	6	7	12
65+	1720	3.4	13	1	1	2	4	6	9	18
GRAND TOTAL	**3208**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	3.7	9	<1	1	3	5	7	10	16
20-34	112	3.3	7	1	1	3	4	6	8	16
35-49	71	2.6	3	<1	1	2	3	5	6	11
50-64	138	2.1	2	1	1	2	3	4	5	8
65+	244	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	130	4.4	10	1	1	3	6	9	11	15
20-34	166	4.6	15	1	1	4	6	9	11	22
35-49	123	4.1	10	1	1	3	5	8	10	42
50-64	217	4.2	26	1	1	3	5	8	11	28
65+	743	4.3	33	1	1	3	5	9	13	28
TOT. SINGLE DX	685	2.8	7	<1	1	2	3	5	7	13
" MULTIPLE DX	1379	4.3	26	1	1	3	5	9	12	25
TOTAL 0-19 YRS	250	4.0	10	<1	1	3	5	8	10	15
20-34	278	4.1	13	1	1	3	5	8	10	20
35-49	194	3.5	9	<1	1	3	5	7	9	20
50-64	355	3.4	18	1	1	2	4	7	9	25
65+	987	3.9	28	1	1	2	4	8	11	24
GRAND TOTAL	**2064**	**3.8**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.8	1	<1	<1	1	2	3	4	6
20-34	27	3.0	8	<1	1	2	4	6	8	15
35-49	155	1.9	2	<1	<1	2	2	3	3	6
50-64	1007	1.8		<1	<1	2	2	2	3	4
65+	3854	1.9		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	79	3.1	8	<1	<1	2	4	6	10	15
20-34	56	3.4	5	1	1	2	5	7	8	10
35-49	169	2.7	6	1	1	2	3	5	7	15
50-64	1303	2.4	3	1	1	2	3	4	5	13
65+	6670	2.7	16	1	1	2	2	4	6	18
TOT. SINGLE DX	5135	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	8277	2.7	14	1	1	2	3	4	6	16
TOTAL 0-19 YRS	171	2.4	5	<1	<1	2	3	4	6	14
20-34	83	3.3	6	1	1	2	4	6	8	13
35-49	324	2.3	4	<1	1	2	2	4	6	14
50-64	2310	2.2	3	<1	1	2	2	3	4	10
65+	10524	2.4	11	<1	1	2	2	3	4	14
GRAND TOTAL	**13412**	**2.4**	**9**	**<1**	**1**	**2**	**2**	**3**	**4**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	1.6		<1	<1	1	2	2	3	6
20-34	86	1.8		<1	1	2	2	3	3	7
35-49	614	1.6		<1	<1	1	2	2	3	4
50-64	3148	1.6		<1	<1	2	2	2	3	4
65+	11397	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	170	2.4	4	<1	1	2	3	4	7	12
20-34	120	2.7	7	1	1	2	3	4	6	19
35-49	594	2.6	13	<1	1	2	2	4	6	14
50-64	3869	2.3	9	<1	1	2	2	3	5	14
65+	18804	2.3	9	<1	1	2	2	3	4	13
TOT. SINGLE DX	15456	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	23557	2.3	9	<1	1	2	2	3	5	14
TOTAL 0-19 YRS	381	2.0	3	<1	<1	2	2	3	4	9
20-34	206	2.3	5	<1	1	2	2	4	6	14
35-49	1208	2.1	7	<1	<1	2	2	3	4	11
50-64	7017	2.0	6	<1	<1	2	2	3	4	10
65+	30201	2.1	6	<1	<1	2	2	3	4	10
GRAND TOTAL	**39013**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.9	1	<1	<1	2	3	3	4	4
20-34	18	1.9	2	<1	<1	1	2	5	6	6
35-49	79	1.6		<1	<1	1	2	2	3	5
50-64	335	1.6		<1	<1	1	2	2	3	5
65+	895	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	12	2.3	3	<1	1	2	2	4	7	8
20-34	23	2.8	4	<1	1	2	4	6	7	8
35-49	73	1.9	1	<1	<1	2	2	3	4	8
50-64	388	1.9	2	<1	1	2	2	3	3	6
65+	1318	2.3	6	<1	1	2	2	3	5	15
TOT. SINGLE DX	1340	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1814	2.2	5	<1	1	2	2	3	5	14
TOTAL 0-19 YRS	25	2.1	2	<1	1	2	2	3	5	8
20-34	41	2.4	3	<1	<1	2	3	5	7	8
35-49	152	1.7	1	<1	<1	2	2	3	4	6
50-64	723	1.8	2	<1	<1	2	2	2	3	6
65+	2213	2.1	4	<1	<1	2	2	3	4	12
GRAND TOTAL	**3154**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	3.3	6	1	1	3	4	5	6	16
20-34	471	3.1	3	1	1	3	4	5	7	11
35-49	532	3.3	3	1	1	3	4	6	7	9
50-64	1443	3.2	3	1	1	3	4	5	6	10
65+	1324	3.3	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	245	4.8	73	1	1	3	5	6	10	30
20-34	641	4.1	8	1	1	4	5	7	9	13
35-49	795	4.0	6	1	2	3	5	7	8	14
50-64	2090	3.8	9	1	2	3	5	6	8	12
65+	2995	4.0	5	1	2	3	5	7	8	13
TOT. SINGLE DX	3970	3.2	4	1	1	3	4	5	6	10
" MULTIPLE DX	6766	4.0	10	1	2	3	5	7	8	13
TOTAL 0-19 YRS	445	4.1	44	1	1	3	4	6	8	22
20-34	1112	3.7	7	1	1	3	5	7	8	13
35-49	1327	3.7	5	1	2	3	4	6	8	12
50-64	3533	3.6	7	1	1	3	4	6	7	11
65+	4319	3.8	5	1	2	3	5	6	8	12
GRAND TOTAL	**10736**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	3.2	5	<1	1	3	4	7	8	10
20-34	76	3.6	8	1	1	3	4	7	10	15
35-49	84	3.1	4	1	1	2	4	6	7	11
50-64	219	3.0	5	<1	1	2	3	6	8	11
65+	394	2.9	4	<1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	157	3.7	7	1	1	3	4	7	9	14
20-34	503	4.4	20	1	2	3	5	7	9	22
35-49	450	4.3	25	1	1	3	5	7	10	22
50-64	825	4.0	17	1	1	3	5	7	9	20
65+	1668	4.0	17	1	1	3	5	8	11	18
TOT. SINGLE DX	863	3.0	5	<1	1	2	4	6	8	12
" MULTIPLE DX	3603	4.0	18	1	1	3	5	7	10	20
TOTAL 0-19 YRS	247	3.5	7	1	1	3	4	7	9	14
20-34	579	4.3	19	1	2	3	5	7	9	20
35-49	534	4.1	22	1	1	3	5	7	9	22
50-64	1044	3.8	15	1	1	3	4	7	8	19
65+	2062	3.8	15	1	1	3	4	7	10	16
GRAND TOTAL	**4466**	**3.9**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2896	1.3		<1	<1	1	2	2	2	2
20-34	328	1.5		<1	<1	1	2	2	2	3
35-49	190	1.5		<1	<1	1	2	2	3	3
50-64	86	1.5		<1	<1	1	2	2	2	3
65+	38	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	923	1.4	1	<1	<1	1	2	2	2	4
20-34	208	1.8	5	<1	<1	1	2	2	3	12
35-49	151	2.0	14	<1	1	1	2	2	3	14
50-64	99	2.1	15	<1	1	2	2	3	4	23
65+	98	1.9	1	1	1	2	2	3	3	8
TOT. SINGLE DX	3538	1.3	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1479	1.6	4	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	3819	1.3	1	<1	<1	1	2	2	2	3
20-34	536	1.6	2	<1	<1	1	2	2	2	4
35-49	341	1.7	7	<1	<1	1	2	2	3	7
50-64	185	1.8	8	<1	<1	2	2	2	3	6
65+	136	1.8	1	<1	1	2	2	3	3	7
GRAND TOTAL	**5017**	**1.4**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.6	2	<1	<1	1	2	2	6	7
20-34	7	1.7	1	<1	<1	1	2	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	5	4.4	11	2	2	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	5.5	104	<1	<1	2	3	21	34	34
20-34	10	2.1	2	<1	<1	2	3	5	6	6
35-49	8	2.3	5	1	1	2	2	6	8	8
50-64	8	3.6	14	1	1	2	5	10	11	11
65+	8	5.0	25	1	1	4	5	13	17	17
TOT. SINGLE DX	32	2.3	7	<1	<1	1	2	7	9	12
" MULTIPLE DX	44	3.7	32	<1	1	2	3	8	13	34
TOTAL 0-19 YRS	25	3.2	44	<1	<1	1	2	7	14	34
20-34	17	1.9	2	<1	<1	1	2	4	5	6
35-49	10	2.1	5	1	1	2	2	5	8	8
50-64	11	3.9	18	1	1	2	7	11	12	12
65+	13	4.8	19	1	1	3	6	11	16	17
GRAND TOTAL	**76**	**3.1**	**22**	**<1**	**1**	**2**	**3**	**8**	**10**	**30**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	425	3.5	8	<1	<1	2	5	6	8	16
20-34	214	2.6	4	1	1	2	3	5	7	10
35-49	184	2.8	3	1	1	2	3	5	7	10
50-64	172	2.5	3	<1	1	2	3	5	7	9
65+	197	2.9	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	342	4.9	32	1	1	3	6	9	14	39
20-34	417	4.3	14	1	1	3	5	9	12	19
35-49	344	4.5	23	1	1	3	5	10	14	25
50-64	362	4.4	27	1	1	3	5	9	13	30
65+	730	5.0	33	1	1	3	6	11	15	29
TOT. SINGLE DX	1192	3.0	6	<1	1	2	4	6	7	12
" MULTIPLE DX	2195	4.7	27	1	1	3	5	10	14	27
TOTAL 0-19 YRS	767	4.1	20	<1	1	3	6	8	10	24
20-34	631	3.7	12	1	1	3	4	8	10	17
35-49	528	3.9	17	1	1	3	4	8	11	23
50-64	534	3.8	20	1	1	3	4	8	12	26
65+	927	4.5	28	1	1	3	5	10	14	26
GRAND TOTAL	**3387**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	878	1.9	3	<1	<1	1	2	3	5	8
20-34	265	2.0	3	<1	<1	1	2	4	6	10
35-49	180	2.1	5	<1	<1	1	2	5	6	19
50-64	154	2.2	4	<1	<1	1	3	5	6	11
65+	189	2.7	18	<1	<1	2	3	5	8	24
2. MULTIPLE DX										
0-19 YRS	861	3.2	22	<1	1	2	4	6	8	26
20-34	431	4.5	35	<1	1	2	5	10	16	29
35-49	267	5.2	64	1	1	3	5	12	18	44
50-64	277	5.2	45	<1	1	3	6	11	20	45
65+	605	7.3	90	1	1	4	9	16	24	54
TOT. SINGLE DX	1666	2.1	6	<1	<1	1	2	4	6	10
" MULTIPLE DX	2441	4.9	51	<1	1	3	5	11	17	42
TOTAL 0-19 YRS	1739	2.6	13	<1	<1	2	3	5	6	19
20-34	696	3.6	24	<1	<1	2	4	8	11	26
35-49	447	4.0	43	<1	<1	2	4	8	14	41
50-64	431	4.2	33	<1	<1	2	5	9	16	42
65+	794	6.2	77	<1	1	3	7	14	21	49
GRAND TOTAL	**4107**	**3.8**	**35**	**<1**	**<1**	**2**	**4**	**8**	**12**	**32**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	1.6		<1	1	1	2	3	3	4
20-34	619	1.9	1	1	1	2	2	3	3	5
35-49	878	1.8		1	1	2	2	3	3	5
50-64	799	1.9		1	1	2	2	3	3	4
65+	302	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	125	1.5		1	1	1	2	2	3	4
20-34	296	1.8	1	1	1	2	2	3	3	7
35-49	410	1.9	1	1	1	2	2	3	4	6
50-64	455	2.0	4	1	1	2	2	3	4	7
65+	273	2.1	1	1	1	2	3	3	4	6
TOT. SINGLE DX	2757	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	1559	1.9	2	1	1	2	2	3	4	6
TOTAL 0-19 YRS	284	1.6	1	<1	1	1	2	2	3	4
20-34	915	1.8	1	1	1	2	2	3	3	6
35-49	1288	1.9	1	1	1	2	2	3	3	5
50-64	1254	2.0	2	1	1	2	2	3	3	6
65+	575	2.1	1	1	1	2	3	3	4	6
GRAND TOTAL	**4316**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1567	1.4		<1	1	1	2	2	2	3
20-34	979	1.5	1	<1	1	1	2	2	3	4
35-49	800	1.6	1	1	1	1	2	2	3	6
50-64	687	1.6		1	1	2	2	2	3	4
65+	232	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	1487	1.5	2	<1	1	1	2	2	3	5
20-34	1037	1.6	2	1	1	1	2	3	3	5
35-49	864	1.7	1	1	1	1	2	3	3	7
50-64	874	1.9	2	1	1	2	2	3	4	9
65+	458	2.0	2	1	1	2	2	3	4	8
TOT. SINGLE DX	4265	1.5	1	<1	1	1	2	2	3	4
" MULTIPLE DX	4720	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	3054	1.5	2	<1	1	1	2	2	3	4
20-34	2016	1.6	2	1	1	1	2	2	3	5
35-49	1664	1.7	2	1	1	1	2	3	3	6
50-64	1561	1.8	2	1	1	2	2	3	3	6
65+	690	1.8	2	1	1	2	2	3	3	7
GRAND TOTAL	**8985**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6322	1.1		<1	<1	<1	<1	1	1	3
20-34	154	1.4	1	<1	<1	1	1	2	3	7
35-49	124	1.6	2	<1	<1	1	2	2	4	9
50-64	112	1.5		<1	<1	1	2	3	4	5
65+	61	2.2	26	<1	<1	1	2	3	4	37
2. MULTIPLE DX										
0-19 YRS	5920	1.9	9	<1	<1	1	2	3	6	13
20-34	209	3.8	55	<1	<1	1	3	8	14	37
35-49	204	3.8	20	<1	<1	2	4	10	14	23
50-64	214	4.8	39	<1	1	2	6	13	16	33
65+	181	7.5	79	<1	1	4	11	20	24	56
TOT. SINGLE DX	6773	1.1	1	<1	<1	<1	<1	1	1	3
" MULTIPLE DX	6728	2.2	15	<1	<1	1	2	4	8	18
TOTAL 0-19 YRS	12242	1.4	5	<1	<1	<1	1	2	4	9
20-34	363	2.7	34	<1	<1	1	2	5	9	32
35-49	328	2.9	15	<1	<1	1	2	9	11	18
50-64	326	3.7	28	<1	<1	2	3	10	14	29
65+	242	6.2	71	<1	<1	2	9	16	22	44
GRAND TOTAL	**13501**	**1.7**	**8**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	567	1.9	1	1	1	2	2	3	4	8
20-34	445	1.9	1	1	1	2	2	3	4	8
35-49	347	2.1	2	1	1	2	3	3	4	7
50-64	281	2.2	3	1	1	2	3	3	4	12
65+	138	2.3	5	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	1072	2.4	10	1	1	2	2	4	6	17
20-34	787	2.3	9	1	1	2	3	3	5	16
35-49	718	2.4	5	1	1	2	3	4	6	15
50-64	728	3.0	20	1	1	2	3	4	7	23
65+	515	4.2	42	1	1	3	4	7	16	35
TOT. SINGLE DX	1778	2.0	2	1	1	2	2	3	4	8
" MULTIPLE DX	3820	2.7	16	1	1	2	3	4	7	20
TOTAL 0-19 YRS	1639	2.2	7	1	1	2	2	4	5	15
20-34	1232	2.2	6	1	1	2	2	3	4	14
35-49	1065	2.3	5	1	1	2	3	4	5	14
50-64	1009	2.7	16	1	1	2	3	4	6	19
65+	653	3.8	35	1	1	2	3	6	15	30
GRAND TOTAL	**5598**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**6**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	477	1.6	2	<1	<1	1	2	2	4	10
20-34	370	1.9	2	<1	1	1	2	3	4	9
35-49	429	2.2	2	<1	1	2	3	4	5	8
50-64	369	2.4	3	1	1	2	3	4	6	10
65+	130	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	513	2.2	9	<1	<1	1	2	4	7	14
20-34	412	3.1	26	1	1	2	3	6	9	16
35-49	415	2.9	28	1	1	2	3	5	7	24
50-64	449	3.1	15	1	1	2	3	6	9	15
65+	259	5.0	46	1	1	3	5	13	18	38
TOT. SINGLE DX	1775	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	2048	3.1	24	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	990	1.9	6	<1	<1	1	2	3	5	12
20-34	782	2.5	15	<1	1	2	3	4	7	15
35-49	844	2.5	16	1	1	2	3	4	6	11
50-64	818	2.8	10	1	1	2	3	6	7	13
65+	389	4.2	33	1	1	2	4	9	15	30
GRAND TOTAL	**3823**	**2.6**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	497	2.0		1	1	2	2	3	4	5
20-34	1114	1.9		1	1	2	3	3	4	5
35-49	559	1.8	2	<1	1	2	2	3	4	6
50-64	266	1.9	1	<1	1	2	2	3	4	6
65+	73	2.4	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	1448	1.9	1	1	1	2	2	3	4	6
20-34	3482	2.0	2	1	1	2	2	3	4	6
35-49	2347	2.1	3	1	1	2	3	3	4	8
50-64	1287	2.4	6	1	1	2	3	4	5	15
65+	369	2.9	9	1	1	2	3	5	9	16
TOT. SINGLE DX	2509	1.9	1	1	1	2	2	3	4	5
" MULTIPLE DX	8933	2.1	4	1	1	2	3	3	4	8
TOTAL 0-19 YRS	1945	1.9	1	1	1	2	2	3	4	5
20-34	4596	2.0	2	1	1	2	2	3	4	6
35-49	2906	2.1	3	1	1	2	3	3	4	7
50-64	1553	2.4	6	1	1	2	3	4	5	13
65+	442	2.9	9	1	1	2	3	5	8	16
GRAND TOTAL	**11442**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1634	1.7		<1	1	2	2	3	4	5
20-34	2909	1.7	2	<1	1	1	2	3	3	5
35-49	1530	1.6		<1	1	1	2	3	3	4
50-64	660	1.8		<1	1	1	2	3	3	5
65+	170	2.1	8	<1	1	1	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	3091	1.9	3	1	1	2	2	3	4	8
20-34	6881	1.9	3	1	1	1	2	3	4	7
35-49	4463	2.0	4	1	1	2	2	3	4	10
50-64	2387	2.3	8	1	1	2	3	4	5	13
65+	999	3.2	15	1	1	2	3	7	10	18
TOT. SINGLE DX	6903	1.7	2	<1	1	1	2	3	3	5
" MULTIPLE DX	17821	2.1	5	1	1	2	2	3	5	10
TOTAL 0-19 YRS	4725	1.9	2	1	1	2	2	3	4	6
20-34	9790	1.8	3	<1	1	1	2	3	4	7
35-49	5993	1.9	4	1	1	1	2	3	4	8
50-64	3047	2.2	7	1	1	2	3	4	5	11
65+	1169	3.0	14	1	1	2	3	6	9	18
GRAND TOTAL	**24724**	**2.0**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	1.8	2	<1	<1	1	2	3	5	10
20-34	301	2.0	4	<1	<1	1	2	3	5	9
35-49	294	1.8	2	<1	<1	1	2	3	5	9
50-64	419	1.9	2	<1	<1	1	2	4	5	8
65+	397	2.1	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	494	2.5	13	<1	1	1	3	4	7	16
20-34	882	2.2	5	<1	1	2	3	4	5	12
35-49	1004	2.4	6	<1	1	2	3	4	6	13
50-64	1177	3.2	16	1	1	2	3	6	9	21
65+	1284	4.8	40	1	1	3	5	11	15	33
TOT. SINGLE DX	1651	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	4841	3.2	20	<1	1	2	3	6	10	24
TOTAL 0-19 YRS	734	2.2	10	<1	<1	1	2	4	6	13
20-34	1183	2.2	5	<1	1	2	2	4	5	11
35-49	1298	2.2	6	<1	1	2	3	4	5	12
50-64	1596	2.8	13	<1	1	2	3	5	8	19
65+	1681	4.1	33	<1	1	2	4	9	14	29
GRAND TOTAL	**6492**	**2.9**	**16**	**<1**	**1**	**2**	**3**	**5**	**9**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1093	1.5		<1	<1	1	2	3	3	6
20-34	907	1.9	2	<1	<1	1	2	4	5	8
35-49	438	2.9	4	<1	1	2	4	6	7	9
50-64	450	3.7	4	1	1	4	5	7	7	10
65+	354	3.9	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	1020	2.6	14	<1	1	2	3	5	7	12
20-34	1559	3.1	11	1	1	2	4	7	8	17
35-49	868	4.3	31	1	1	3	5	8	11	28
50-64	974	5.1	17	1	1	4	6	10	13	21
65+	1692	5.7	35	1	2	4	7	11	15	30
TOT. SINGLE DX	3242	2.4	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	6113	4.2	24	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2113	2.0	8	<1	<1	1	2	4	5	10
20-34	2466	2.6	8	<1	1	2	3	5	7	14
35-49	1306	3.8	23	1	1	3	5	7	9	19
50-64	1424	4.7	14	1	1	4	6	8	11	19
65+	2046	5.4	31	1	1	4	6	10	14	29
GRAND TOTAL	**9355**	**3.6**	**18**	**<1**	**1**	**2**	**5**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.3	5	1	1	2	3	4	9	11
20-34	513	2.0	3	1	1	2	2	3	4	10
35-49	629	2.1	4	1	1	2	3	4	4	7
50-64	395	2.3	3	1	1	2	3	4	5	11
65+	221	2.4	2	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	225	3.8	49	1	1	2	4	9	11	85
20-34	838	3.0	15	1	1	2	3	5	9	18
35-49	958	3.1	11	1	1	2	3	6	9	20
50-64	928	3.4	25	1	1	2	4	6	10	20
65+	579	4.3	33	1	1	3	4	9	13	35
TOT. SINGLE DX	1880	2.2	4	1	1	2	3	4	5	10
" MULTIPLE DX	3528	3.4	22	1	1	2	4	6	10	24
TOTAL 0-19 YRS	347	3.3	34	1	1	2	3	8	10	51
20-34	1351	2.6	11	1	1	2	3	5	7	16
35-49	1587	2.7	9	1	1	2	3	5	7	17
50-64	1323	3.1	19	1	1	2	3	5	8	17
65+	800	3.7	26	1	1	3	4	7	11	29
GRAND TOTAL	**5408**	**3.0**	**16**	**1**	**1**	**2**	**3**	**5**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	2.9	16	<1	<1	1	3	6	9	25
20-34	381	2.8	13	<1	1	2	3	5	7	12
35-49	384	2.7	7	<1	1	2	3	6	8	13
50-64	303	2.7	6	<1	1	2	3	5	7	15
65+	173	3.5	15	1	1	2	4	7	11	24
2. MULTIPLE DX										
0-19 YRS	486	4.8	36	<1	1	2	6	12	15	28
20-34	909	3.7	23	1	1	2	4	8	12	27
35-49	1029	3.9	34	1	1	2	4	8	13	27
50-64	915	4.4	35	1	1	2	5	10	14	31
65+	764	6.2	64	1	1	3	7	15	22	52
TOT. SINGLE DX	1453	2.9	11	<1	1	2	3	6	8	17
" MULTIPLE DX	4103	4.5	39	1	1	2	5	10	15	35
TOTAL 0-19 YRS	698	4.2	31	<1	<1	2	5	10	14	28
20-34	1290	3.4	21	1	1	2	4	7	10	24
35-49	1413	3.6	27	1	1	2	4	7	11	24
50-64	1218	4.0	29	1	1	2	4	9	12	29
65+	937	5.7	56	1	1	3	7	13	21	45
GRAND TOTAL	**5556**	**4.1**	**32**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1990	1.2		<1	<1	1	1	2	2	3
20-34	1468	1.4	2	<1	<1	1	2	2	2	7
35-49	366	1.8	2	<1	<1	1	2	3	4	11
50-64	235	1.8	3	<1	<1	1	2	2	3	13
65+	143	2.2	7	<1	<1	2	2	3	4	24
2. MULTIPLE DX										
0-19 YRS	1607	2.7	33	<1	<1	1	2	4	8	41
20-34	2138	4.3	51	<1	1	2	3	11	19	56
35-49	1452	4.9	58	1	1	2	4	13	22	63
50-64	1637	4.8	49	1	1	2	5	12	18	42
65+	1765	6.3	97	1	1	3	7	16	24	93
TOT. SINGLE DX	4202	1.4	2	<1	<1	1	2	2	2	6
" MULTIPLE DX	8599	4.6	59	<1	1	2	4	12	19	58
TOTAL 0-19 YRS	3597	1.9	15	<1	<1	1	2	2	4	19
20-34	3606	3.1	33	<1	<1	2	2	7	13	40
35-49	1818	4.3	49	<1	1	2	3	11	18	53
50-64	1872	4.4	44	<1	1	2	4	11	17	37
65+	1908	6.0	92	1	1	2	7	15	23	93
GRAND TOTAL	**12801**	**3.5**	**43**	**<1**	**<1**	**2**	**3**	**8**	**15**	**44**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	469	1.1		<1	<1	<1	1	1	2	3
20-34	41	1.7	1	<1	<1	1	2	3	4	6
35-49	21	2.0		<1	<1	2	2	3	4	4
50-64	14	2.0	1	<1	<1	2	2	3	5	5
65+	10	2.6	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	667	1.8	26	<1	<1	1	1	2	3	24
20-34	172	3.1	29	<1	<1	2	2	9	30	99+
35-49	70	4.9	122	<1	1	2	4	7	22	74
50-64	32	4.4	28	1	1	3	5	7	13	30
65+	19	8.0	129	<1	1	5	10	17	36	50
TOT. SINGLE DX	555	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	960	2.5	37	<1	<1	1	2	4	7	80
TOTAL 0-19 YRS	1136	1.5	16	<1	<1	1	1	2	2	11
20-34	213	2.8	24	<1	<1	2	2	7	22	99+
35-49	91	4.2	96	<1	<1	2	4	5	12	62
50-64	46	3.7	22	<1	1	2	4	7	9	30
65+	29	6.1	91	1	1	3	6	14	21	50
GRAND TOTAL	**1515**	**2.0**	**24**	**<1**	**<1**	**1**	**2**	**3**	**5**	**34**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	1.8	1	<1	<1	1	2	3	4	8
20-34	185	2.2	2	<1	<1	2	3	4	5	8
35-49	346	2.1	4	<1	<1	2	3	3	4	5
50-64	353	2.2	1	<1	<1	2	3	4	4	7
65+	115	2.8	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	393	2.8	40	<1	<1	2	3	4	6	25
20-34	384	3.4	29	<1	1	2	3	6	11	33
35-49	407	3.7	31	1	1	2	3	7	11	41
50-64	550	3.7	25	1	1	2	4	6	12	24
65+	434	4.7	36	1	1	3	5	10	15	27
TOT. SINGLE DX	1170	2.2	3	<1	<1	2	3	4	4	8
" MULTIPLE DX	2168	3.7	32	<1	1	2	4	7	11	31
TOTAL 0-19 YRS	564	2.5	29	<1	<1	2	3	4	5	16
20-34	569	3.0	21	<1	<1	2	3	5	8	28
35-49	753	3.0	20	<1	<1	2	3	5	8	25
50-64	903	3.1	16	<1	1	2	3	5	8	20
65+	549	4.3	30	1	1	3	4	10	13	23
GRAND TOTAL	**3338**	**3.2**	**23**	**<1**	**1**	**2**	**3**	**5**	**9**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	338	2.2	2	<1	1	2	3	4	5	9
20-34	874	2.4	2	1	1	2	3	4	5	7
35-49	1178	2.7	2	1	1	2	3	4	5	8
50-64	1181	2.9	9	1	1	3	4	5	5	8
65+	931	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	173	3.0	4	1	1	2	4	6	7	11
20-34	417	3.3	16	1	1	2	4	6	8	20
35-49	713	3.7	15	1	1	3	4	7	10	20
50-64	1081	4.0	16	1	1	3	5	7	11	19
65+	1549	5.0	25	1	2	4	5	10	14	29
TOT. SINGLE DX	4502	2.7	5	1	1	2	3	5	5	9
" MULTIPLE DX	3933	4.2	20	1	1	3	5	8	12	22
TOTAL 0-19 YRS	511	2.5	3	1	1	2	3	4	6	10
20-34	1291	2.7	7	1	1	2	3	5	6	10
35-49	1891	3.1	8	1	1	2	4	5	7	16
50-64	2262	3.4	13	1	1	3	4	6	8	15
65+	2480	4.3	19	1	1	3	5	8	12	23
GRAND TOTAL	**8435**	**3.4**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1012	3.3	2	1	1	3	4	6	7	8
20-34	36	2.9	2	1	1	3	4	5	6	6
35-49	38	2.9	3	1	1	3	4	6	6	10
50-64	36	4.1	46	1	1	2	4	6	12	41
65+	7	5.0	14	2	2	4	6	12	13	13
2. MULTIPLE DX										
0-19 YRS	1096	3.7	8	1	2	3	4	6	7	10
20-34	77	3.6	11	1	1	2	4	7	10	18
35-49	133	3.6	17	1	1	3	4	6	9	23
50-64	105	4.5	37	1	1	3	5	7	15	34
65+	39	4.2	16	1	1	3	5	10	13	20
TOT. SINGLE DX	1129	3.3	4	1	1	3	4	6	7	9
" MULTIPLE DX	1450	3.8	12	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2108	3.5	6	1	2	3	4	6	7	9
20-34	113	3.4	9	1	1	2	4	6	9	17
35-49	171	3.4	15	1	1	3	4	6	8	20
50-64	141	4.4	40	1	1	3	5	7	13	36
65+	46	4.3	16	1	1	3	5	11	13	20
GRAND TOTAL	**2579**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1547	2.8	5	<1	<1	2	4	6	7	9
20-34	445	3.5	8	<1	1	3	5	7	9	16
35-49	470	3.5	14	<1	<1	2	4	7	9	16
50-64	699	3.6	14	<1	1	2	4	8	11	18
65+	619	3.9	24	<1	1	2	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	1785	3.5	15	1	1	2	4	7	9	20
20-34	1132	4.6	43	1	1	3	5	9	14	31
35-49	973	5.7	50	1	1	3	7	12	19	37
50-64	1531	8.0	111	1	1	4	10	19	26	58
65+	2094	7.5	92	1	1	4	9	17	24	59
TOT. SINGLE DX	3780	3.3	12	<1	<1	2	4	7	9	17
" MULTIPLE DX	7515	6.0	69	1	1	3	7	13	20	47
TOTAL 0-19 YRS	3332	3.2	11	<1	1	2	4	6	8	14
20-34	1577	4.3	34	<1	1	3	5	8	12	28
35-49	1443	5.0	39	<1	1	3	6	10	16	33
50-64	2230	6.6	85	1	1	3	8	15	23	50
65+	2713	6.7	80	1	1	4	8	15	22	53
GRAND TOTAL	**11295**	**5.1**	**51**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14565	1.4		<1	1	1	2	2	2	3
20-34	9289	1.5		1	1	1	2	2	3	4
35-49	1110	1.7	1	1	1	1	2	3	3	6
50-64	187	1.8	1	1	1	2	2	3	4	5
65+	53	2.7	9	1	1	2	3	5	8	20
2. MULTIPLE DX										
0-19 YRS	4302	1.6	4	1	1	1	2	2	3	7
20-34	2527	1.9	5	1	1	1	2	3	4	9
35-49	557	2.4	7	1	1	2	2	4	7	13
50-64	144	4.3	39	1	1	2	4	11	15	37
65+	75	4.6	32	1	1	2	5	11	18	31
TOT. SINGLE DX	25204	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	7605	1.8	6	1	1	1	2	3	4	10
TOTAL 0-19 YRS	18867	1.4	2	<1	1	1	2	2	3	4
20-34	11816	1.6	2	1	1	1	2	2	3	5
35-49	1667	1.9	3	1	1	1	2	3	4	9
50-64	331	2.9	19	1	1	2	3	5	10	32
65+	128	3.8	24	1	1	2	4	8	13	24
GRAND TOTAL	**32809**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22855	1.3		<1	1	1	2	2	2	3
20-34	736	1.5		1	1	1	2	2	3	4
35-49	59	1.8		1	1	2	2	3	3	3
50-64	13	1.2		<1	<1	1	1	2	3	3
65+	23	1.5		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	19613	1.4	2	<1	1	1	2	2	2	5
20-34	350	1.9	5	1	1	1	2	3	4	8
35-49	27	2.9	9	1	1	2	3	6	12	13
50-64	9	2.8	7	1	1	2	3	7	9	9
65+	27	1.8	1	<1	1	1	2	4	5	6
TOT. SINGLE DX	23686	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	20026	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-19 YRS	42468	1.4	1	<1	1	1	2	2	2	4
20-34	1086	1.7	2	1	1	1	2	3	3	6
35-49	86	2.1	3	1	1	2	3	3	4	13
50-64	22	1.9	4	<1	1	1	2	4	7	9
65+	50	1.6	1	<1	1	1	2	3	4	6
GRAND TOTAL	**43712**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1053	1.2		<1	<1	1	1	2	2	2
20-34	21	1.4		<1	<1	1	2	2	2	2
35-49	7	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2901	1.3	3	<1	<1	1	1	2	2	7
20-34	23	1.3		<1	1	1	2	2	2	2
35-49	11	2.3	3	1	1	2	3	5	7	7
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	1084	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	2939	1.4	4	<1	<1	1	1	2	2	7
TOTAL 0-19 YRS	3954	1.3	3	<1	<1	1	1	2	2	5
20-34	44	1.3		<1	1	1	2	2	2	2
35-49	18	1.9	2	1	1	1	2	4	6	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	4	2.0	4	<1	<1	1	3	5	5	5
GRAND TOTAL	**4023**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1567	2.2	3	<1	1	2	3	4	5	9
20-34	1110	2.3	3	<1	1	2	3	4	5	8
35-49	450	2.7	10	<1	1	2	3	5	7	16
50-64	317	3.1	9	<1	1	2	3	7	10	15
65+	227	3.6	14	1	1	2	4	8	12	20
2. MULTIPLE DX										
0-19 YRS	668	3.5	20	1	1	2	4	6	10	25
20-34	538	3.8	19	1	1	3	4	7	10	22
35-49	371	5.4	64	1	1	3	6	12	20	54
50-64	656	6.8	77	1	1	4	9	16	22	51
65+	662	8.5	91	1	1	5	11	21	30	43
TOT. SINGLE DX	3671	2.4	6	<1	1	2	3	4	6	12
" MULTIPLE DX	2895	5.7	59	1	1	3	6	13	20	41
TOTAL 0-19 YRS	2235	2.6	9	<1	1	2	3	5	6	14
20-34	1648	2.8	9	<1	1	2	3	5	6	14
35-49	821	3.9	37	1	1	2	4	8	12	37
50-64	973	5.6	59	1	1	3	7	14	19	46
65+	889	7.2	77	1	1	4	10	18	25	41
GRAND TOTAL	**6566**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**8**	**13**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	1.9	2	<1	<1	1	2	4	6	8
20-34	96	2.9	5	<1	1	3	4	5	6	14
35-49	85	3.1	4	<1	1	3	5	6	7	10
50-64	113	3.1	5	<1	1	2	4	6	8	12
65+	109	3.2	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	404	3.4	11	1	1	3	4	5	7	22
20-34	110	4.4	26	<1	1	3	5	9	11	31
35-49	160	4.7	17	1	1	4	6	9	11	27
50-64	349	5.1	43	1	1	4	6	9	12	22
65+	699	5.5	36	1	1	4	7	11	16	33
TOT. SINGLE DX	511	2.9	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	1722	4.8	30	1	1	3	5	9	14	28
TOTAL 0-19 YRS	512	3.1	10	<1	1	3	4	5	6	18
20-34	206	3.7	17	<1	1	3	4	7	10	27
35-49	245	4.1	13	1	1	3	5	8	10	24
50-64	462	4.6	34	1	1	3	6	8	11	21
65+	808	5.2	33	1	1	4	6	10	15	31
GRAND TOTAL	**2233**	**4.4**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	1.6	1	<1	<1	1	2	2	3	8
20-34	417	1.4		<1	<1	1	2	2	2	3
35-49	758	1.6	6	<1	<1	1	2	2	3	8
50-64	1144	1.8	4	<1	<1	1	2	2	3	12
65+	651	1.8	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-19 YRS	263	3.0	27	<1	<1	1	2	6	11	38
20-34	215	3.2	60	<1	1	2	2	6	10	30
35-49	573	3.7	31	<1	1	2	3	9	13	31
50-64	1219	3.8	32	<1	1	2	4	9	14	31
65+	1209	4.5	47	<1	1	2	4	11	17	45
TOT. SINGLE DX	3369	1.7	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	3479	3.9	39	<1	1	2	4	10	15	34
TOTAL 0-19 YRS	662	2.2	12	<1	<1	1	2	3	6	18
20-34	632	2.0	22	<1	<1	1	2	2	4	15
35-49	1331	2.5	18	<1	<1	1	2	4	8	23
50-64	2363	2.8	20	<1	<1	2	2	6	10	22
65+	1860	3.6	34	<1	1	2	3	9	13	32
GRAND TOTAL	**6848**	**2.8**	**23**	**<1**	**<1**	**2**	**2**	**6**	**10**	**24**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.2	5	<1	<1	1	2	4	9	10
20-34	23	3.3	15	<1	<1	2	4	8	14	15
35-49	43	6.3	38	1	1	3	11	13	16	32
50-64	107	9.6	61	<1	1	9	14	18	25	34
65+	69	8.9	62	1	1	9	14	18	23	39
2. MULTIPLE DX										
0-19 YRS	82	5.4	96	<1	<1	2	5	11	19	60
20-34	36	8.2	211	1	1	4	8	61	99+	99+
35-49	64	10.5	142	1	2	7	13	22	27	73
50-64	220	12.9	130	1	2	10	16	27	37	57
65+	229	12.1	161	1	2	9	17	26	41	85
TOT. SINGLE DX	280	7.4	54	<1	1	5	12	17	21	31
" MULTIPLE DX	631	11.1	149	1	1	8	15	25	39	78
TOTAL 0-19 YRS	120	4.4	70	<1	<1	2	4	9	13	51
20-34	59	6.3	139	<1	<1	3	6	23	84	99+
35-49	107	8.8	105	1	1	6	11	19	24	60
50-64	327	11.8	110	1	2	10	16	25	32	51
65+	298	11.4	140	1	1	9	16	24	38	76
GRAND TOTAL	**911**	**10.0**	**123**	**1**	**1**	**7**	**14**	**23**	**32**	**68**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	36	13.7	30	4	9	13	16	20	25	32
50-64	138	13.9	32	7	8	13	16	21	24	34
65+	99	14.5	33	8	9	13	16	22	27	36
2. MULTIPLE DX										
0-19 YRS	4	26.3	287	11	11	22	39	49	49	49
20-34	3	31.0	171	16	16	37	39	40	40	40
35-49	98	21.2	172	9	10	18	24	37	51	73
50-64	511	19.9	148	8	10	16	24	36	45	86
65+	474	21.8	190	9	10	17	25	40	54	84
TOT. SINGLE DX	274	14.1	33	8	9	13	16	21	24	35
" MULTIPLE DX	1090	20.9	170	9	10	17	25	38	50	84
TOTAL 0-19 YRS	4	26.3	288	11	11	22	39	49	49	49
20-34	4	27.0	178	15	15	26	38	40	40	40
35-49	134	19.2	145	8	9	16	23	32	46	66
50-64	649	18.7	130	8	9	15	22	33	41	76
65+	573	20.5	171	9	10	16	24	38	50	84
GRAND TOTAL	**1364**	**19.5**	**150**	**8**	**10**	**16**	**23**	**36**	**45**	**83**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	9.0	57	2	2	8	15	17	17	17
20-34	2	17.0	288	5	5	17	29	29	29	29
35-49	4	4.5	3	2	2	5	6	6	6	6
50-64	19	8.8	86	1	2	4	13	22	30	36
65+	12	11.0	45	1	4	11	14	22	23	23
2. MULTIPLE DX										
0-19 YRS	43	24.4	564	2	4	19	47	99+	99+	99+
20-34	56	29.2	451	3	6	29	50	82	99+	99+
35-49	111	25.7	441	3	4	24	40	82	99+	99+
50-64	282	27.0	421	3	4	25	43	70	99+	99+
65+	407	33.5	539	6	8	32	52	88	99+	99+
TOT. SINGLE DX	40	9.5	70	1	2	6	14	22	26	36
" MULTIPLE DX	899	29.8	496	4	6	27	49	84	99+	99+
TOTAL 0-19 YRS	46	23.4	544	2	3	19	41	99+	99+	99+
20-34	58	28.8	445	3	5	29	50	79	99+	99+
35-49	115	24.9	441	3	4	22	39	82	99+	99+
50-64	301	25.9	420	3	4	23	42	69	99+	99+
65+	419	32.8	539	6	7	30	51	87	99+	99+
GRAND TOTAL	**939**	**28.9**	**494**	**3**	**5**	**26**	**47**	**82**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	5.3	56	<1	<1	2	6	13	23	44
20-34	79	3.8	14	<1	1	2	6	9	11	76
35-49	57	8.6	153	1	1	4	9	21	48	50
50-64	91	4.9	55	1	1	2	6	11	15	40
65+	89	6.3	144	1	1	2	5	15	34	92
2. MULTIPLE DX										
0-19 YRS	450	15.2	357	<1	1	9	24	62	99+	99+
20-34	289	22.9	499	1	2	15	40	67	91	99+
35-49	353	22.5	512	1	2	17	39	78	99+	99+
50-64	886	22.8	494	1	2	17	40	70	99+	99+
65+	1205	31.5	628	1	2	30	54	84	99+	99+
TOT. SINGLE DX	463	5.6	79	<1	1	2	6	12	25	50
" MULTIPLE DX	3183	25.0	560	1	2	20	44	77	99+	99+
TOTAL 0-19 YRS	597	12.8	301	<1	1	6	19	49	94	99+
20-34	368	18.8	457	1	1	10	32	60	85	99+
35-49	410	20.5	486	1	1	13	37	69	99+	99+
50-64	977	21.1	481	1	1	14	37	68	99+	99+
65+	1294	29.8	636	1	2	27	52	82	99+	99+
GRAND TOTAL	**3646**	**22.5**	**541**	**1**	**1**	**15**	**40**	**71**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	4.9	22	<1	1	4	7	10	12	28
20-34	305	5.4	27	1	1	4	7	11	14	28
35-49	472	5.7	33	<1	1	4	8	12	16	29
50-64	1007	5.5	30	<1	1	4	7	12	16	26
65+	992	6.1	32	1	1	4	8	13	16	28
2. MULTIPLE DX										
0-19 YRS	130	8.8	38	1	2	8	12	18	22	44
20-34	1041	12.7	126	2	2	9	17	28	36	67
35-49	2231	11.5	119	2	2	8	15	24	33	58
50-64	6506	10.4	82	2	2	8	13	21	27	48
65+	11526	11.6	91	2	3	9	15	23	30	53
TOT. SINGLE DX	2829	5.7	31	<1	1	4	8	12	16	27
" MULTIPLE DX	21434	11.3	94	2	2	9	15	22	29	53
TOTAL 0-19 YRS	183	7.7	37	1	2	7	10	17	21	30
20-34	1346	11.0	114	1	2	8	15	25	33	60
35-49	2703	10.5	109	1	2	8	13	22	31	56
50-64	7513	9.7	78	1	2	8	13	20	26	46
65+	12518	11.2	89	2	2	9	15	22	29	51
GRAND TOTAL	**24263**	**10.6**	**90**	**1**	**2**	**8**	**14**	**22**	**28**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	7.6	29	2	2	7	11	16	16	16
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	3	15.0	117	3	3	18	22	24	24	24
20-34	6	8.7	7	5	5	8	10	13	13	13
35-49	4	6.0	2	4	4	6	7	8	8	8
50-64	18	11.8	113	2	2	10	16	26	35	41
65+	8	17.1	294	1	1	14	28	44	49	49
TOT. SINGLE DX	9	10.4	81	1	1	9	15	24	30	30
" MULTIPLE DX	39	12.1	124	1	2	9	16	26	37	49
TOTAL 0-19 YRS	3	15.0	117	3	3	18	22	24	24	24
20-34	11	8.2	16	2	3	8	10	14	16	16
35-49	6	6.7	22	1	1	6	8	14	15	15
50-64	19	11.7	108	2	2	10	16	26	35	41
65+	9	18.6	276	1	1	16	30	42	49	49
GRAND TOTAL	**48**	**11.8**	**115**	**1**	**2**	**9**	**16**	**26**	**33**	**49**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	9.0	22	3	4	8	11	14	16	30
20-34	270	8.2	26	1	3	7	11	15	18	25
35-49	433	8.0	33	1	3	7	9	13	19	34
50-64	854	8.1	30	1	2	7	10	14	19	26
65+	648	7.6	34	1	1	7	10	15	18	27
2. MULTIPLE DX										
0-19 YRS	262	14.1	173	4	5	10	16	32	44	97
20-34	659	13.0	109	3	5	10	16	26	33	56
35-49	1276	12.4	99	2	4	10	15	24	31	63
50-64	3681	12.4	104	2	3	10	16	24	32	56
65+	5047	12.5	104	1	2	10	16	24	32	53
TOT. SINGLE DX	2288	8.0	32	1	2	7	10	14	18	28
" MULTIPLE DX	10925	12.5	106	2	3	10	16	25	32	56
TOTAL 0-19 YRS	345	12.8	141	4	5	9	14	26	38	83
20-34	929	11.6	90	3	4	9	14	21	30	49
35-49	1709	11.3	86	2	4	9	14	21	29	52
50-64	4535	11.6	93	2	3	9	15	23	30	54
65+	5695	11.9	99	1	2	10	15	23	31	52
GRAND TOTAL	**13213**	**11.7**	**96**	**2**	**3**	**9**	**15**	**23**	**30**	**53**

566: Lobectomy and complete pnaumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	9.2	14	5	6	8	10	16	18	18
20-34	29	10.2	30	6	6	9	11	14	25	31
35-49	140	10.5	22	5	6	9	12	17	21	38
50-64	482	11.7	25	6	7	10	14	19	21	30
65+	359	11.9	33	6	7	10	14	18	22	39
2. MULTIPLE DX										
0-19 YRS	60	17.0	238	6	6	11	20	31	52	82
20-34	94	14.5	123	6	7	11	17	28	33	87
35-49	448	14.2	94	6	7	11	17	24	32	63
50-64	2121	14.9	94	7	7	12	18	25	32	53
65+	2411	16.1	93	7	8	13	19	27	34	63
TOT. SINGLE DX	1029	11.5	28	6	7	10	13	18	22	31
" MULTIPLE DX	5134	15.4	97	7	8	13	18	26	33	66
TOTAL 0-19 YRS	79	15.1	195	6	6	10	18	29	37	79
20-34	123	13.5	105	6	7	10	15	27	31	79
35-49	588	13.3	79	6	7	11	15	23	31	60
50-64	2603	14.3	83	6	7	12	17	24	30	51
65+	2770	15.6	88	7	8	13	18	26	32	60
GRAND TOTAL	**6163**	**14.8**	**87**	**7**	**7**	**12**	**17**	**25**	**32**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	716	2.7	10	<1	<1	1	3	7	9	18
20-34	329	5.5	36	<1	1	4	7	11	14	29
35-49	425	5.2	23	1	1	4	7	12	14	26
50-64	726	5.4	24	<1	1	4	8	12	15	25
65+	532	6.3	33	<1	1	4	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	1031	8.8	129	1	1	5	12	20	30	88
20-34	1034	11.1	139	1	2	8	14	24	35	81
35-49	1973	10.4	90	1	2	8	14	22	29	47
50-64	4689	10.6	97	2	2	8	13	22	29	54
65+	7933	12.7	116	2	3	10	16	25	34	59
TOT. SINGLE DX	2728	4.9	26	<1	1	3	7	11	15	25
" MULTIPLE DX	16660	11.5	112	2	2	9	15	24	32	60
TOTAL 0-19 YRS	1747	6.3	90	<1	1	3	8	15	22	68
20-34	1363	9.7	121	1	1	7	12	20	29	74
35-49	2398	9.5	83	1	2	7	12	20	27	46
50-64	5415	9.9	91	1	2	8	13	21	28	52
65+	8465	12.3	113	2	3	10	16	24	33	59
GRAND TOTAL	**19388**	**10.6**	**105**	**1**	**2**	**8**	**14**	**22**	**30**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	5.9	44	1	1	4	7	12	14	43
20-34	177	5.2	14	2	2	4	6	9	13	19
35-49	75	6.1	15	2	2	5	8	11	13	21
50-64	52	6.7	20	1	1	6	10	13	14	18
65+	33	7.9	33	1	3	5	11	18	21	22
2. MULTIPLE DX										
0-19 YRS	95	11.4	171	2	3	7	13	20	35	69
20-34	179	9.6	89	3	4	7	11	18	25	69
35-49	169	11.8	103	2	3	8	17	23	37	52
50-64	279	13.0	140	2	3	10	17	26	35	68
65+	364	13.4	134	3	4	11	17	25	33	83
TOT. SINGLE DX	392	5.9	22	1	2	5	7	12	14	22
" MULTIPLE DX	1086	12.2	128	2	3	9	16	24	34	71
TOTAL 0-19 YRS	150	9.4	132	1	2	6	12	17	26	65
20-34	356	7.4	57	2	3	6	8	13	19	55
35-49	244	10.0	83	2	2	7	12	21	30	50
50-64	331	12.0	126	2	3	9	15	24	32	67
65+	397	13.0	129	2	4	10	17	25	32	80
GRAND TOTAL	**1478**	**10.6**	**108**	**2**	**3**	**7**	**13**	**22**	**29**	**67**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	556	5.5	19	1	2	4	7	10	13	23
20-34	2115	5.3	13	2	2	4	6	9	12	18
35-49	741	5.8	19	2	2	5	7	10	13	23
50-64	403	6.7	19	2	3	6	8	12	15	24
65+	286	7.7	31	2	2	6	10	16	19	31
2. MULTIPLE DX										
0-19 YRS	1091	13.4	246	2	3	8	15	32	57	99+
20-34	2267	9.2	80	2	3	7	11	18	24	49
35-49	1856	10.5	85	3	3	8	13	21	28	50
50-64	3072	12.0	103	3	4	9	15	24	32	55
65+	4542	13.4	126	3	4	10	17	27	34	63
TOT. SINGLE DX	4101	5.7	17	2	2	5	7	10	13	23
" MULTIPLE DX	12828	11.9	120	3	3	9	15	24	33	63
TOTAL 0-19 YRS	1647	10.8	183	2	3	6	12	23	43	92
20-34	4382	7.3	52	2	3	5	8	13	19	42
35-49	2597	9.1	71	2	3	7	11	18	24	44
50-64	3475	11.4	96	3	3	8	14	23	31	53
65+	4828	13.1	123	3	4	10	17	27	34	62
GRAND TOTAL	**16929**	**10.4**	**102**	**2**	**3**	**7**	**13**	**21**	**29**	**57**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	636	5.6	8	1	2	6	7	8	10	18
20-34	470	6.3	39	1	1	5	8	12	16	24
35-49	363	5.7	37	<1	1	4	8	12	15	37
50-64	437	5.9	29	1	1	4	8	13	16	29
65+	340	6.4	34	1	1	4	9	14	17	28
2. MULTIPLE DX										
0-19 YRS	329	9.7	70	2	3	7	12	19	25	39
20-34	776	10.6	100	1	2	8	13	22	30	50
35-49	962	11.7	119	1	2	9	15	24	31	72
50-64	2100	11.1	104	1	2	9	14	23	30	52
65+	3141	12.5	123	2	2	10	16	26	34	58
TOT. SINGLE DX	2246	5.9	28	1	1	5	8	12	15	26
" MULTIPLE DX	7308	11.6	113	1	2	9	15	24	32	56
TOTAL 0-19 YRS	965	7.0	33	1	2	6	7	12	17	29
20-34	1246	8.9	82	1	1	7	11	19	25	43
35-49	1325	10.1	104	1	1	8	13	21	28	54
50-64	2537	10.2	95	1	2	8	14	21	29	49
65+	3481	11.9	118	1	2	9	16	25	33	57
GRAND TOTAL	**9554**	**10.3**	**99**	**1**	**2**	**8**	**13**	**22**	**29**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	658	8.1	27	4	5	7	9	11	14	24
20-34	142	9.1	7	6	6	9	10	12	14	20
35-49	198	10.0	10	6	7	9	11	14	16	23
50-64	254	11.6	20	7	8	11	13	17	20	29
65+	167	13.4	27	8	9	12	16	19	24	33
2. MULTIPLE DX										
0-19 YRS	1885	12.6	104	5	6	9	14	22	34	84
20-34	417	16.2	169	7	7	11	19	31	43	77
35-49	925	15.6	140	7	8	12	17	28	42	78
50-64	2342	16.1	112	8	8	13	18	27	36	71
65+	2901	18.5	138	8	9	15	22	33	42	77
TOT. SINGLE DX	1419	9.7	25	5	6	9	11	14	18	26
" MULTIPLE DX	8470	16.1	130	7	8	13	19	29	40	77
TOTAL 0-19 YRS	2543	11.4	89	5	6	9	12	19	28	77
20-34	559	14.4	138	6	7	10	15	27	38	75
35-49	1123	14.6	122	7	8	11	16	25	39	74
50-64	2596	15.7	105	8	8	12	18	26	34	70
65+	3068	18.3	134	8	9	15	21	32	41	75
GRAND TOTAL	**9889**	**15.2**	**120**	**6**	**7**	**12**	**17**	**27**	**37**	**73**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	11	9.5	4	7	7	9	11	13	14	14
35-49	461	10.3	12	6	7	10	12	15	17	23
50-64	1370	10.9	14	7	7	10	12	15	18	23
65+	693	12.1	21	7	8	11	14	18	20	30
2. MULTIPLE DX										
0-19 YRS	16	16.8	201	7	9	11	15	47	52	53
20-34	120	11.4	56	6	7	9	12	19	23	46
35-49	3705	11.2	29	7	7	10	13	17	21	32
50-64	14715	12.6	45	7	8	11	14	20	24	40
65+	11924	15.1	80	8	8	13	17	24	31	55
TOT. SINGLE DX	2537	11.1	16	7	7	10	13	16	18	26
" MULTIPLE DX	30480	13.4	59	7	8	11	15	21	27	48
TOTAL 0-19 YRS	18	16.1	182	7	9	11	13	42	52	53
20-34	131	11.3	52	6	7	9	12	18	23	42
35-49	4166	11.1	27	7	7	10	12	16	20	32
50-64	16085	12.5	43	7	8	11	14	19	24	39
65+	12617	14.9	78	8	8	12	17	24	31	55
GRAND TOTAL	**33017**	**13.2**	**56**	**7**	**8**	**11**	**15**	**21**	**26**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1536	1.8	1	<1	1	2	2	2	4	9
20-34	721	2.8	7	1	1	2	3	6	8	13
35-49	5163	2.8	6	1	1	2	3	6	9	13
50-64	9100	2.7	6	1	1	2	2	6	9	13
65+	3440	2.8	7	1	1	2	2	6	9	14
2. MULTIPLE DX										
0-19 YRS	3396	2.7	16	1	1	2	2	5	9	20
20-34	1984	4.6	27	1	1	2	6	10	14	23
35-49	17384	4.2	17	1	1	2	6	10	12	19
50-64	44173	4.4	21	1	1	2	6	10	13	21
65+	28930	5.5	36	1	1	3	8	12	16	28
TOT. SINGLE DX	19960	2.7	7	1	1	2	2	6	9	13
" MULTIPLE DX	95867	4.6	26	1	1	2	6	11	14	23
TOTAL 0-19 YRS	4932	2.5	12	<1	1	2	2	4	7	17
20-34	2705	4.1	23	1	1	2	5	9	13	21
35-49	22547	3.9	16	1	1	2	5	9	12	18
50-64	53273	4.1	19	1	1	2	5	10	13	20
65+	32370	5.2	34	1	1	2	7	12	16	27
GRAND TOTAL	**115827**	**4.3**	**23**	**1**	**1**	**2**	**6**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.4	4	1	1	3	5	6	7	10
20-34	63	3.6	4	1	1	3	5	6	7	11
35-49	140	4.2	11	1	1	3	5	9	12	16
50-64	487	4.8	15	1	1	4	6	11	14	18
65+	2024	4.7	19	1	1	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	195	7.0	55	1	2	5	8	12	19	45
20-34	187	6.7	47	1	2	5	9	13	16	39
35-49	654	9.0	48	2	2	7	12	17	22	33
50-64	3768	9.7	60	2	3	8	13	18	23	39
65+	22102	9.8	65	2	3	8	13	19	24	42
TOT. SINGLE DX	2774	4.6	18	1	1	4	6	9	12	19
" MULTIPLE DX	26906	9.8	65	2	3	8	13	19	24	42
TOTAL 0-19 YRS	255	6.1	46	1	2	4	7	11	17	42
20-34	250	5.9	38	1	1	4	7	12	15	36
35-49	794	8.2	45	1	2	6	11	16	20	30
50-64	4255	9.2	58	2	2	7	12	18	22	37
65+	24126	9.4	64	2	2	7	12	18	24	42
GRAND TOTAL	**29680**	**9.3**	**62**	**2**	**2**	**7**	**12**	**18**	**23**	**41**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	5.9	13	1	2	6	8	11	14	16
20-34	110	6.3	17	1	2	6	9	12	15	52
35-49	758	4.4	13	1	2	3	6	9	11	18
50-64	1572	4.1	9	1	2	3	5	8	10	15
65+	588	4.3	11	1	2	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	246	10.1	120	2	2	8	12	22	29	88
20-34	425	9.8	79	2	2	8	12	21	26	40
35-49	3277	6.3	31	2	2	4	8	13	17	27
50-64	7944	6.4	33	2	2	4	8	12	16	29
65+	4953	7.9	54	2	2	6	10	16	21	37
TOT. SINGLE DX	3125	4.3	11	1	2	3	6	9	11	16
" MULTIPLE DX	16845	6.9	42	2	2	5	9	14	18	33
TOTAL 0-19 YRS	343	8.9	94	1	2	7	10	18	26	70
20-34	535	9.1	69	2	2	7	11	19	25	40
35-49	4035	5.9	29	2	2	4	8	12	16	26
50-64	9516	6.0	30	2	2	4	8	12	15	28
65+	5541	7.5	51	2	2	5	10	15	20	36
GRAND TOTAL	**19970**	**6.5**	**39**	**2**	**2**	**4**	**8**	**13**	**17**	**31**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1064	2.7	11	<1	<1	2	3	6	8	13
20-34	377	3.5	15	<1	<1	2	4	8	12	19
35-49	446	3.7	18	<1	<1	2	5	9	12	23
50-64	559	3.5	21	<1	<1	2	3	9	12	26
65+	498	4.9	34	<1	1	2	7	12	15	28
2. MULTIPLE DX										
0-19 YRS	2882	5.4	64	1	1	3	6	11	16	62
20-34	965	10.0	116	1	2	7	12	20	29	70
35-49	1698	8.6	77	1	1	6	11	18	24	47
50-64	4322	9.0	69	1	2	7	12	19	25	41
65+	11087	11.3	92	2	3	9	15	22	29	53
TOT. SINGLE DX	2944	3.5	19	<1	<1	2	4	8	11	22
" MULTIPLE DX	20954	9.7	88	1	2	7	13	20	27	50
TOTAL 0-19 YRS	3946	4.7	52	<1	1	3	5	9	14	47
20-34	1342	8.2	97	1	1	5	11	17	24	48
35-49	2144	7.6	69	1	1	5	10	17	22	44
50-64	4881	8.4	67	1	1	6	11	18	24	38
65+	11585	11.0	92	2	2	9	14	22	29	53
GRAND TOTAL	**23898**	**9.0**	**84**	**1**	**1**	**6**	**12**	**19**	**26**	**48**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.5	1	<1	1	2	3	4	5	8
20-34	1714	2.8	2	1	1	3	4	5	6	8
35-49	2649	3.2	4	1	1	3	4	5	6	11
50-64	1724	3.6	7	1	1	3	4	6	7	13
65+	445	3.8	7	1	1	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	20	3.8	4	2	2	3	5	6	8	11
20-34	510	4.2	15	1	1	3	5	8	11	19
35-49	1213	4.6	21	1	1	3	5	8	12	22
50-64	1321	5.2	22	1	2	4	6	10	14	27
65+	736	7.7	87	1	2	5	8	17	25	47
TOT. SINGLE DX	6601	3.2	5	1	1	3	4	5	7	12
" MULTIPLE DX	3800	5.4	35	1	2	4	6	10	15	30
TOTAL 0-19 YRS	89	2.8	3	<1	1	2	4	5	5	10
20-34	2224	3.2	6	1	1	3	4	5	7	12
35-49	3862	3.6	10	1	1	3	4	6	8	17
50-64	3045	4.3	15	1	1	3	5	7	10	21
65+	1181	6.2	61	1	2	4	6	13	20	38
GRAND TOTAL	**10401**	**4.0**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	7.8	21	2	2	7	10	14	16	25
20-34	99	5.3	22	1	1	4	7	10	15	25
35-49	341	8.0	30	1	2	8	10	13	17	29
50-64	1073	8.7	23	2	3	8	11	14	16	28
65+	987	9.4	32	2	4	9	11	15	18	30
2. MULTIPLE DX										
0-19 YRS	431	12.2	106	3	4	9	14	25	37	71
20-34	750	10.9	132	1	2	8	14	22	33	63
35-49	2096	11.5	103	2	3	9	14	22	31	57
50-64	7693	13.3	119	3	5	10	15	25	34	66
65+	12073	15.6	137	4	6	12	19	30	39	70
TOT. SINGLE DX	2588	8.7	28	2	3	8	11	14	17	28
" MULTIPLE DX	23043	14.2	130	3	5	11	17	27	37	67
TOTAL 0-19 YRS	519	11.4	95	2	3	9	13	24	32	65
20-34	849	10.2	123	1	2	7	12	21	30	60
35-49	2437	11.0	95	2	3	9	13	21	29	54
50-64	8766	12.7	110	3	5	10	15	23	32	63
65+	13060	15.1	133	4	6	12	18	29	38	69
GRAND TOTAL	**25631**	**13.7**	**123**	**3**	**5**	**11**	**16**	**26**	**35**	**66**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	4	5	5	7	8	9	9	9
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	8.0	27	2	2	11	11	11	11	11
65+	2	12.5	5	11	11	12	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	9	18.4	366	5	6	12	18	49	68	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	15	12.9	36	4	5	12	16	18	26	29
65+	10	19.9	129	9	9	18	26	37	46	46
TOT. SINGLE DX	9	8.9	13	2	3	10	11	13	14	14
" MULTIPLE DX	36	16.1	143	5	7	12	18	28	41	68
TOTAL 0-19 YRS	12	15.6	294	5	5	11	15	34	63	68
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	18	12.1	37	3	4	11	15	17	25	29
65+	12	18.7	115	9	10	16	23	34	44	46
GRAND TOTAL	**45**	**14.6**	**125**	**4**	**5**	**11**	**16**	**26**	**33**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.1	10	<1	<1	2	4	9	10	10
20-34	35	4.1	26	<1	<1	3	5	9	19	23
35-49	38	4.1	15	<1	1	3	5	9	11	19
50-64	51	6.4	30	<1	1	5	8	15	19	23
65+	41	8.4	145	<1	1	5	9	17	37	58
2. MULTIPLE DX										
0-19 YRS	200	6.5	110	1	1	4	7	12	18	75
20-34	1756	5.2	30	<1	1	4	6	10	15	30
35-49	2265	6.2	48	1	1	4	7	12	18	38
50-64	4056	6.7	54	1	2	5	8	13	19	40
65+	4504	7.7	62	1	2	5	9	16	22	41
TOT. SINGLE DX	172	5.8	55	<1	1	4	7	12	19	47
" MULTIPLE DX	12781	6.8	55	1	1	5	8	14	19	39
TOTAL 0-19 YRS	207	6.4	107	1	1	4	7	11	18	75
20-34	1791	5.1	31	<1	1	4	6	10	15	29
35-49	2303	6.2	48	1	1	4	7	12	17	38
50-64	4107	6.7	55	1	2	5	8	13	19	39
65+	4545	7.7	63	1	2	5	9	16	22	42
GRAND TOTAL	**12953**	**6.7**	**55**	**1**	**1**	**5**	**8**	**14**	**19**	**39**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1050	6.3	36	1	1	5	8	11	15	32
20-34	784	5.3	37	<1	1	3	7	12	15	28
35-49	1104	6.8	49	1	1	5	9	15	19	31
50-64	3139	6.4	27	1	2	5	8	11	15	26
65+	4151	6.8	22	2	3	6	9	12	15	25
2. MULTIPLE DX										
0-19 YRS	8607	18.4	408	1	3	10	26	55	78	99+
20-34	3018	9.4	132	1	1	6	12	22	31	69
35-49	4899	9.9	116	1	2	7	12	22	31	61
50-64	17683	10.2	96	2	2	8	12	20	28	55
65+	34476	11.5	101	2	3	9	14	22	31	59
TOT. SINGLE DX	10228	6.5	30	1	2	5	8	12	15	27
" MULTIPLE DX	68683	11.8	148	2	3	8	14	25	37	80
TOTAL 0-19 YRS	9657	17.1	382	1	2	9	23	52	74	99+
20-34	3802	8.6	116	1	1	5	11	20	29	65
35-49	6003	9.3	105	1	1	6	12	21	29	58
50-64	20822	9.6	88	1	2	7	12	19	27	53
65+	38627	11.0	95	2	3	8	14	21	29	57
GRAND TOTAL	**78911**	**11.1**	**136**	**2**	**2**	**8**	**13**	**23**	**34**	**75**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1151	2.9	7	<1	<1	2	4	6	9	13
20-34	1163	3.2	10	<1	<1	2	4	8	10	16
35-49	924	3.4	11	<1	<1	2	4	7	10	16
50-64	938	4.3	20	<1	1	3	5	9	12	20
65+	736	4.7	18	<1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	702	5.8	56	<1	1	4	7	12	18	39
20-34	1187	7.6	67	1	1	5	10	17	23	45
35-49	1462	7.7	72	1	1	5	10	17	23	42
50-64	2648	8.4	74	1	2	6	11	18	24	46
65+	3696	9.7	88	1	2	7	12	20	27	50
TOT. SINGLE DX	4912	3.6	14	<1	<1	2	5	8	10	17
" MULTIPLE DX	9695	8.5	78	1	1	6	11	18	25	46
TOTAL 0-19 YRS	1853	4.0	28	<1	<1	2	5	9	12	25
20-34	2350	5.4	44	<1	1	3	7	12	17	33
35-49	2386	6.1	53	<1	1	4	8	14	19	36
50-64	3586	7.3	63	1	1	5	9	16	21	42
65+	4432	8.9	80	1	2	6	11	18	25	46
GRAND TOTAL	**14607**	**6.9**	**62**	**<1**	**1**	**4**	**9**	**15**	**21**	**41**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	3.7	10	<1	1	2	5	9	11	15
20-34	120	5.1	14	1	1	4	7	9	11	19
35-49	197	4.5	14	1	1	4	5	8	10	21
50-64	287	5.7	21	1	2	4	7	12	16	22
65+	269	6.4	17	2	2	5	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	52	5.6	17	1	2	4	9	12	14	17
20-34	234	7.4	25	2	2	7	9	13	16	28
35-49	433	8.1	74	2	2	6	9	15	22	53
50-64	1007	10.6	113	2	3	7	12	22	32	60
65+	1276	10.0	82	2	3	7	11	19	27	48
TOT. SINGLE DX	922	5.5	18	1	2	5	7	10	14	21
" MULTIPLE DX	3002	9.6	87	2	3	7	11	19	27	49
TOTAL 0-19 YRS	101	4.7	15	1	1	3	7	10	13	16
20-34	354	6.6	23	1	2	6	8	12	15	26
35-49	630	7.0	58	1	2	5	8	14	19	44
50-64	1294	9.5	97	2	2	7	11	19	29	54
65+	1545	9.3	73	2	3	7	11	18	25	46
GRAND TOTAL	**3924**	**8.6**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	20.5	185	2	2	23	30	33	33	33
20-34	9	20.7	613	2	2	6	36	60	75	75
35-49	6	13.0	137	2	2	9	22	31	32	32
50-64	8	15.8	247	3	3	11	19	43	51	51
65+	9	15.7	165	3	3	9	26	36	39	39
TOT. SINGLE DX	12	4.8	13	1	2	3	8	10	13	13
" MULTIPLE DX	36	17.0	271	2	2	10	26	38	47	75
TOTAL 0-19 YRS	6	15.5	174	2	2	13	28	32	33	33
20-34	11	18.8	509	2	2	8	31	53	73	75
35-49	9	10.2	105	2	2	8	13	28	32	32
50-64	10	13.1	224	2	2	9	14	37	51	51
65+	12	12.3	157	1	2	9	18	34	38	39
GRAND TOTAL	**48**	**14.0**	**234**	**2**	**2**	**9**	**20**	**35**	**40**	**75**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	17.0	306	1	1	16	32	35	35	35
20-34	5	24.8	364	2	2	29	41	45	45	45
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	35	54.3	419	27	30	57	71	98	99+	99+
20-34	42	40.9	197	15	25	42	49	60	65	68
35-49	29	37.9	206	5	25	39	47	54	57	72
50-64	8	34.1	516	1	3	36	47	64	70	70
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	12	16.7	300	1	2	6	32	41	44	45
" MULTIPLE DX	115	43.4	346	7	25	42	54	71	82	99+
TOTAL 0-19 YRS	39	50.5	532	16	28	51	71	98	99+	99+
20-34	47	39.1	233	2	24	42	48	58	65	68
35-49	30	36.7	240	3	15	38	46	53	56	72
50-64	10	27.8	579	1	1	26	46	59	70	70
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**127**	**40.9**	**401**	**3**	**8**	**42**	**52**	**69**	**79**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1237	5.6	23	1	1	5	7	10	13	24
20-34	924	6.7	25	2	2	6	8	11	16	24
35-49	593	6.7	28	2	2	6	8	12	17	33
50-64	642	7.6	52	1	2	6	9	15	20	42
65+	796	7.2	44	1	2	6	9	14	18	39
2. MULTIPLE DX										
0-19 YRS	2076	9.6	100	2	2	7	11	20	30	56
20-34	2768	11.7	131	2	3	8	13	26	37	65
35-49	3025	11.5	120	2	3	8	14	25	34	64
50-64	5927	11.8	113	2	3	9	14	24	33	57
65+	15729	12.0	101	3	4	9	15	23	31	61
TOT. SINGLE DX	4192	6.6	33	1	2	5	8	12	17	32
" MULTIPLE DX	29525	11.7	109	2	3	9	14	24	32	60
TOTAL 0-19 YRS	3313	8.1	76	1	2	6	9	16	23	52
20-34	3692	10.4	109	2	3	7	11	22	32	58
35-49	3618	10.7	109	2	3	8	12	23	33	59
50-64	6569	11.4	109	2	3	8	14	23	32	56
65+	16525	11.7	100	3	4	9	14	23	31	59
GRAND TOTAL	**33717**	**11.1**	**103**	**2**	**3**	**8**	**13**	**22**	**31**	**57**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	345	8.2	101	1	1	5	10	19	29	48
20-34	260	10.1	122	1	1	6	13	24	37	58
35-49	252	8.0	80	1	1	5	10	20	27	44
50-64	289	8.6	96	1	1	5	10	23	31	45
65+	189	8.5	80	<1	1	5	12	18	28	45
2. MULTIPLE DX										
0-19 YRS	1399	16.1	303	1	2	10	22	45	67	99+
20-34	1671	14.2	186	1	2	10	19	32	43	67
35-49	2406	12.9	169	1	2	8	17	30	41	69
50-64	4208	12.7	170	1	2	8	16	30	41	67
65+	5182	14.5	170	2	3	11	19	32	42	68
TOT. SINGLE DX	1335	8.6	98	1	1	5	11	21	30	47
" MULTIPLE DX	14866	13.8	186	1	2	9	18	32	43	76
TOTAL 0-19 YRS	1744	14.5	274	1	2	9	19	40	62	99+
20-34	1931	13.6	180	1	2	9	18	31	42	66
35-49	2658	12.4	163	1	2	8	16	29	39	67
50-64	4497	12.4	167	1	2	8	16	29	40	66
65+	5371	14.3	169	2	3	10	19	31	42	67
GRAND TOTAL	**16201**	**13.4**	**181**	**1**	**2**	**9**	**18**	**31**	**42**	**74**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	3.1	20	<1	<1	2	3	7	10	24
20-34	219	4.1	12	<1	<1	3	6	9	11	16
35-49	337	4.2	18	<1	1	3	5	9	11	23
50-64	510	5.4	49	<1	1	3	7	12	16	34
65+	583	4.6	23	<1	<1	3	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	570	8.0	139	<1	1	3	10	21	34	95
20-34	847	7.7	82	1	2	5	9	15	25	52
35-49	1853	8.0	70	1	2	6	10	16	22	49
50-64	3720	9.1	98	1	2	6	11	19	27	57
65+	6993	9.6	86	1	2	7	12	20	28	57
TOT. SINGLE DX	1953	4.5	28	<1	<1	3	6	10	13	26
" MULTIPLE DX	13983	9.1	90	1	2	7	11	19	27	57
TOTAL 0-19 YRS	874	6.3	103	<1	<1	2	7	16	27	68
20-34	1066	7.0	70	1	1	5	8	14	20	49
35-49	2190	7.4	64	1	1	5	9	15	21	46
50-64	4230	8.6	94	1	1	6	10	18	26	53
65+	7576	9.2	84	1	2	7	11	19	27	54
GRAND TOTAL	**15936**	**8.5**	**85**	**1**	**1**	**6**	**10**	**18**	**26**	**53**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2071	3.4	2	2	2	3	4	5	6	9
20-34	15	5.9	4	1	3	6	7	9	10	10
35-49	12	5.8	5	2	3	6	8	9	10	10
50-64	17	8.5	29	1	4	6	12	18	19	19
65+	14	10.6	15	6	7	9	12	17	19	19
2. MULTIPLE DX										
0-19 YRS	653	5.0	31	2	2	4	5	8	10	24
20-34	34	12.3	68	4	5	10	15	24	39	99+
35-49	49	17.0	195	5	5	12	20	41	45	65
50-64	82	16.1	143	4	6	12	19	35	40	93
65+	161	16.3	114	5	6	14	21	30	36	72
TOT. SINGLE DX	2129	3.5	3	2	2	3	4	5	7	11
" MULTIPLE DX	979	8.7	90	2	3	5	10	19	28	51
TOTAL 0-19 YRS	2724	3.8	10	2	2	3	4	6	7	12
20-34	49	10.3	57	3	4	8	13	22	28	99+
35-49	61	14.8	178	3	5	9	18	37	44	63
50-64	99	14.8	132	4	5	12	19	31	39	89
65+	175	15.9	109	5	7	14	21	29	35	69
GRAND TOTAL	**3108**	**5.1**	**36**	**2**	**2**	**4**	**5**	**9**	**15**	**34**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	11.2	123	1	1	7	16	27	28	50
20-34	11	9.3	37	1	2	9	13	46	92	99+
35-49	15	17.5	485	1	3	9	20	43	77	88
50-64	39	12.7	147	2	3	9	16	26	35	65
65+	87	13.1	161	3	3	9	18	29	69	99+
2. MULTIPLE DX										
0-19 YRS	317	18.8	357	3	4	13	24	55	84	99+
20-34	126	20.1	394	3	4	13	33	72	99+	99+
35-49	263	21.9	393	3	5	16	31	56	81	99+
50-64	760	19.8	323	3	5	14	26	47	77	99+
65+	4081	19.9	248	4	5	16	26	45	65	99+
TOT. SINGLE DX	182	12.8	170	2	3	9	16	28	44	99+
" MULTIPLE DX	5547	19.9	275	4	5	16	27	47	71	99+
TOTAL 0-19 YRS	347	18.1	341	2	4	13	23	49	80	99+
20-34	137	19.2	374	3	4	13	32	70	99+	99+
35-49	278	21.7	398	3	5	15	31	56	82	99+
50-64	799	19.5	318	3	5	14	26	47	75	99+
65+	4168	19.8	248	4	5	16	26	44	66	99+
GRAND TOTAL	**5729**	**19.7**	**274**	**3**	**5**	**15**	**26**	**46**	**70**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	5.7	31	<1	<1	4	7	14	19	25
20-34	224	4.7	14	<1	<1	4	6	9	10	21
35-49	448	5.5	16	<1	1	5	7	9	11	21
50-64	490	5.1	11	<1	1	4	7	10	11	17
65+	557	5.8	32	<1	<1	5	7	11	15	26
2. MULTIPLE DX										
0-19 YRS	144	6.3	37	1	2	5	7	11	21	35
20-34	1254	6.8	48	2	2	5	8	12	16	32
35-49	2689	7.1	36	2	3	6	9	13	18	32
50-64	4953	8.1	46	2	3	6	10	15	20	34
65+	12305	9.7	62	2	3	8	12	18	24	42
TOT. SINGLE DX	1778	5.4	21	<1	1	4	7	10	13	22
" MULTIPLE DX	21345	8.8	55	2	3	7	11	16	22	39
TOTAL 0-19 YRS	203	6.1	36	1	2	4	7	11	21	31
20-34	1478	6.5	44	2	2	5	8	11	15	31
35-49	3137	6.9	34	2	2	5	8	12	17	31
50-64	5443	7.8	44	2	3	6	9	14	20	33
65+	12862	9.5	62	2	3	8	11	18	23	42
GRAND TOTAL	**23123**	**8.5**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.3	3	7	7	7	10	11	11	11
20-34	129	9.3	19	4	6	8	10	13	17	27
35-49	317	11.0	23	6	7	10	13	18	20	27
50-64	314	12.0	24	7	7	11	14	18	23	31
65+	247	12.7	33	7	8	11	15	19	23	33
2. MULTIPLE DX										
0-19 YRS	28	20.6	349	4	6	13	24	51	60	78
20-34	254	14.6	102	6	7	11	17	25	39	63
35-49	836	15.0	102	7	7	12	17	26	36	66
50-64	1465	16.9	135	7	8	13	19	31	41	75
65+	2751	20.3	170	8	9	17	24	36	47	86
TOT. SINGLE DX	1014	11.5	27	6	7	10	13	17	22	31
" MULTIPLE DX	5334	18.2	152	7	8	15	22	33	44	79
TOTAL 0-19 YRS	35	18.1	303	4	7	11	22	45	57	78
20-34	383	12.8	81	6	7	10	15	20	30	58
35-49	1153	13.9	84	6	7	11	16	24	31	58
50-64	1779	16.0	119	7	8	13	18	28	38	68
65+	2998	19.6	163	8	9	16	24	35	46	84
GRAND TOTAL	**6348**	**17.2**	**139**	**7**	**8**	**14**	**20**	**31**	**41**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	11.3	17	8	8	10	14	16	16	16
35-49	12	16.3	49	6	9	15	19	28	31	31
50-64	41	14.7	55	9	10	13	16	22	25	53
65+	45	18.5	89	9	10	14	24	33	38	47
2. MULTIPLE DX										
0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	15	14.5	53	7	8	12	17	29	31	32
35-49	103	19.8	221	8	9	16	22	37	70	99+
50-64	355	20.9	184	10	11	16	24	37	52	85
65+	472	23.3	215	10	12	19	27	39	59	99
TOT. SINGLE DX	101	16.5	71	9	9	14	20	28	33	50
" MULTIPLE DX	947	21.9	204	10	11	18	26	38	56	97
TOTAL 0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	18	13.9	47	7	8	12	16	26	31	32
35-49	115	19.4	204	8	9	16	22	36	66	99+
50-64	396	20.3	175	10	10	16	23	36	51	85
65+	517	22.9	207	10	11	19	27	39	56	98
GRAND TOTAL	**1048**	**21.4**	**194**	**9**	**10**	**17**	**25**	**37**	**53**	**95**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.3	5	4	4	9	10	10	10	10
20-34	142	8.2	9	5	5	8	10	12	14	19
35-49	222	9.4	13	5	6	8	11	15	16	27
50-64	163	10.2	16	6	6	9	12	15	19	24
65+	57	11.9	29	6	7	11	14	17	27	95
2. MULTIPLE DX										
0-19 YRS	13	19.9	592	7	8	11	22	43	87	97
20-34	190	11.0	36	5	6	9	13	18	22	37
35-49	457	12.3	71	5	6	10	14	20	26	53
50-64	564	14.4	93	6	7	12	17	25	32	58
65+	693	17.9	125	7	8	14	22	32	41	71
TOT. SINGLE DX	590	9.6	16	5	6	9	11	15	17	28
" MULTIPLE DX	1917	14.9	104	6	7	12	17	26	35	60
TOTAL 0-19 YRS	19	16.3	427	5	7	10	13	29	67	97
20-34	332	9.8	27	5	5	8	11	15	19	31
35-49	679	11.4	54	5	6	9	13	18	23	50
50-64	727	13.4	79	6	7	11	15	23	29	56
65+	750	17.4	121	7	8	14	22	32	41	73
GRAND TOTAL	**2507**	**13.6**	**88**	**6**	**6**	**11**	**16**	**24**	**31**	**57**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	6.4	16	2	2	6	8	10	12	25
20-34	962	6.9	6	4	4	7	8	9	11	16
35-49	915	7.4	9	4	5	7	8	10	12	20
50-64	423	9.2	37	4	5	8	10	14	17	31
65+	286	10.5	42	5	6	9	12	16	20	41
2. MULTIPLE DX										
0-19 YRS	835	17.7	299	3	5	11	23	48	73	99+
20-34	1913	9.1	55	4	5	7	9	14	21	51
35-49	3252	9.7	57	4	5	8	10	16	22	47
50-64	2312	13.3	125	5	6	10	15	25	36	69
65+	3324	17.6	153	6	7	14	21	33	45	81
TOT. SINGLE DX	2816	7.7	18	4	4	7	9	11	14	22
" MULTIPLE DX	11636	13.1	129	5	5	9	15	26	37	75
TOTAL 0-19 YRS	1065	15.3	260	3	4	9	19	40	61	99+
20-34	2875	8.4	40	4	5	7	9	12	17	44
35-49	4167	9.2	48	4	5	7	10	14	20	45
50-64	2735	12.7	114	5	6	9	14	23	33	63
65+	3610	17.0	148	6	7	14	20	32	43	77
GRAND TOTAL	**14452**	**12.1**	**112**	**4**	**5**	**9**	**13**	**23**	**33**	**69**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	441	5.0	18	1	1	4	6	9	13	20
20-34	887	5.6	17	<1	1	5	7	10	13	22
35-49	812	4.9	18	<1	<1	4	7	9	12	19
50-64	1174	3.9	16	<1	<1	2	6	9	11	18
65+	1238	4.1	18	<1	<1	2	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	823	8.0	93	1	2	5	9	17	27	69
20-34	2246	7.1	44	1	2	6	8	13	17	34
35-49	3222	7.6	47	1	2	6	9	15	20	37
50-64	6757	7.6	48	1	2	6	10	15	20	36
65+	15264	9.0	68	1	2	7	11	18	24	45
TOT. SINGLE DX	4552	4.6	18	<1	<1	3	6	9	12	20
" MULTIPLE DX	28312	8.3	61	1	2	6	10	16	22	42
TOTAL 0-19 YRS	1264	7.0	69	1	1	5	8	14	20	49
20-34	3133	6.7	37	1	2	5	8	12	16	31
35-49	4034	7.0	43	1	2	6	9	14	18	33
50-64	7931	7.1	45	<1	1	6	9	14	19	34
65+	16502	8.6	67	1	2	7	11	17	23	44
GRAND TOTAL	**32864**	**7.8**	**56**	**1**	**1**	**6**	**10**	**16**	**21**	**39**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	10.3	91	4	5	8	10	18	23	66
20-34	144	9.6	24	5	6	8	11	15	18	27
35-49	134	11.3	42	5	6	10	13	19	22	39
50-64	146	10.9	23	6	6	10	13	16	19	30
65+	191	13.1	66	6	7	11	15	21	26	56
2. MULTIPLE DX										
0-19 YRS	322	17.9	359	5	6	11	21	65	99+	99+
20-34	657	15.2	161	6	7	11	17	30	43	83
35-49	791	16.3	153	6	7	12	19	31	44	87
50-64	1414	18.8	201	7	8	14	22	36	53	89
65+	3107	19.4	179	7	8	15	23	36	49	86
TOT. SINGLE DX	702	11.3	49	5	6	9	13	18	22	42
" MULTIPLE DX	6291	18.3	190	7	8	14	22	36	51	96
TOTAL 0-19 YRS	409	16.3	312	5	6	10	19	57	84	99+
20-34	801	14.2	142	6	6	10	15	26	40	80
35-49	925	15.6	140	6	7	12	18	29	43	78
50-64	1560	18.0	190	7	8	13	21	35	51	86
65+	3298	19.0	175	7	8	15	23	35	48	84
GRAND TOTAL	**6993**	**17.6**	**181**	**6**	**7**	**13**	**21**	**34**	**49**	**91**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	10.4	69	5	5	8	10	15	24	57
20-34	395	10.0	24	5	6	9	11	16	20	30
35-49	792	10.5	22	6	7	9	12	15	19	30
50-64	1997	10.3	14	6	7	9	11	14	17	25
65+	2416	11.2	23	7	7	10	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	332	17.9	330	5	6	11	22	63	99+	99+
20-34	1206	14.6	110	6	7	11	17	26	36	62
35-49	2810	13.5	73	6	7	11	15	22	30	53
50-64	8980	14.1	78	7	8	11	16	23	30	54
65+	22775	16.5	107	8	9	13	19	28	36	67
TOT. SINGLE DX	5737	10.7	22	6	7	10	12	15	19	29
" MULTIPLE DX	36103	15.6	101	7	8	13	18	26	35	64
TOTAL 0-19 YRS	469	15.7	266	5	6	10	16	47	84	99+
20-34	1601	13.5	93	6	7	10	15	24	31	57
35-49	3602	12.8	64	6	7	11	14	21	27	49
50-64	10977	13.4	69	7	7	11	15	22	28	50
65+	25191	16.0	102	8	8	13	18	27	35	64
GRAND TOTAL	**41840**	**14.9**	**93**	**7**	**8**	**12**	**17**	**25**	**33**	**62**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	9.3	147	3	3	6	10	19	31	99+
20-34	34	7.7	21	1	2	8	10	12	16	22
35-49	53	9.6	34	3	4	9	11	14	23	34
50-64	78	9.7	25	4	5	9	11	15	18	34
65+	101	12.4	106	5	6	10	14	20	26	66
2. MULTIPLE DX										
0-19 YRS	100	15.7	277	4	5	10	18	38	67	99+
20-34	141	13.0	117	4	5	10	16	21	33	79
35-49	242	14.8	136	5	6	11	17	27	36	72
50-64	484	17.0	155	6	7	13	21	32	44	65
65+	1210	18.7	147	7	8	15	23	35	46	95
TOT. SINGLE DX	318	10.3	74	3	4	9	11	17	23	54
" MULTIPLE DX	2177	17.4	155	6	7	14	21	33	45	84
TOTAL 0-19 YRS	152	13.5	241	3	4	8	16	32	58	99+
20-34	175	12.0	103	3	4	10	15	21	28	77
35-49	295	13.8	122	4	6	11	16	26	34	65
50-64	562	16.0	144	6	7	12	19	30	42	63
65+	1311	18.2	147	7	8	15	22	34	44	93
GRAND TOTAL	**2495**	**16.5**	**150**	**5**	**7**	**13**	**20**	**32**	**43**	**83**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	519	6.1	16	2	2	6	8	9	12	22
20-34	448	8.0	12	4	5	7	9	12	13	20
35-49	446	8.4	10	4	5	8	10	12	14	21
50-64	581	8.7	20	3	5	8	10	12	15	22
65+	657	9.3	28	3	4	9	11	14	18	31
2. MULTIPLE DX										
0-19 YRS	885	10.9	123	3	4	8	11	20	33	88
20-34	1071	11.0	72	4	5	9	12	18	27	47
35-49	1313	12.3	97	5	6	10	13	22	32	59
50-64	2249	12.9	105	5	6	10	14	23	32	63
65+	4325	14.0	109	5	6	11	16	25	35	65
TOT. SINGLE DX	2651	8.2	20	3	4	8	10	12	15	24
" MULTIPLE DX	9843	12.9	106	4	6	10	15	23	33	64
TOTAL 0-19 YRS	1404	9.2	89	2	3	7	10	16	25	65
20-34	1519	10.1	56	4	5	8	11	16	23	44
35-49	1759	11.3	78	4	5	9	12	19	27	54
50-64	2830	12.1	91	4	6	10	13	21	29	61
65+	4982	13.4	102	5	6	11	15	23	33	63
GRAND TOTAL	**12494**	**11.9**	**91**	**4**	**5**	**9**	**13**	**21**	**29**	**60**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	9.5	36	4	5	8	11	16	18	39
20-34	34	11.9	42	4	6	11	15	17	21	39
35-49	57	15.4	298	4	6	10	14	33	65	99+
50-64	71	13.0	49	6	7	11	16	21	26	42
65+	106	13.8	53	6	8	12	16	25	30	37
2. MULTIPLE DX										
0-19 YRS	166	18.3	250	4	5	13	29	53	95	99+
20-34	168	17.5	209	5	6	13	20	34	51	84
35-49	354	18.2	196	5	7	14	22	37	51	99+
50-64	961	18.9	165	7	8	15	23	37	46	84
65+	2356	21.0	197	7	9	17	25	40	53	96
TOT. SINGLE DX	310	13.1	96	5	6	11	15	23	30	65
" MULTIPLE DX	4005	20.0	194	6	8	16	24	39	52	99+
TOTAL 0-19 YRS	208	16.5	219	4	5	11	24	44	70	99+
20-34	202	16.6	186	5	6	13	19	33	43	82
35-49	411	17.8	211	5	7	13	22	37	55	99+
50-64	1032	18.5	160	7	8	15	23	35	45	80
65+	2462	20.6	194	7	9	17	25	39	51	95
GRAND TOTAL	**4315**	**19.5**	**190**	**6**	**8**	**16**	**24**	**38**	**51**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22931	3.7	4	2	2	3	4	6	8	11
20-34	16407	3.7	3	2	2	3	4	6	7	11
35-49	5643	4.5	6	2	2	4	5	8	9	13
50-64	2364	5.5	9	2	3	5	7	9	11	17
65+	824	6.3	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	7277	5.8	17	2	2	5	7	10	13	22
20-34	6282	5.8	16	2	3	5	7	10	13	22
35-49	3152	7.2	25	2	3	6	9	13	16	28
50-64	2491	9.0	34	3	4	8	11	16	19	31
65+	2198	10.9	55	4	4	9	13	19	24	39
TOT. SINGLE DX	48169	3.9	5	2	2	3	5	7	8	12
" MULTIPLE DX	21400	6.9	27	2	3	5	8	13	16	27
TOTAL 0-19 YRS	30208	4.2	8	2	2	3	5	7	9	15
20-34	22689	4.3	8	2	2	4	5	7	9	15
35-49	8795	5.5	15	2	2	4	7	10	12	20
50-64	4855	7.3	25	2	3	6	9	13	16	26
65+	3022	9.6	47	3	4	8	12	17	22	36
GRAND TOTAL	**69569**	**4.8**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	3.7	3	2	2	3	4	6	8	12
20-34	152	4.4	5	2	2	4	5	8	10	13
35-49	36	4.6	3	2	2	4	6	7	9	9
50-64	19	5.6	11	<1	1	5	8	11	12	13
65+	7	9.3	75	2	2	6	12	24	27	27
2. MULTIPLE DX										
0-19 YRS	87	5.7	12	2	3	5	7	10	14	19
20-34	129	6.0	14	2	3	5	7	10	14	24
35-49	39	7.2	19	3	4	6	8	14	19	20
50-64	31	11.4	70	4	5	9	14	20	30	44
65+	20	13.7	54	5	6	11	20	25	26	27
TOT. SINGLE DX	392	4.2	7	2	2	4	5	7	9	13
" MULTIPLE DX	306	7.1	28	2	3	6	8	14	18	26
TOTAL 0-19 YRS	265	4.4	8	2	2	3	5	8	9	16
20-34	281	5.1	11	2	2	4	6	9	11	18
35-49	75	5.9	13	2	2	5	7	9	15	20
50-64	50	9.2	55	2	3	7	11	16	22	44
65+	27	12.5	61	3	5	9	18	26	27	27
GRAND TOTAL	**698**	**5.5**	**18**	**2**	**2**	**4**	**6**	**10**	**14**	**24**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	7.5	12	3	3	7	10	13	14	16
20-34	38	7.6	12	3	3	7	10	12	14	18
35-49	36	8.8	20	4	5	8	11	14	18	25
50-64	19	8.6	15	3	4	8	11	15	17	17
65+	9	9.1	14	4	5	8	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	54	10.0	31	5	5	9	11	15	22	36
20-34	25	12.3	71	3	4	10	16	23	30	38
35-49	40	10.5	50	4	5	9	12	17	23	43
50-64	48	13.5	55	5	7	12	16	23	26	46
65+	54	17.6	216	6	7	14	19	34	45	91
TOT. SINGLE DX	171	8.0	15	3	4	7	10	13	15	19
" MULTIPLE DX	221	13.0	97	4	5	10	15	22	29	48
TOTAL 0-19 YRS	123	8.6	22	3	4	8	11	14	16	27
20-34	63	9.5	40	3	4	8	12	17	22	37
35-49	76	9.7	36	4	5	9	11	15	22	38
50-64	67	12.1	49	4	5	11	15	20	25	43
65+	63	16.4	196	5	7	13	18	28	44	88
GRAND TOTAL	**392**	**10.8**	**67**	**4**	**4**	**9**	**13**	**18**	**24**	**45**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	272	3.1	9	<1	<1	2	4	6	9	15
20-34	310	4.0	21	<1	1	3	5	8	10	25
35-49	255	3.4	8	<1	<1	3	4	8	10	14
50-64	525	3.3	8	<1	1	2	4	7	9	14
65+	786	3.9	16	1	1	3	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	270	6.5	89	1	1	4	7	13	15	56
20-34	396	6.2	32	1	1	5	8	11	16	33
35-49	564	6.3	39	1	2	5	8	13	17	32
50-64	1263	6.8	41	1	1	5	9	13	19	31
65+	3498	8.5	71	1	2	6	11	18	24	46
TOT. SINGLE DX	2148	3.6	13	<1	1	3	4	7	10	18
" MULTIPLE DX	5991	7.7	61	1	2	5	10	16	22	42
TOTAL 0-19 YRS	542	4.8	52	<1	<1	3	5	10	14	40
20-34	706	5.2	29	1	1	4	6	10	14	29
35-49	819	5.4	32	1	1	4	7	11	15	27
50-64	1788	5.8	34	1	1	4	7	12	16	28
65+	4284	7.7	65	1	2	5	10	16	23	43
GRAND TOTAL	**8139**	**6.6**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**38**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	3.1	6	1	1	3	4	6	9	13
20-34	803	2.6	4	1	1	2	3	5	6	10
35-49	603	2.9	5	1	1	2	4	5	7	11
50-64	319	3.4	8	1	1	3	4	7	8	15
65+	94	4.1	9	1	1	3	5	9	10	15
2. MULTIPLE DX										
0-19 YRS	104	5.8	36	1	2	4	7	11	16	37
20-34	586	4.5	20	1	1	3	5	9	12	27
35-49	666	5.3	58	1	1	3	6	10	16	58
50-64	595	6.2	57	1	2	4	7	14	18	41
65+	438	8.5	68	2	2	6	10	19	25	50
TOT. SINGLE DX	1978	3.0	6	1	1	2	4	5	7	12
" MULTIPLE DX	2389	5.9	52	1	1	4	7	12	18	42
TOTAL 0-19 YRS	263	4.2	20	1	1	3	5	9	11	21
20-34	1389	3.4	12	1	1	3	4	7	9	18
35-49	1269	4.2	35	1	1	3	5	7	10	31
50-64	914	5.2	43	1	1	3	6	10	16	36
65+	532	7.7	61	1	2	5	9	18	23	47
GRAND TOTAL	**4367**	**4.6**	**33**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	10.1	62	2	4	9	12	15	17	51
20-34	67	13.6	63	6	7	12	16	25	29	49
35-49	150	11.9	34	5	7	11	14	18	23	33
50-64	565	11.8	20	7	8	11	14	17	19	26
65+	633	12.9	30	6	8	12	15	19	23	30
2. MULTIPLE DX										
0-19 YRS	197	11.8	48	5	6	10	13	23	28	40
20-34	172	14.7	95	5	7	11	17	27	37	52
35-49	508	14.8	92	7	8	12	17	24	34	54
50-64	2070	15.6	81	8	9	13	18	26	33	60
65+	4611	18.0	111	8	9	15	21	30	38	69
TOT. SINGLE DX	1519	12.2	31	6	7	11	14	18	22	30
" MULTIPLE DX	7558	16.9	102	8	9	14	20	29	36	63
TOTAL 0-19 YRS	301	11.2	53	4	6	10	12	18	26	40
20-34	239	14.4	87	5	7	11	17	27	36	52
35-49	658	14.1	80	6	7	12	16	22	31	50
50-64	2635	14.8	71	7	8	12	17	24	31	52
65+	5244	17.4	104	8	9	15	20	29	36	64
GRAND TOTAL	**9077**	**16.1**	**93**	**7**	**8**	**14**	**19**	**27**	**34**	**60**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	889	3.7	13	<1	1	3	4	7	10	16
20-34	2508	4.3	15	1	1	4	5	7	10	18
35-49	2547	4.4	10	<1	1	4	6	8	10	16
50-64	2326	4.4	18	<1	<1	4	6	8	10	17
65+	1910	5.0	26	<1	<1	4	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	1718	5.5	40	1	2	4	7	10	14	35
20-34	8687	6.1	34	1	2	5	7	11	15	31
35-49	13164	6.6	36	2	2	5	8	12	17	32
50-64	18451	7.2	40	2	2	6	8	13	18	33
65+	35424	8.6	56	2	3	7	10	16	21	41
TOT. SINGLE DX	10180	4.4	17	<1	1	4	6	8	10	18
" MULTIPLE DX	77444	7.6	48	2	2	6	9	14	19	37
TOTAL 0-19 YRS	2607	4.9	32	1	1	4	6	9	12	29
20-34	11195	5.7	31	1	2	4	7	10	14	29
35-49	15711	6.2	33	1	2	5	7	11	16	31
50-64	20777	6.9	39	1	2	5	8	13	17	32
65+	37334	8.4	56	2	3	7	10	16	21	40
GRAND TOTAL	**87624**	**7.2**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	2.2	3	<1	<1	2	2	4	5	10
20-34	955	2.6	2	1	1	2	3	4	5	8
35-49	1192	2.6	3	1	1	2	3	4	5	8
50-64	593	2.6	2	1	1	2	3	4	6	9
65+	205	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	70	4.1	35	1	1	3	4	7	10	42
20-34	798	3.6	12	1	1	3	4	6	8	19
35-49	1268	3.6	10	1	1	3	4	6	8	19
50-64	1003	3.6	9	1	1	3	4	6	8	17
65+	591	4.5	18	1	2	3	5	8	12	23
TOT. SINGLE DX	3055	2.6	3	1	1	2	3	4	5	8
" MULTIPLE DX	3730	3.7	12	1	1	3	4	6	9	19
TOTAL 0-19 YRS	180	2.9	16	<1	<1	2	3	6	8	12
20-34	1753	3.0	7	1	1	3	4	5	7	14
35-49	2460	3.1	7	1	1	3	4	5	7	12
50-64	1596	3.3	7	1	1	3	4	6	7	14
65+	796	4.0	15	1	1	3	5	7	10	20
GRAND TOTAL	**6785**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	1.9	1	<1	<1	2	3	3	4	6
20-34	812	2.3	2	<1	1	2	3	4	5	7
35-49	544	2.5	2	<1	1	2	3	4	5	8
50-64	298	2.7	3	<1	1	2	3	5	6	8
65+	119	3.3	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
0-19 YRS	77	5.9	122	1	1	3	4	9	26	69
20-34	977	3.5	9	1	1	3	4	6	8	18
35-49	1266	3.6	7	1	1	3	4	6	8	13
50-64	1006	4.0	10	1	1	3	5	7	9	17
65+	743	5.5	40	1	1	4	6	10	15	45
TOT. SINGLE DX	1890	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	4069	4.0	17	1	1	3	5	7	9	21
TOTAL 0-19 YRS	194	3.5	53	<1	<1	2	3	5	8	40
20-34	1789	2.9	6	<1	1	2	4	5	6	12
35-49	1810	3.3	6	1	1	3	4	5	7	12
50-64	1304	3.7	9	1	1	3	4	6	8	15
65+	862	5.2	37	1	1	4	6	10	14	42
GRAND TOTAL	**5959**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	3.2	2	<1	1	3	4	5	6	8
20-34	1122	3.5	3	1	1	3	4	6	7	10
35-49	1469	3.7	3	1	2	3	5	6	7	10
50-64	920	3.7	3	1	2	3	5	6	7	10
65+	327	3.9	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	130	3.8	2	1	2	4	5	6	7	9
20-34	4408	4.0	7	1	2	4	5	6	8	14
35-49	7956	4.3	7	1	2	4	5	7	8	14
50-64	6412	4.6	11	1	2	4	5	7	10	16
65+	3591	5.5	21	2	2	4	6	10	13	23
TOT. SINGLE DX	3877	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	22497	4.5	11	1	2	4	5	7	9	16
TOTAL 0-19 YRS	169	3.6	3	1	1	4	4	6	7	9
20-34	5530	3.9	7	1	2	4	5	6	7	12
35-49	9425	4.2	7	1	2	4	5	7	8	13
50-64	7332	4.5	11	1	2	4	5	7	9	15
65+	3918	5.3	20	1	2	4	6	9	13	22
GRAND TOTAL	**26374**	**4.4**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	262	2.9	4	<1	1	2	4	6	7	10
20-34	974	2.7	3	1	1	2	3	5	6	9
35-49	821	2.9	4	1	1	3	4	5	6	10
50-64	477	3.2	5	1	1	3	4	6	8	12
65+	270	3.8	8	1	1	3	5	7	9	23
2. MULTIPLE DX										
0-19 YRS	265	5.5	22	1	1	4	7	11	15	24
20-34	906	4.2	19	1	1	3	5	8	10	22
35-49	1116	4.5	20	1	1	3	5	9	12	26
50-64	1003	5.3	37	1	1	4	6	10	16	31
65+	1033	6.9	57	1	2	5	8	13	20	39
TOT. SINGLE DX	2804	3.0	5	1	1	3	4	5	7	11
" MULTIPLE DX	4323	5.3	34	1	1	4	6	10	15	30
TOTAL 0-19 YRS	527	4.2	15	<1	1	3	5	9	12	20
20-34	1880	3.5	12	1	1	3	4	6	8	15
35-49	1937	3.8	14	1	1	3	5	7	10	19
50-64	1480	4.6	28	1	1	3	5	9	13	28
65+	1303	6.3	49	1	2	4	7	12	18	37
GRAND TOTAL	**7127**	**4.4**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	8.8	24	2	3	9	11	16	18	18
20-34	33	8.8	32	1	2	7	12	19	20	21
35-49	30	10.2	98	1	1	9	14	21	27	47
50-64	27	5.3	41	1	1	2	7	15	19	29
65+	17	9.0	118	1	1	6	12	26	36	40
2. MULTIPLE DX										
0-19 YRS	36	16.3	176	4	5	12	18	35	45	62
20-34	79	15.3	125	4	5	12	21	33	38	57
35-49	96	16.4	125	3	6	12	23	35	38	46
50-64	140	17.9	178	3	4	16	23	32	41	69
65+	215	18.7	163	2	4	17	25	37	43	59
TOT. SINGLE DX	117	8.4	64	1	1	6	12	18	24	42
" MULTIPLE DX	566	17.5	156	3	5	15	24	35	41	60
TOTAL 0-19 YRS	46	14.6	152	4	5	11	17	34	41	62
20-34	112	13.4	106	3	4	10	18	27	35	49
35-49	126	14.9	125	1	2	11	19	34	37	47
50-64	167	15.9	177	2	2	14	22	31	38	64
65+	232	18.0	166	2	3	16	25	37	43	58
GRAND TOTAL	**683**	**15.9**	**152**	**2**	**3**	**13**	**22**	**33**	**39**	**57**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	5.0	29	1	1	3	7	12	14	27
20-34	615	3.9	23	<1	1	2	5	9	13	25
35-49	686	3.1	21	<1	1	1	3	8	11	25
50-64	761	3.6	20	<1	1	2	4	9	13	21
65+	416	4.5	37	<1	1	2	6	11	15	26
2. MULTIPLE DX										
0-19 YRS	550	11.1	159	1	1	7	14	27	41	74
20-34	1295	9.6	126	1	1	7	11	20	30	65
35-49	2002	9.3	124	1	1	6	12	20	28	65
50-64	3409	9.4	92	1	1	7	13	20	28	49
65+	4182	10.9	94	1	2	9	14	22	29	51
TOT. SINGLE DX	2701	3.8	25	<1	1	2	5	9	13	25
" MULTIPLE DX	11438	10.0	107	1	1	8	13	21	29	56
TOTAL 0-19 YRS	773	9.4	130	1	1	6	11	23	33	67
20-34	1910	7.8	101	1	1	5	10	16	26	57
35-49	2688	7.7	105	1	1	4	10	18	25	58
50-64	4170	8.3	84	1	1	6	11	19	26	46
65+	4598	10.4	93	1	1	8	14	21	28	50
GRAND TOTAL	**14139**	**8.9**	**97**	**1**	**1**	**6**	**12**	**19**	**27**	**52**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1054	5.6	5	3	3	5	7	8	10	14
20-34	12545	5.5	4	3	3	5	6	8	9	13
35-49	11718	5.8	5	3	4	5	7	8	10	13
50-64	9577	6.3	6	3	4	6	7	9	11	15
65+	4781	7.6	12	4	4	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	1012	7.8	36	3	4	6	9	13	15	32
20-34	11976	7.1	18	3	4	6	8	11	14	23
35-49	16120	7.7	23	4	4	6	9	12	15	26
50-64	21429	8.8	32	4	5	7	10	14	18	31
65+	27794	11.8	62	5	6	10	14	20	26	45
TOT. SINGLE DX	39675	6.0	7	3	4	6	7	9	11	15
" MULTIPLE DX	78331	9.4	43	4	4	8	11	16	20	36
TOTAL 0-19 YRS	2066	6.7	22	3	4	6	8	11	13	23
20-34	24521	6.3	12	3	4	6	7	10	12	19
35-49	27838	6.9	16	3	4	6	8	11	13	22
50-64	31006	8.0	26	4	4	7	9	13	16	28
65+	32575	11.2	58	5	5	9	13	19	24	43
GRAND TOTAL	**118006**	**8.2**	**33**	**4**	**4**	**7**	**9**	**14**	**18**	**31**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	12.7	59	3	4	11	18	25	27	34
20-34	160	6.1	30	1	1	5	8	12	15	23
35-49	184	6.9	27	1	2	6	9	15	17	24
50-64	267	8.0	49	1	1	7	11	15	17	27
65+	407	8.5	42	1	1	8	12	18	21	28
2. MULTIPLE DX										
0-19 YRS	85	16.4	197	3	5	12	20	34	51	89
20-34	257	11.4	107	2	3	9	13	22	28	81
35-49	569	12.5	104	2	3	10	16	25	32	51
50-64	1283	14.4	107	2	4	12	18	26	34	56
65+	3615	16.4	127	3	5	14	20	30	38	69
TOT. SINGLE DX	1059	7.9	42	1	1	7	11	16	19	27
" MULTIPLE DX	5809	15.3	123	3	4	13	19	28	37	68
TOTAL 0-19 YRS	126	15.2	154	3	5	11	19	29	43	77
20-34	417	9.4	84	1	2	8	11	18	23	66
35-49	753	11.1	92	2	2	9	14	22	29	48
50-64	1550	13.3	103	2	3	11	17	25	31	56
65+	4022	15.6	124	2	4	13	20	29	37	67
GRAND TOTAL	**6868**	**14.2**	**118**	**2**	**3**	**12**	**18**	**27**	**35**	**60**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	9.7	144	1	1	7	11	20	26	70
20-34	294	6.1	36	1	1	5	8	13	16	33
35-49	405	7.0	64	1	1	4	9	16	22	42
50-64	419	6.5	42	1	1	4	9	15	20	30
65+	340	6.6	65	1	1	4	9	15	21	42
2. MULTIPLE DX										
0-19 YRS	89	15.0	209	1	2	10	21	35	49	59
20-34	682	12.9	206	1	2	8	15	32	48	83
35-49	1363	13.9	225	1	2	9	17	35	48	84
50-64	1922	13.3	173	1	2	9	17	29	42	75
65+	2951	13.3	160	2	2	10	17	29	39	67
TOT. SINGLE DX	1495	6.7	55	1	1	4	9	15	21	38
" MULTIPLE DX	7007	13.4	182	1	2	9	17	30	43	75
TOTAL 0-19 YRS	126	13.4	195	1	1	9	18	31	48	63
20-34	976	10.9	165	1	1	7	13	24	39	72
35-49	1768	12.3	197	1	2	8	15	30	44	76
50-64	2341	12.1	157	1	2	8	16	27	38	67
65+	3291	12.6	155	1	2	9	16	28	38	66
GRAND TOTAL	**8502**	**12.2**	**166**	**1**	**2**	**8**	**15**	**28**	**39**	**72**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	742	4.0	12	<1	1	3	5	8	11	20
20-34	1657	4.5	13	1	1	4	5	8	11	17
35-49	1700	4.3	17	<1	1	3	5	8	10	17
50-64	1686	4.3	12	<1	1	3	6	8	10	18
65+	1731	4.7	18	<1	1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	972	5.6	36	1	1	4	7	10	15	30
20-34	3832	6.1	37	1	2	4	7	11	16	31
35-49	5912	6.5	34	2	2	5	8	12	16	33
50-64	10524	6.8	38	1	2	5	8	13	17	31
65+	26292	7.9	47	2	2	6	10	15	20	37
TOT. SINGLE DX	7516	4.4	16	<1	1	3	6	8	11	19
" MULTIPLE DX	47532	7.3	44	2	2	6	9	14	19	34
TOTAL 0-19 YRS	1714	4.9	27	1	1	4	6	9	13	26
20-34	5489	5.6	31	1	2	4	7	10	14	29
35-49	7612	6.0	32	1	2	5	7	11	15	30
50-64	12210	6.4	36	1	2	5	8	12	16	30
65+	28023	7.7	47	2	2	6	9	15	19	36
GRAND TOTAL	**55048**	**6.9**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6643	1.6		<1	<1	1	2	3	3	5
20-34	9559	2.3	2	1	1	2	3	4	4	6
35-49	8724	2.5	1	1	1	2	3	4	5	6
50-64	11627	2.8	2	1	1	3	4	4	5	7
65+	8302	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	4028	2.2	18	<1	<1	1	2	4	5	14
20-34	3648	3.0	7	1	1	3	4	5	6	12
35-49	5358	3.3	6	1	1	3	4	6	7	13
50-64	11055	3.8	10	1	1	3	4	6	8	15
65+	17754	5.0	25	1	1	4	6	9	13	24
TOT. SINGLE DX	44855	2.5	3	<1	1	2	3	4	5	7
" MULTIPLE DX	41843	4.0	18	1	1	3	5	7	10	20
TOTAL 0-19 YRS	10671	1.8	8	<1	<1	1	2	3	4	8
20-34	13207	2.5	4	1	1	2	3	4	5	8
35-49	14082	2.8	4	1	1	3	4	5	6	9
50-64	22682	3.3	7	1	1	3	4	5	7	12
65+	26056	4.4	19	1	1	3	5	8	11	22
GRAND TOTAL	**86698**	**3.2**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

1,583 Hospitals, United States, January-December 1985, by Operation

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2154	1.5	4	<1	<1	1	2	2	3	5
20-34	918	2.8	1	1	1	3	4	5	5	7
35-49	1251	3.1	4	1	1	3	4	5	6	8
50-64	1747	3.3	2	1	1	3	4	5	6	8
65+	1078	3.7	3	1	1	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1993	3.2	82	<1	<1	1	2	4	10	99+
20-34	445	3.4	4	1	1	3	4	5	7	13
35-49	941	3.7	6	1	1	3	5	6	7	12
50-64	1963	4.2	7	1	2	4	5	7	8	15
65+	2435	5.5	27	1	2	4	6	10	13	23
TOT. SINGLE DX	7148	2.7	4	<1	<1	2	4	5	6	8
" MULTIPLE DX	7777	4.2	34	<1	1	3	5	7	10	28
TOTAL 0-19 YRS	4147	2.3	43	<1	<1	1	2	3	5	56
20-34	1363	3.0	3	1	1	3	4	5	6	8
35-49	2192	3.3	6	1	1	3	4	5	6	11
50-64	3710	3.8	6	1	1	3	5	6	7	12
65+	3513	4.9	21	1	2	4	6	8	12	20
GRAND TOTAL	**14925**	**3.5**	**20**	**<1**	**1**	**3**	**4**	**6**	**8**	**18**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.2	8	<1	<1	1	2	3	6	18
20-34	227	2.4	1	1	1	2	3	4	5	6
35-49	393	2.9	2	1	1	3	4	5	6	10
50-64	453	3.1	3	1	1	3	4	5	7	10
65+	575	4.3	8	1	1	4	6	7	9	15
2. MULTIPLE DX										
0-19 YRS	27	3.3	8	<1	1	2	5	7	11	12
20-34	119	4.2	82	1	1	3	4	6	10	44
35-49	231	3.6	10	1	1	3	4	7	8	10
50-64	420	5.0	20	1	2	4	6	9	14	27
65+	1469	7.7	57	1	2	6	9	15	21	53
TOT. SINGLE DX	1688	3.4	6	1	1	3	4	6	7	12
" MULTIPLE DX	2266	6.5	49	1	2	5	8	13	18	42
TOTAL 0-19 YRS	67	2.6	9	<1	1	2	3	6	9	17
20-34	346	3.1	30	1	1	2	4	5	6	15
35-49	624	3.1	6	1	1	3	4	5	7	10
50-64	873	4.0	12	1	1	3	5	7	9	21
65+	2044	6.7	46	1	2	5	8	13	18	42
GRAND TOTAL	**3954**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1214	1.7	1	<1	<1	1	2	3	3	5
20-34	689	2.5	2	<1	1	2	3	4	5	7
35-49	1117	2.6	2	<1	1	2	3	5	5	7
50-64	866	2.9	3	1	1	3	4	5	6	9
65+	362	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	366	3.8	41	<1	<1	2	3	7	17	37
20-34	405	3.9	10	1	1	3	5	8	9	16
35-49	1044	4.1	14	1	1	3	5	7	9	21
50-64	1294	5.1	27	1	1	4	6	10	13	26
65+	1227	7.0	45	1	2	5	9	14	18	35
TOT. SINGLE DX	4248	2.4	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	4336	5.2	31	1	1	4	6	10	14	29
TOTAL 0-19 YRS	1580	2.2	12	<1	<1	2	2	3	5	19
20-34	1094	3.0	5	1	1	3	4	5	7	11
35-49	2161	3.3	9	1	1	3	4	6	8	14
50-64	2160	4.2	19	1	1	3	5	8	11	21
65+	1589	6.2	38	1	1	4	7	12	16	32
GRAND TOTAL	**8584**	**3.8**	**19**	**<1**	**1**	**3**	**5**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	280	2.0	2	<1	<1	1	2	4	5	8
20-34	1252	3.2	5	1	1	3	4	6	7	10
35-49	2122	3.9	5	1	1	4	5	7	8	11
50-64	2259	4.3	5	1	2	4	6	8	9	11
65+	1579	5.0	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	156	4.2	39	<1	<1	3	5	8	11	27
20-34	914	5.0	18	1	2	4	6	9	11	19
35-49	2631	6.1	26	1	2	5	7	10	14	24
50-64	4067	6.7	25	2	2	6	8	11	15	26
65+	4913	8.1	46	2	3	7	10	15	19	38
TOT. SINGLE DX	7492	4.1	6	1	1	4	5	7	8	12
" MULTIPLE DX	12681	7.0	34	2	2	6	8	12	16	32
TOTAL 0-19 YRS	436	2.8	17	<1	<1	2	3	5	8	17
20-34	2166	4.0	11	1	1	3	5	7	9	15
35-49	4753	5.1	18	1	2	4	6	9	11	20
50-64	6326	5.9	20	1	2	5	7	10	13	24
65+	6492	7.4	39	2	2	6	9	13	17	33
GRAND TOTAL	**20173**	**5.9**	**26**	**1**	**2**	**5**	**7**	**10**	**14**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	4.6	10	<1	1	4	7	8	12	14
20-34	55	6.1	9	1	2	6	8	10	12	12
35-49	87	6.8	12	2	3	7	9	10	13	20
50-64	120	6.6	12	1	2	6	9	11	13	17
65+	83	8.9	21	2	3	9	11	14	16	27
2. MULTIPLE DX										
0-19 YRS	99	15.0	220	1	3	10	20	39	80	99+
20-34	188	9.6	89	3	4	7	10	15	25	64
35-49	340	9.1	23	4	5	8	10	15	19	29
50-64	574	10.6	55	4	5	9	12	18	24	40
65+	750	13.9	104	5	6	11	16	24	33	66
TOT. SINGLE DX	396	6.8	15	1	2	7	9	12	14	18
" MULTIPLE DX	1951	11.7	85	4	5	9	13	21	28	60
TOTAL 0-19 YRS	150	11.5	173	1	2	8	14	32	45	99+
20-34	243	8.8	74	2	3	7	9	13	22	47
35-49	427	8.6	22	4	5	8	10	14	18	27
50-64	694	9.9	50	3	5	8	11	16	22	35
65+	833	13.4	98	5	6	11	16	23	32	64
GRAND TOTAL	**2347**	**10.9**	**76**	**3**	**5**	**9**	**12**	**19**	**26**	**51**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	591	3.8	26	<1	<1	3	5	8	10	17
20-34	833	3.9	8	<1	1	3	5	8	9	15
35-49	671	5.1	18	1	1	4	7	10	13	21
50-64	609	6.1	32	1	1	4	8	13	16	28
65+	472	6.4	29	1	1	5	9	13	17	27
2. MULTIPLE DX										
0-19 YRS	663	7.4	92	1	1	5	9	15	23	75
20-34	1591	7.7	70	1	2	5	9	16	22	46
35-49	2366	9.8	82	1	2	7	12	20	27	48
50-64	4242	10.9	94	2	2	8	14	22	28	53
65+	5759	12.1	103	2	3	9	15	24	31	54
TOT. SINGLE DX	3176	4.9	23	<1	1	4	6	10	13	22
" MULTIPLE DX	14621	10.7	96	1	2	8	14	21	29	52
TOTAL 0-19 YRS	1254	5.7	65	<1	1	4	7	11	17	46
20-34	2424	6.4	53	1	1	5	7	13	18	37
35-49	3037	8.8	72	1	2	7	11	18	24	45
50-64	4951	10.3	89	1	2	8	13	21	27	51
65+	6231	11.7	100	2	3	9	15	23	30	52
GRAND TOTAL	**17797**	**9.6**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**49**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	775	5.2	13	2	2	4	6	9	11	17
20-34	1504	5.4	10	2	2	5	6	9	12	17
35-49	614	6.9	20	2	3	6	8	13	16	22
50-64	431	9.3	59	2	4	7	10	16	21	46
65+	290	11.0	70	4	5	9	13	19	24	56
2. MULTIPLE DX										
0-19 YRS	1087	8.9	76	2	3	7	10	17	23	54
20-34	3030	8.0	60	2	3	6	9	15	22	48
35-49	1837	11.4	118	3	4	8	13	21	32	65
50-64	1933	14.6	139	4	5	11	17	29	38	75
65+	2793	16.9	143	5	6	14	21	32	42	78
TOT. SINGLE DX	3614	6.5	27	2	3	5	8	12	15	24
" MULTIPLE DX	10680	12.2	121	3	4	9	15	25	34	67
TOTAL 0-19 YRS	1862	7.4	53	2	3	5	9	14	19	44
20-34	4534	7.1	45	2	3	5	8	13	18	40
35-49	2451	10.3	98	3	4	7	12	19	27	59
50-64	2364	13.7	129	4	5	10	16	27	36	72
65+	3083	16.3	140	5	6	13	20	31	41	73
GRAND TOTAL	**14294**	**10.8**	**103**	**3**	**3**	**8**	**13**	**22**	**30**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1064	3.1	4	<1	1	2	4	6	7	11
20-34	4241	2.5	4	<1	<1	2	3	5	7	10
35-49	726	2.4	5	<1	<1	2	3	5	7	11
50-64	124	2.8	9	<1	<1	2	3	6	8	16
65+	56	3.6	10	<1	1	2	5	9	10	16
2. MULTIPLE DX										
0-19 YRS	1199	3.9	16	<1	1	3	5	8	9	15
20-34	6467	3.2	9	<1	<1	2	4	7	9	15
35-49	1557	3.5	17	<1	<1	2	5	8	11	18
50-64	273	5.9	57	<1	1	3	8	13	17	32
65+	259	8.9	90	1	2	6	12	21	29	37
TOT. SINGLE DX	6211	2.6	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	9755	3.6	16	<1	<1	2	5	7	10	19
TOTAL 0-19 YRS	2263	3.5	11	<1	1	3	5	7	8	13
20-34	10708	2.9	8	<1	<1	2	4	6	8	13
35-49	2283	3.2	14	<1	<1	2	4	7	9	17
50-64	397	5.0	45	<1	1	2	7	12	16	30
65+	315	8.0	80	1	1	5	10	19	27	36
GRAND TOTAL	**15966**	**3.2**	**12**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	383	6.4	18	1	2	6	8	11	14	22
20-34	1300	5.7	16	1	1	5	7	10	13	18
35-49	988	7.4	30	1	2	7	9	13	17	27
50-64	755	8.4	20	2	3	8	10	14	17	24
65+	622	9.7	27	2	4	9	12	16	19	27
2. MULTIPLE DX										
0-19 YRS	875	11.5	166	2	3	7	14	26	38	96
20-34	4251	6.5	33	1	2	5	8	12	16	31
35-49	3293	9.7	86	2	2	7	11	19	27	51
50-64	3350	12.6	108	3	4	10	16	24	31	58
65+	4870	15.5	122	4	6	13	19	28	38	68
TOT. SINGLE DX	4048	7.3	25	1	2	7	9	13	16	24
" MULTIPLE DX	16639	11.3	104	2	3	9	14	23	30	58
TOTAL 0-19 YRS	1258	10.0	127	2	2	7	11	22	32	78
20-34	5551	6.3	30	1	2	5	7	12	15	29
35-49	4281	9.1	74	1	2	7	11	17	24	45
50-64	4105	11.8	95	2	4	9	14	22	29	55
65+	5492	14.8	115	4	6	12	18	27	36	65
GRAND TOTAL	**20687**	**10.5**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**53**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	7.8	18	3	3	7	10	12	16	24
20-34	200	8.2	46	5	5	8	9	10	12	23
35-49	264	8.5	8	5	5	8	9	13	15	19
50-64	403	9.3	19	5	6	8	10	14	16	26
65+	330	10.3	26	5	7	9	12	15	17	25
2. MULTIPLE DX										
0-19 YRS	402	10.2	81	3	4	8	12	19	26	65
20-34	470	11.4	80	4	5	8	13	20	31	58
35-49	698	11.6	69	5	6	9	13	20	26	53
50-64	1664	13.1	72	6	7	10	16	22	28	50
65+	2422	15.0	81	6	7	12	18	26	32	54
TOT. SINGLE DX	1358	9.0	24	5	5	8	10	13	16	24
" MULTIPLE DX	5656	13.4	80	5	6	11	16	23	31	53
TOTAL 0-19 YRS	563	9.5	65	3	4	7	11	16	23	44
20-34	670	10.4	73	5	5	8	11	17	26	58
35-49	962	10.7	55	5	6	9	12	17	23	49
50-64	2067	12.4	64	6	6	10	14	20	27	46
65+	2752	14.4	77	6	7	12	17	25	31	50
GRAND TOTAL	**7014**	**12.5**	**72**	**5**	**6**	**10**	**15**	**22**	**28**	**50**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	814	5.5	19	1	2	4	7	11	13	23
20-34	1206	6.2	23	1	2	6	8	11	14	23
35-49	1283	6.1	14	1	2	6	8	11	13	19
50-64	1062	6.8	18	1	2	6	9	12	14	20
65+	542	6.6	23	1	2	6	9	12	15	20
2. MULTIPLE DX										
0-19 YRS	1170	9.7	91	1	2	7	12	21	30	50
20-34	2132	10.2	88	1	2	8	13	21	28	52
35-49	2326	10.6	86	1	2	8	14	21	27	51
50-64	2815	10.5	84	2	2	8	13	21	29	47
65+	3013	12.0	96	2	3	10	16	24	31	50
TOT. SINGLE DX	4907	6.2	20	1	2	6	8	11	14	21
" MULTIPLE DX	11456	10.8	90	2	2	8	14	22	29	50
TOTAL 0-19 YRS	1984	8.0	67	1	2	6	10	17	24	42
20-34	3338	8.8	69	1	2	7	11	18	24	45
35-49	3609	9.0	65	1	2	7	11	18	23	44
50-64	3877	9.5	69	1	2	8	12	18	25	43
65+	3555	11.2	89	2	2	9	14	23	30	49
GRAND TOTAL	**16363**	**9.4**	**73**	**1**	**2**	**7**	**12**	**19**	**25**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	5.2	10	1	2	5	7	9	11	16
20-34	603	5.9	12	1	2	6	8	10	12	17
35-49	896	6.6	13	1	2	6	8	11	13	17
50-64	727	7.0	13	2	2	7	9	12	14	19
65+	337	7.7	19	1	2	8	10	12	16	23
2. MULTIPLE DX										
0-19 YRS	97	7.2	40	1	1	6	9	15	23	30
20-34	547	7.7	41	1	2	6	10	13	16	26
35-49	962	8.4	32	2	3	7	11	15	18	29
50-64	1355	9.4	43	2	3	8	12	17	20	34
65+	1563	11.3	75	2	3	9	14	21	26	50
TOT. SINGLE DX	2625	6.7	14	1	2	6	9	11	13	19
" MULTIPLE DX	4524	9.6	54	2	3	8	12	17	22	37
TOTAL 0-19 YRS	159	6.4	30	1	1	5	8	13	17	28
20-34	1150	6.8	27	1	2	6	9	12	14	21
35-49	1858	7.5	24	2	2	7	10	13	16	24
50-64	2082	8.6	35	2	3	8	11	15	19	29
65+	1900	10.7	68	2	3	9	13	19	25	46
GRAND TOTAL	**7149**	**8.5**	**41**	**2**	**2**	**7**	**11**	**15**	**19**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	654	6.7	5	3	4	6	8	9	11	15
20-34	67	8.1	12	4	4	8	9	11	13	27
35-49	47	10.2	27	3	5	10	11	14	16	38
50-64	43	11.2	22	3	6	10	14	19	20	22
65+	42	10.4	81	2	3	8	14	18	22	53
2. MULTIPLE DX										
0-19 YRS	810	8.8	37	3	4	7	10	14	19	36
20-34	184	12.0	77	5	7	9	13	21	26	40
35-49	166	13.5	97	5	7	11	15	23	29	89
50-64	220	14.8	87	5	6	12	17	28	37	77
65+	386	16.6	89	5	8	14	20	28	37	47
TOT. SINGLE DX	853	7.4	14	3	4	7	9	11	14	19
" MULTIPLE DX	1766	12.0	75	4	5	9	14	22	29	46
TOTAL 0-19 YRS	1464	7.8	25	3	4	7	9	12	15	30
20-34	251	10.9	63	4	6	9	12	19	25	36
35-49	213	12.8	83	5	7	11	14	21	27	73
50-64	263	14.2	79	4	6	12	17	25	34	65
65+	428	15.9	92	4	6	14	20	27	36	48
GRAND TOTAL	**2619**	**10.5**	**60**	**3**	**4**	**8**	**12**	**19**	**25**	**42**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	4.1	9	1	1	3	5	8	11	15
20-34	2135	3.6	5	1	1	3	5	6	8	11
35-49	2959	3.7	5	1	1	3	5	7	8	12
50-64	1901	3.9	6	1	1	3	5	7	8	13
65+	690	4.1	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	293	7.2	33	1	2	6	9	15	17	31
20-34	1257	5.1	22	1	2	4	6	9	12	18
35-49	1925	5.1	13	1	2	4	6	9	12	18
50-64	2140	5.7	24	1	2	5	7	10	13	23
65+	1917	7.6	43	1	2	6	10	16	20	34
TOT. SINGLE DX	7954	3.8	6	1	1	3	5	7	8	12
" MULTIPLE DX	7532	6.0	28	1	2	5	7	11	15	26
TOTAL 0-19 YRS	562	5.7	24	1	1	4	7	12	15	28
20-34	3392	4.1	12	1	1	3	5	7	9	15
35-49	4884	4.2	9	1	1	4	5	8	10	15
50-64	4041	4.8	17	1	1	4	6	9	11	20
65+	2607	6.7	37	1	2	5	8	14	18	32
GRAND TOTAL	**15486**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1100	2.3	4	<1	<1	1	3	5	7	10
20-34	2028	3.5	9	<1	<1	3	5	7	9	13
35-49	2328	3.6	9	<1	<1	3	5	7	9	14
50-64	2236	3.7	10	<1	<1	3	5	7	9	15
65+	1875	3.9	14	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	1842	4.2	27	<1	<1	3	5	9	12	26
20-34	3731	5.8	35	1	1	4	7	11	15	30
35-49	5399	6.4	44	1	1	5	8	13	18	34
50-64	9105	6.8	56	1	1	5	8	14	19	37
65+	19002	9.1	83	1	2	7	11	19	26	52
TOT. SINGLE DX	9567	3.5	10	<1	<1	3	5	7	9	15
" MULTIPLE DX	39079	7.7	67	1	1	6	10	16	22	45
TOTAL 0-19 YRS	2942	3.5	20	<1	<1	2	4	8	10	21
20-34	5759	5.0	28	<1	1	4	6	10	13	25
35-49	7727	5.6	36	<1	1	4	7	11	15	30
50-64	11341	6.2	49	1	1	4	8	13	17	34
65+	20877	8.6	79	1	2	6	11	18	25	50
GRAND TOTAL	**48646**	**6.8**	**58**	**<1**	**1**	**5**	**9**	**14**	**20**	**41**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	2.5	3	<1	<1	2	3	5	7	8
20-34	171	2.7	5	<1	<1	2	3	5	6	15
35-49	546	2.4	3	<1	1	2	3	5	6	10
50-64	2220	3.0	5	1	1	2	4	5	7	12
65+	4068	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	84	5.2	27	<1	1	3	7	11	18	26
20-34	387	4.6	26	1	1	3	6	9	13	28
35-49	993	5.1	46	1	1	3	6	10	15	35
50-64	4408	4.7	31	1	1	3	5	9	13	28
65+	15562	6.0	41	1	2	4	7	12	17	33
TOT. SINGLE DX	7040	3.1	6	1	1	3	4	6	7	12
" MULTIPLE DX	21434	5.7	40	1	1	4	7	12	16	32
TOTAL 0-19 YRS	119	4.4	22	<1	1	3	6	8	17	25
20-34	558	4.0	21	<1	1	3	5	9	12	19
35-49	1539	4.1	33	1	1	3	5	8	12	28
50-64	6628	4.1	23	1	1	3	5	8	11	24
65+	19630	5.5	36	1	1	4	6	11	15	30
GRAND TOTAL	**28474**	**5.1**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	4.5	11	1	1	4	6	9	11	19
20-34	291	4.7	14	1	1	4	7	9	11	17
35-49	444	5.1	18	1	1	4	7	10	13	20
50-64	716	5.8	23	1	1	4	9	13	15	20
65+	913	6.2	30	1	1	4	9	14	16	25
2. MULTIPLE DX										
0-19 YRS	753	9.0	79	1	2	6	11	19	25	57
20-34	739	9.7	141	1	2	6	11	22	32	82
35-49	1017	8.2	61	1	2	6	10	17	24	49
50-64	2200	9.6	95	1	2	7	12	19	28	53
65+	6209	10.5	104	1	2	8	14	21	29	57
TOT. SINGLE DX	2613	5.6	23	1	1	4	8	12	15	22
" MULTIPLE DX	10918	9.9	100	1	2	7	13	21	29	58
TOTAL 0-19 YRS	1002	7.9	67	1	2	5	10	17	24	51
20-34	1030	8.3	111	1	1	5	10	17	28	64
35-49	1461	7.2	50	1	1	5	9	15	20	42
50-64	2916	8.7	80	1	2	6	11	17	24	49
65+	7122	10.0	97	1	2	7	13	21	28	54
GRAND TOTAL	**13531**	**9.1**	**88**	**1**	**2**	**6**	**12**	**19**	**26**	**52**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	1.2		<1	<1	<1	1	2	2	4
20-34	26	2.1	5	<1	<1	1	2	4	8	11
35-49	15	2.5	7	<1	<1	1	3	5	9	11
50-64	24	2.4	5	<1	<1	1	3	5	9	9
65+	14	2.9	5	<1	<1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	175	2.3	12	<1	<1	1	2	5	6	18
20-34	44	3.8	13	<1	<1	2	5	9	10	17
35-49	46	3.8	13	<1	<1	3	5	10	13	16
50-64	83	4.4	19	<1	1	3	5	8	16	22
65+	119	7.3	59	1	1	5	9	16	22	38
TOT. SINGLE DX	328	1.5	2	<1	<1	<1	1	2	4	9
" MULTIPLE DX	467	4.2	29	<1	<1	2	5	9	15	28
TOTAL 0-19 YRS	424	1.6	5	<1	<1	<1	1	3	4	9
20-34	70	3.2	11	<1	<1	2	4	8	9	16
35-49	61	3.5	12	<1	<1	2	4	9	12	16
50-64	107	3.9	17	<1	<1	3	5	8	12	22
65+	133	6.8	56	1	1	5	8	15	21	35
GRAND TOTAL	**795**	**3.1**	**20**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1842	4.4	13	<1	1	3	7	9	11	16
20-34	393	3.2	9	<1	<1	2	4	7	9	14
35-49	293	3.6	6	<1	1	3	5	7	8	12
50-64	270	3.7	7	1	1	3	5	8	9	13
65+	255	3.7	16	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	963	5.1	31	<1	1	3	7	11	14	25
20-34	375	5.3	39	<1	1	3	6	12	16	36
35-49	399	5.8	43	1	1	5	7	11	14	45
50-64	564	5.7	35	1	1	4	7	12	16	34
65+	902	6.2	51	1	1	4	7	13	19	37
TOT. SINGLE DX	3053	4.0	12	<1	1	3	6	8	11	15
" MULTIPLE DX	3203	5.6	40	1	1	4	7	12	16	36
TOTAL 0-19 YRS	2805	4.6	20	<1	1	3	7	10	12	19
20-34	768	4.2	25	<1	1	3	5	9	12	28
35-49	692	4.8	29	1	1	4	6	9	13	20
50-64	834	5.1	27	1	1	4	6	10	15	26
65+	1157	5.7	45	1	1	4	7	12	17	37
GRAND TOTAL	**6256**	**4.9**	**27**	**<1**	**1**	**3**	**6**	**10**	**13**	**25**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.6	1	<1	<1	1	2	3	4	8
20-34	209	3.3	7	<1	<1	2	4	7	8	14
35-49	194	3.2	7	<1	<1	2	4	7	10	14
50-64	149	2.6	4	<1	<1	2	3	6	7	9
65+	179	3.6	13	<1	<1	2	5	8	12	19
2. MULTIPLE DX										
0-19 YRS	549	3.0	25	<1	<1	1	3	6	9	20
20-34	810	5.6	40	<1	1	4	7	11	16	32
35-49	991	6.7	49	1	1	5	8	13	20	43
50-64	1371	6.5	47	1	1	5	8	13	19	34
65+	3525	8.9	75	1	2	7	11	18	24	48
TOT. SINGLE DX	988	2.8	7	<1	<1	2	3	6	8	14
" MULTIPLE DX	7246	7.3	62	1	1	5	9	15	21	42
TOTAL 0-19 YRS	806	2.5	18	<1	<1	1	3	5	7	14
20-34	1019	5.1	34	<1	1	4	6	10	15	31
35-49	1185	6.1	45	<1	1	4	8	12	17	42
50-64	1520	6.1	44	<1	1	4	8	13	18	31
65+	3704	8.7	74	1	2	7	11	18	24	45
GRAND TOTAL	**8234**	**6.8**	**58**	**<1**	**1**	**5**	**9**	**14**	**20**	**40**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.9	3	<1	<1	1	2	4	5	10
20-34	427	2.5	3	<1	1	2	3	5	6	10
35-49	321	2.8	5	<1	1	2	4	6	8	12
50-64	277	3.3	9	1	1	2	4	7	10	16
65+	375	3.3	6	1	1	3	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	311	2.6	16	<1	<1	2	3	5	8	14
20-34	531	3.8	28	<1	1	2	4	8	11	28
35-49	503	4.2	23	1	1	3	5	8	12	26
50-64	789	4.8	23	1	1	3	6	11	15	24
65+	2044	6.3	41	1	1	4	8	13	17	30
TOT. SINGLE DX	1639	2.8	6	<1	1	2	3	6	8	13
" MULTIPLE DX	4178	5.2	34	1	1	3	6	11	16	29
TOTAL 0-19 YRS	550	2.3	11	<1	<1	1	3	4	7	13
20-34	958	3.2	18	<1	1	2	4	6	9	17
35-49	824	3.6	17	1	1	2	4	8	11	21
50-64	1066	4.4	21	1	1	3	5	10	13	22
65+	2419	5.8	37	1	1	4	7	12	17	30
GRAND TOTAL	**5817**	**4.5**	**27**	**1**	**1**	**3**	**5**	**10**	**14**	**25**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	206	5.7	3	2	3	6	7	8	9	11
35-49	807	6.2	4	3	4	6	7	9	10	14
50-64	704	6.6	5	3	4	6	8	9	10	14
65+	321	6.8	6	3	3	7	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	6	4.5	4	2	2	5	6	7	7	7
20-34	330	6.2	4	3	4	6	7	9	9	12
35-49	1395	6.9	9	4	4	7	8	10	12	19
50-64	1455	7.5	14	4	4	7	8	11	14	20
65+	989	8.3	19	3	4	8	10	13	16	25
TOT. SINGLE DX	2041	6.4	5	3	4	6	8	9	10	14
" MULTIPLE DX	4175	7.4	14	4	4	7	8	11	13	21
TOTAL 0-19 YRS	9	4.1	4	2	2	5	6	7	7	7
20-34	536	6.0	4	3	4	6	7	8	9	12
35-49	2202	6.7	8	3	4	6	8	9	11	17
50-64	2159	7.2	12	3	4	7	8	10	13	19
65+	1310	8.0	17	3	4	7	9	12	15	24
GRAND TOTAL	**6216**	**7.1**	**11**	**3**	**4**	**7**	**8**	**10**	**12**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34	102	5.1	2	2	3	5	6	7	8	10
35-49	440	5.3	5	3	3	5	6	8	9	12
50-64	470	5.6	4	3	3	5	7	8	9	12
65+	270	6.0	5	3	3	6	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	15	6.1	9	2	3	6	7	10	13	14
20-34	131	5.8	5	3	3	5	7	8	9	17
35-49	665	6.2	18	3	3	6	7	9	11	19
50-64	810	6.6	15	3	3	6	8	10	13	20
65+	721	6.9	14	3	3	6	8	11	14	24
TOT. SINGLE DX	1286	5.5	5	3	3	5	7	8	9	12
" MULTIPLE DX	2342	6.6	15	3	3	6	8	10	12	20
TOTAL 0-19 YRS	19	5.4	10	1	2	5	7	10	12	14
20-34	233	5.5	5	3	3	5	6	8	9	13
35-49	1105	5.9	13	3	3	5	7	9	10	17
50-64	1280	6.2	12	3	3	6	8	9	11	17
65+	991	6.7	12	3	3	6	8	10	13	21
GRAND TOTAL	**3628**	**6.2**	**12**	**3**	**3**	**6**	**7**	**9**	**11**	**17**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.4	4	<1	<1	3	5	7	7	7
20-34	112	3.7	6	1	1	3	5	7	8	14
35-49	136	3.9	6	1	1	3	5	8	9	11
50-64	123	4.9	12	1	1	4	7	8	11	18
65+	53	4.2	6	1	1	3	6	7	10	12
2. MULTIPLE DX										
0-19 YRS	41	5.1	42	1	1	3	6	11	23	30
20-34	180	5.7	27	1	1	5	7	10	14	33
35-49	230	6.9	37	1	2	5	9	14	18	28
50-64	335	7.0	34	1	2	6	9	14	18	30
65+	421	9.4	89	1	2	7	12	19	27	47
TOT. SINGLE DX	440	4.1	8	1	1	4	6	8	9	14
" MULTIPLE DX	1207	7.6	55	1	2	6	10	16	21	39
TOTAL 0-19 YRS	57	4.6	32	<1	1	3	6	8	16	30
20-34	292	4.9	21	1	1	4	6	9	12	25
35-49	366	5.8	28	1	1	4	8	11	16	23
50-64	458	6.4	29	1	2	5	8	13	16	29
65+	474	8.8	83	1	2	6	11	18	25	47
GRAND TOTAL	**1647**	**6.6**	**45**	**1**	**1**	**5**	**8**	**13**	**18**	**37**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	4.3	15	1	1	3	6	11	15	15
20-34	231	3.6	9	1	1	3	5	7	9	16
35-49	429	3.3	7	1	1	3	4	6	8	12
50-64	379	3.3	10	1	1	2	4	6	8	16
65+	164	4.2	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	26	7.9	46	1	1	7	10	23	38	99+
20-34	142	7.7	68	1	2	5	9	19	27	59
35-49	229	8.1	67	1	2	6	10	16	21	50
50-64	319	8.3	76	1	2	6	11	18	22	37
65+	359	10.1	125	1	2	7	13	24	36	63
TOT. SINGLE DX	1229	3.5	9	1	1	3	4	7	9	16
" MULTIPLE DX	1075	8.8	90	1	2	6	11	19	27	57
TOTAL 0-19 YRS	52	6.1	34	1	1	5	8	16	23	98
20-34	373	5.2	36	1	1	3	6	9	17	35
35-49	658	5.0	33	1	1	3	6	10	14	29
50-64	698	5.6	47	1	1	3	6	13	18	33
65+	523	8.3	96	1	1	5	9	19	30	59
GRAND TOTAL	**2304**	**6.0**	**54**	**1**	**1**	**4**	**7**	**13**	**19**	**38**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.4	6	1	1	4	6	9	10	10
20-34	11	3.6	3	<1	1	4	4	6	8	8
35-49	178	4.6	4	2	2	4	5	7	9	13
50-64	4549	4.9	4	2	3	5	6	7	8	12
65+	9057	5.3	6	2	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	55	7.1	36	2	3	5	8	17	19	36
20-34	53	9.0	185	2	3	6	8	11	26	81
35-49	516	6.9	50	2	3	5	7	12	16	39
50-64	13587	6.3	21	3	3	5	7	10	14	25
65+	51552	7.9	40	3	3	6	9	14	19	35
TOT. SINGLE DX	13812	5.2	6	2	3	5	6	8	9	13
" MULTIPLE DX	65763	7.6	37	3	3	6	9	13	18	33
TOTAL 0-19 YRS	72	6.5	30	1	2	5	7	11	18	33
20-34	64	8.1	158	1	2	5	7	11	24	79
35-49	694	6.3	40	2	3	5	7	11	15	31
50-64	18136	6.0	17	2	3	5	7	9	12	22
65+	60609	7.5	37	3	3	6	8	13	18	33
GRAND TOTAL	**79575**	**7.1**	**33**	**3**	**3**	**6**	**8**	**12**	**17**	**31**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.3	26	<1	1	3	6	14	17	17
20-34	5	6.0	25	<1	<1	6	10	12	12	12
35-49	20	8.5	25	2	3	8	10	15	19	23
50-64	510	9.7	15	5	6	9	11	14	17	24
65+	748	9.8	14	5	6	9	12	15	16	21
2. MULTIPLE DX										
0-19 YRS	13	6.6	29	1	1	4	10	14	18	19
20-34	7	6.0	28	1	1	4	10	14	15	15
35-49	36	10.5	52	<1	3	9	13	18	23	40
50-64	1144	11.2	31	5	6	10	14	18	22	31
65+	3884	12.2	42	5	7	11	14	19	23	36
TOT. SINGLE DX	1292	9.7	15	5	6	9	12	14	17	22
" MULTIPLE DX	5084	12.0	40	5	6	11	14	19	23	35
TOTAL 0-19 YRS	22	6.1	27	<1	1	4	10	14	18	19
20-34	12	6.0	25	<1	<1	5	10	13	15	15
35-49	56	9.8	43	1	3	8	12	16	22	39
50-64	1654	10.8	27	5	6	10	13	17	20	30
65+	4632	11.8	39	5	7	10	14	19	22	35
GRAND TOTAL	**6376**	**11.5**	**36**	**5**	**6**	**10**	**14**	**18**	**22**	**33**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	19	2.9	5	<1	1	2	4	7	9	9
35-49	111	2.0	2	<1	<1	2	2	3	5	10
50-64	951	2.1	4	<1	<1	2	2	4	5	10
65+	1425	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	7	10.9	201	1	1	7	10	36	42	42
20-34	30	4.8	26	1	1	3	6	10	19	23
35-49	178	5.1	54	<1	1	3	5	12	17	51
50-64	1553	4.7	32	1	1	3	6	11	15	28
65+	4075	6.0	52	1	1	3	8	14	19	35
TOT. SINGLE DX	2510	2.2	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	5843	5.6	47	1	1	3	7	13	18	34
TOTAL 0-19 YRS	11	7.5	143	1	1	2	8	23	40	42
20-34	49	4.1	19	1	1	2	5	9	11	23
35-49	289	3.9	37	<1	1	2	4	8	14	44
50-64	2504	3.8	23	<1	1	2	4	8	12	25
65+	5500	5.0	42	<1	1	3	6	12	16	32
GRAND TOTAL	**8353**	**4.6**	**37**	**<1**	**1**	**2**	**5**	**11**	**15**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	1.9	2	<1	<1	1	2	3	5	10
20-34	311	2.5	3	<1	1	2	3	4	6	11
35-49	267	2.3	2	<1	1	2	3	4	6	8
50-64	235	2.6	2	<1	1	2	3	4	5	10
65+	154	2.7	3	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	272	2.7	17	<1	<1	2	3	5	7	26
20-34	286	5.0	48	1	1	3	5	10	16	39
35-49	348	6.0	57	1	1	4	7	13	22	40
50-64	402	6.0	76	1	1	4	7	12	17	49
65+	476	7.0	81	1	1	4	8	15	25	43
TOT. SINGLE DX	1367	2.3	3	<1	1	2	3	4	5	10
" MULTIPLE DX	1784	5.6	62	1	1	3	6	12	18	40
TOTAL 0-19 YRS	672	2.2	9	<1	<1	1	2	4	6	13
20-34	597	3.7	27	<1	1	2	4	7	11	34
35-49	615	4.4	37	1	1	2	5	9	14	34
50-64	637	4.8	52	1	1	3	5	9	14	38
65+	630	6.0	66	1	1	3	7	13	20	41
GRAND TOTAL	**3151**	**4.2**	**39**	**<1**	**1**	**2**	**4**	**9**	**13**	**35**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	563	2.0	1	<1	<1	2	2	3	5	7
20-34	813	2.7	4	1	1	2	3	5	7	12
35-49	342	2.8	5	1	1	2	3	5	7	11
50-64	278	3.5	10	1	1	2	4	8	10	14
65+	676	3.2	9	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	530	2.9	16	<1	1	2	3	5	7	12
20-34	526	4.5	45	1	1	3	5	9	12	33
35-49	311	4.9	35	1	1	3	6	10	13	32
50-64	763	6.8	78	1	1	4	8	15	19	45
65+	3461	7.4	65	1	1	4	10	17	22	42
TOT. SINGLE DX	2672	2.8	6	1	1	2	3	5	7	13
" MULTIPLE DX	5591	6.5	61	1	1	4	8	15	20	39
TOTAL 0-19 YRS	1093	2.4	9	<1	1	2	3	4	6	11
20-34	1339	3.4	21	1	1	2	4	7	10	19
35-49	653	3.8	21	1	1	3	4	8	11	22
50-64	1041	5.9	63	1	1	3	7	13	17	36
65+	4137	6.7	59	1	1	4	9	16	21	39
GRAND TOTAL	**8263**	**5.3**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2700	1.6		<1	<1	1	2	3	3	5
20-34	411	1.9	1	<1	1	1	2	3	5	7
35-49	45	1.8	1	<1	1	1	2	4	4	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1868	2.0	7	<1	<1	2	2	3	5	9
20-34	148	2.7	6	1	1	2	4	5	6	12
35-49	35	3.7	31	1	1	2	4	5	12	33
50-64	11	4.3	5	2	2	4	6	8	9	9
65+	6	4.8	24	1	1	3	7	13	14	14
TOT. SINGLE DX	3161	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2068	2.1	8	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	4568	1.8	4	<1	<1	1	2	3	4	6
20-34	559	2.1	3	<1	1	2	2	4	5	8
35-49	80	2.6	15	<1	1	2	3	4	5	27
50-64	14	3.9	5	2	2	3	5	7	9	9
65+	8	4.0	20	<1	<1	2	5	12	14	14
GRAND TOTAL	**5229**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	1.7	1	<1	<1	1	2	3	4	6
20-34	318	2.0	2	<1	<1	2	3	4	5	9
35-49	123	1.7	1	<1	<1	1	2	3	4	6
50-64	57	2.1	2	1	1	2	2	4	4	10
65+	21	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	249	2.0	2	<1	<1	1	2	4	5	7
20-34	204	3.1	12	<1	1	2	3	7	9	21
35-49	102	3.0	6	<1	1	2	4	6	8	15
50-64	66	4.9	46	1	1	3	4	11	16	41
65+	51	7.0	75	1	1	4	8	15	19	56
TOT. SINGLE DX	1101	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	672	3.1	18	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	831	1.8	2	<1	<1	1	2	3	4	7
20-34	522	2.4	7	<1	<1	2	3	4	7	13
35-49	225	2.3	4	<1	<1	2	3	5	6	10
50-64	123	3.6	28	1	1	2	3	6	11	35
65+	72	5.7	58	1	1	3	6	13	16	49
GRAND TOTAL	**1773**	**2.3**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	141	1.1		<1	<1	<1	<1	1	1	3
35-49	146	1.1		<1	<1	<1	<1	1	2	3
50-64	12	1.7	1	<1	<1	<1	1	4	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	72	4.2	112	<1	<1	1	3	8	13	72
35-49	92	3.5	23	<1	<1	2	4	8	15	27
50-64	16	5.3	16	<1	1	4	9	10	12	13
65+	26	9.4	30	2	3	8	14	16	19	23
TOT. SINGLE DX	310	1.1		<1	<1	<1	<1	1	2	5
" MULTIPLE DX	208	4.7	58	<1	<1	2	6	13	16	28
TOTAL 0-19 YRS	10	3.6	31	<1	<1	1	4	12	19	19
20-34	213	2.1	40	<1	<1	<1	1	3	6	22
35-49	238	2.0	10	<1	<1	<1	2	4	7	18
50-64	28	3.7	13	<1	<1	2	6	10	11	13
65+	29	8.9	31	2	2	7	14	16	18	23
GRAND TOTAL	**518**	**2.6**	**27**	**<1**	**<1**	**<1**	**2**	**6**	**10**	**20**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1088	1.6		<1	<1	1	2	3	3	5
20-34	1371	1.8	1	<1	<1	2	2	3	4	6
35-49	1101	1.9	2	<1	<1	1	2	3	4	7
50-64	853	2.2	1	<1	1	2	3	4	4	7
65+	406	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	731	2.0	4	<1	<1	1	2	3	4	8
20-34	985	2.2	4	<1	1	2	3	4	5	10
35-49	793	2.5	5	1	1	2	3	5	6	12
50-64	1021	3.3	10	1	1	3	4	6	8	17
65+	866	3.9	12	1	1	3	4	8	11	18
TOT. SINGLE DX	4819	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	4396	2.8	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1819	1.7	2	<1	<1	1	2	3	4	6
20-34	2356	2.0	3	<1	1	2	2	3	4	8
35-49	1894	2.1	4	<1	1	2	3	4	5	9
50-64	1874	2.8	7	1	1	2	3	5	7	13
65+	1272	3.4	10	1	1	3	4	7	9	17
GRAND TOTAL	**9215**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1857	1.5	3	<1	<1	1	1	2	2	12
20-34	416	1.5		<1	<1	1	2	2	3	4
35-49	265	1.4		<1	<1	1	2	2	3	3
50-64	192	1.7	2	<1	<1	1	2	2	3	8
65+	116	1.6	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	691	4.6	86	<1	<1	2	3	12	19	54
20-34	311	2.5	5	<1	<1	2	3	5	7	13
35-49	497	3.3	23	<1	<1	2	3	7	10	26
50-64	532	3.4	14	<1	1	2	4	8	11	22
65+	564	4.9	43	1	1	3	6	11	16	34
TOT. SINGLE DX	2846	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	2595	3.9	41	<1	<1	2	4	9	14	31
TOTAL 0-19 YRS	2548	2.3	28	<1	<1	1	2	3	7	22
20-34	727	1.9	3	<1	<1	1	2	3	5	10
35-49	762	2.6	16	<1	<1	2	2	5	9	18
50-64	724	3.0	12	<1	<1	2	3	7	10	19
65+	680	4.3	38	<1	1	2	5	10	14	32
GRAND TOTAL	**5441**	**2.6**	**22**	**<1**	**<1**	**1**	**2**	**5**	**9**	**22**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	312	2.6	6	<1	<1	1	3	6	8	12
20-34	242	3.1	17	<1	<1	2	4	6	9	19
35-49	327	3.5	8	<1	1	3	4	6	9	15
50-64	819	3.4	5	1	1	3	4	6	7	11
65+	396	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	238	3.3	8	<1	<1	2	4	6	9	13
20-34	377	6.3	59	1	1	4	7	13	20	45
35-49	860	4.5	22	1	2	4	5	7	9	19
50-64	1882	4.3	13	1	1	3	5	7	10	22
65+	1189	4.9	28	1	2	4	5	9	14	31
TOT. SINGLE DX	2096	3.2	7	<1	1	3	4	6	7	13
" MULTIPLE DX	4546	4.6	23	1	1	3	5	8	11	26
TOTAL 0-19 YRS	550	2.9	8	<1	<1	2	4	6	9	12
20-34	619	5.0	45	<1	1	3	5	10	16	41
35-49	1187	4.2	19	1	1	3	5	7	9	19
50-64	2701	4.0	11	1	1	3	5	7	9	18
65+	1585	4.5	23	1	1	3	5	8	11	26
GRAND TOTAL	**6642**	**4.2**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	845	4.4	2	2	3	4	5	6	7	10
20-34	2916	4.6	2	2	3	4	5	6	7	10
35-49	460	4.9	4	2	3	5	6	7	8	13
50-64	72	6.1	10	1	3	6	8	10	12	17
65+	49	7.1	8	3	4	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	951	5.1	7	2	3	5	6	7	9	15
20-34	6386	5.2	7	2	3	5	6	7	9	14
35-49	1369	6.1	15	2	3	5	7	10	12	22
50-64	224	9.6	57	3	4	8	11	16	23	41
65+	263	13.9	100	5	6	10	18	24	33	53
TOT. SINGLE DX	4342	4.6	3	2	3	5	6	7	7	11
" MULTIPLE DX	9193	5.6	15	2	3	5	6	8	11	21
TOTAL 0-19 YRS	1796	4.8	5	2	3	5	6	7	8	13
20-34	9302	5.0	6	2	3	5	6	7	8	13
35-49	1829	5.8	13	2	3	5	7	9	11	19
50-64	296	8.8	48	2	3	7	10	16	20	37
65+	312	12.9	92	5	6	10	16	23	31	53
GRAND TOTAL	**13535**	**5.3**	**11**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	5.1	4	3	3	5	6	7	9	12
20-34	2597	4.9	2	3	3	5	6	7	8	10
35-49	1125	5.3	3	3	3	5	6	7	9	11
50-64	198	6.4	9	3	4	6	7	10	12	18
65+	99	6.8	6	4	4	6	8	11	13	15
2. MULTIPLE DX										
0-19 YRS	594	5.9	10	3	3	5	7	9	11	19
20-34	6459	5.7	6	3	3	5	6	8	10	16
35-49	3632	6.3	15	3	4	6	7	9	13	21
50-64	503	8.9	30	4	5	7	10	16	20	31
65+	508	11.5	49	5	5	9	14	21	25	37
TOT. SINGLE DX	4437	5.2	4	3	3	5	6	7	8	12
" MULTIPLE DX	11696	6.3	14	3	4	5	7	10	13	21
TOTAL 0-19 YRS	1012	5.6	8	3	3	5	6	8	10	16
20-34	9056	5.5	6	3	3	5	6	8	10	15
35-49	4757	6.1	12	3	3	5	7	9	11	18
50-64	701	8.2	26	4	4	7	9	15	19	28
65+	607	10.8	46	4	5	8	13	19	24	37
GRAND TOTAL	16133	6.0	11	3	3	5	7	9	11	20

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.9	2	2	2	5	6	7	7	7
20-34	244	5.0	3	3	3	5	6	7	8	10
35-49	513	5.7	5	3	4	5	6	8	9	13
50-64	240	6.7	9	3	4	6	7	10	13	20
65+	135	7.4	7	4	5	7	8	11	12	17
2. MULTIPLE DX										
0-19 YRS	37	6.0	8	3	3	5	6	9	13	16
20-34	1540	5.8	10	3	4	5	6	8	10	18
35-49	3003	6.6	11	3	4	6	7	10	12	19
50-64	1143	9.0	37	4	4	7	10	16	20	36
65+	904	11.9	66	5	5	9	15	21	28	46
TOT. SINGLE DX	1142	6.0	6	3	4	6	7	8	10	16
" MULTIPLE DX	6627	7.5	27	3	4	6	8	13	17	29
TOTAL 0-19 YRS	47	5.7	7	3	3	5	6	9	13	16
20-34	1784	5.7	9	3	4	5	6	8	10	17
35-49	3516	6.4	11	3	4	6	7	9	12	18
50-64	1383	8.6	33	4	4	7	10	15	19	34
65+	1039	11.3	61	5	5	9	14	20	26	44
GRAND TOTAL	7769	7.3	25	3	4	6	8	12	16	28

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	3.0	3	<1	1	3	4	5	6	9
20-34	736	3.0	4	<1	<1	2	4	6	7	10
35-49	162	2.7	6	<1	<1	1	4	6	7	12
50-64	18	4.1	12	<1	<1	3	6	8	12	14
65+	7	5.4	18	1	1	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	276	4.4	8	1	1	4	5	8	10	13
20-34	2481	4.2	7	<1	1	4	5	7	8	14
35-49	616	4.3	13	<1	<1	4	6	7	10	18
50-64	37	6.9	76	<1	1	5	8	10	25	49
65+	23	12.6	311	1	2	7	12	25	54	84
TOT. SINGLE DX	1163	3.0	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	3433	4.3	12	<1	1	4	6	7	9	15
TOTAL 0-19 YRS	516	3.7	7	<1	1	3	5	7	8	12
20-34	3217	3.9	7	<1	1	4	5	7	8	13
35-49	778	3.9	12	<1	<1	3	6	7	9	17
50-64	55	6.0	57	<1	<1	4	7	8	15	48
65+	30	10.9	249	1	1	7	11	21	38	84
GRAND TOTAL	4596	3.9	10	<1	1	4	5	7	8	14

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.2	3	<1	<1	1	2	5	6	6
20-34	2554	1.3		<1	<1	<1	1	2	2	4
35-49	1254	1.3		<1	<1	<1	1	2	2	3
50-64	4	2.0	4	<1	<1	<1	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	33	1.9	1	<1	<1	1	3	3	4	4
20-34	2732	1.9	4	<1	<1	1	2	3	4	8
35-49	1468	1.6	3	<1	<1	1	2	3	4	8
50-64	7	1.7		1	1	2	2	3	3	3
65+										
TOT. SINGLE DX	3822	1.3		<1	<1	<1	1	2	2	4
" MULTIPLE DX	4240	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
20-34	5286	1.6	3	<1	<1	1	2	3	4	6
35-49	2722	1.5	2	<1	<1	1	2	2	3	6
50-64	11	1.8	2	<1	<1	1	2	4	5	5
65+										
GRAND TOTAL	8062	1.5	2	<1	<1	1	2	3	3	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	3.1	7	<1	<1	2	4	6	8	13
20-34	4215	2.1	1	<1	<1	2	3	4	4	6
35-49	1509	1.9	1	<1	<1	2	3	3	4	6
50-64	5	3.2	4	1	1	2	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	131	3.3	3	1	1	3	4	6	7	28
20-34	11806	3.2	3	1	1	3	4	5	5	8
35-49	2982	3.2	3	1	1	3	4	5	6	10
50-64	20	6.7	31	1	2	6	7	11	20	28
65+										
TOT. SINGLE DX	5776	2.1	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	14939	3.2	4	1	1	3	4	5	6	8
TOTAL 0-19 YRS	178	3.3	4	1	1	3	4	6	7	13
20-34	16021	2.9	3	1	1	3	4	4	5	7
35-49	4491	2.7	3	<1	1	3	4	5	6	9
50-64	25	6.0	28	1	2	5	6	9	17	28
65+										
GRAND TOTAL	**20715**	**2.9**	**3**	**<1**	**1**	**3**	**4**	**5**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	464	4.1	2	2	3	4	5	6	7	8
20-34	6505	4.2	2	2	3	4	5	6	6	8
35-49	998	4.3	3	2	2	4	5	6	7	9
50-64	14	5.6	3	2	3	6	6	8	9	9
65+	5	6.4	6	4	4	5	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	576	4.9	6	2	3	4	6	8	9	14
20-34	9046	4.6	4	2	3	4	5	6	7	11
35-49	1611	4.8	5	2	3	5	6	7	8	13
50-64	30	7.1	17	1	3	7	8	13	18	18
65+	22	9.8	74	2	3	6	12	25	31	33
TOT. SINGLE DX	7986	4.2	2	2	3	4	5	6	7	9
" MULTIPLE DX	11285	4.7	5	2	3	4	5	7	8	11
TOTAL 0-19 YRS	1040	4.6	4	2	3	4	5	7	8	12
20-34	15551	4.4	3	2	3	4	5	6	7	10
35-49	2609	4.6	4	2	2	4	6	7	8	12
50-64	44	6.6	13	2	3	6	8	10	16	18
65+	27	9.2	63	2	3	6	10	22	30	33
GRAND TOTAL	**19271**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	1.8		<1	<1	2	2	3	3	6
20-34	1653	1.7		<1	<1	1	2	3	3	5
35-49	740	1.8	1	<1	<1	1	2	3	4	6
50-64	225	1.9	2	<1	1	1	2	3	4	9
65+	95	2.2	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	48	1.8	1	<1	<1	1	2	3	4	5
20-34	1257	2.1	3	<1	1	2	2	4	5	9
35-49	748	2.4	7	<1	<1	2	3	4	7	11
50-64	337	2.7	11	<1	1	2	3	5	7	22
65+	205	3.6	15	1	1	2	4	8	12	17
TOT. SINGLE DX	2767	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2595	2.4	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	102	1.8	1	<1	<1	2	2	3	4	5
20-34	2910	1.9	2	<1	<1	1	2	3	4	7
35-49	1488	2.1	5	<1	<1	2	2	4	5	10
50-64	562	2.4	8	<1	1	2	3	4	6	14
65+	300	3.1	12	1	1	2	3	6	10	16
GRAND TOTAL	**5362**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	1.7	3	<1	<1	1	2	3	5	12
20-34	651	1.6	1	<1	<1	1	2	3	4	7
35-49	659	1.8	14	<1	<1	1	2	3	4	7
50-64	360	2.3	5	<1	<1	2	2	4	6	11
65+	199	3.5	8	<1	1	2	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	80	2.9	15	<1	<1	2	3	6	9	25
20-34	1068	2.6	13	<1	<1	2	3	5	8	21
35-49	1902	2.4	14	<1	<1	2	2	4	7	16
50-64	1095	3.7	25	<1	<1	2	4	8	12	24
65+	1074	6.3	69	1	1	4	7	13	19	44
TOT. SINGLE DX	1927	2.0	8	<1	<1	1	2	3	5	10
" MULTIPLE DX	5219	3.5	30	<1	<1	2	4	8	11	25
TOTAL 0-19 YRS	138	2.4	10	<1	<1	1	3	5	7	16
20-34	1719	2.2	9	<1	<1	1	2	4	6	14
35-49	2561	2.3	15	<1	<1	1	2	4	6	14
50-64	1455	3.3	21	<1	<1	2	3	7	11	23
65+	1273	5.9	61	1	1	4	7	12	17	38
GRAND TOTAL	**7146**	**3.1**	**25**	**<1**	**<1**	**2**	**3**	**7**	**10**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	2.5	2	1	1	2	3	4	5	10
20-34	2628	2.3	2	1	1	2	3	4	5	8
35-49	320	2.2	1	<1	1	2	3	4	5	7
50-64	5	1.8	3	1	1	1	2	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	32	3.3	7	1	1	3	3	6	11	14
20-34	890	3.6	18	1	1	3	4	6	9	27
35-49	142	4.0	65	1	1	2	4	7	12	25
50-64	7	3.9	9	1	1	3	5	9	10	10
65+	2	6.0	18	3	3	6	9	9	9	9
TOT. SINGLE DX	3061	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	1073	3.6	24	1	1	3	4	6	9	26
TOTAL 0-19 YRS	140	2.7	4	1	1	2	3	4	6	12
20-34	3518	2.6	7	1	1	2	3	4	6	11
35-49	462	2.7	22	1	1	2	3	4	6	16
50-64	12	3.0	8	1	1	2	4	7	10	10
65+	2	6.0	18	3	3	6	9	9	9	9
GRAND TOTAL	**4134**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.3	3	<1	1	3	5	5	6	6
20-34	893	4.8	4	1	2	5	6	7	8	10
35-49	377	4.6	6	1	1	5	6	7	8	11
50-64	48	2.4	2	<1	<1	2	3	5	6	7
65+	25	3.0	6	<1	<1	2	4	6	9	9
2. MULTIPLE DX										
0-19 YRS	56	5.6	36	1	1	5	6	8	12	40
20-34	2037	4.9	6	1	1	5	6	7	8	12
35-49	1026	5.3	16	1	1	5	6	8	10	24
50-64	225	5.4	40	<1	1	3	8	14	20	33
65+	223	6.7	56	1	1	4	9	15	20	38
TOT. SINGLE DX	1369	4.6	5	1	1	5	6	7	8	10
" MULTIPLE DX	3567	5.2	15	1	1	5	6	8	10	21
TOTAL 0-19 YRS	82	4.9	27	1	1	5	5	7	9	36
20-34	2930	4.9	6	1	1	5	6	7	8	11
35-49	1403	5.1	14	1	1	5	6	8	10	21
50-64	273	4.9	35	<1	1	2	6	13	18	30
65+	248	6.4	53	1	1	4	9	14	19	37
GRAND TOTAL	**4936**	**5.0**	**13**	**1**	**1**	**5**	**6**	**8**	**9**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	6.6	9	3	4	7	8	10	12	19
20-34	3165	5.8	2	4	4	6	6	8	8	12
35-49	6403	6.0	2	4	4	6	7	8	8	11
50-64	1937	6.5	4	4	5	6	7	8	10	14
65+	1015	7.3	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	209	6.7	9	4	4	6	8	11	13	21
20-34	22716	6.2	5	4	4	6	7	8	10	15
35-49	57058	6.5	6	4	4	6	7	9	10	16
50-64	13997	7.4	16	4	5	7	8	10	13	23
65+	6732	9.5	34	5	5	8	10	15	20	33
TOT. SINGLE DX	12561	6.1	3	4	4	6	7	8	9	13
" MULTIPLE DX	100712	6.7	10	4	4	6	7	9	11	19
TOTAL 0-19 YRS	250	6.7	9	4	4	6	8	11	13	20
20-34	25881	6.1	5	4	4	6	7	8	10	15
35-49	63461	6.4	6	4	4	6	7	8	10	15
50-64	15934	7.3	15	4	5	7	8	10	13	23
65+	7747	9.2	31	5	5	8	10	15	19	32
GRAND TOTAL	**113273**	**6.7**	**9**	**4**	**4**	**6**	**7**	**9**	**11**	**19**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.6	3	1	2	4	6	7	8	8
20-34	1935	4.7	2	3	3	5	5	6	7	9
35-49	2161	5.1	2	3	3	5	6	7	8	10
50-64	1079	6.3	3	4	4	6	7	9	10	14
65+	998	6.9	3	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	42	5.3	4	2	3	5	6	8	9	13
20-34	8454	5.3	4	3	3	5	6	7	8	12
35-49	15678	5.5	4	3	3	5	6	8	9	13
50-64	4808	6.6	5	4	4	6	8	9	11	15
65+	4285	7.7	13	4	5	7	8	11	13	21
TOT. SINGLE DX	6183	5.5	4	3	3	5	6	8	9	12
" MULTIPLE DX	33267	5.9	6	3	4	5	7	8	10	15
TOTAL 0-19 YRS	52	5.1	5	2	3	5	6	8	8	13
20-34	10389	5.2	4	3	3	5	6	7	8	12
35-49	17839	5.5	4	3	3	5	6	8	9	12
50-64	5887	6.6	5	4	4	6	8	9	11	15
65+	5283	7.5	12	4	5	7	8	10	13	19
GRAND TOTAL	**39450**	**5.8**	**6**	**3**	**4**	**5**	**7**	**8**	**10**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	76	10.6	8	7	8	10	12	15	16	20
35-49	98	10.3	9	6	7	10	12	15	17	20
50-64	43	11.2	22	6	7	10	13	18	22	26
65+	24	14.1	53	8	8	11	18	25	32	33
2. MULTIPLE DX										
0-19 YRS	4	11.8	21	7	7	11	15	18	18	18
20-34	113	11.7	57	5	6	10	13	17	20	73
35-49	219	12.7	51	6	7	10	14	22	28	46
50-64	175	14.9	98	6	8	12	17	28	36	59
65+	168	17.1	135	6	8	14	19	31	42	82
TOT. SINGLE DX	242	10.9	17	6	7	10	12	16	19	27
" MULTIPLE DX	679	14.2	89	6	7	11	16	25	33	60
TOTAL 0-19 YRS	5	11.2	17	7	7	11	13	18	18	18
20-34	189	11.2	38	6	7	10	13	16	18	54
35-49	317	11.9	40	6	7	10	13	19	25	43
50-64	218	14.2	86	6	7	11	16	25	32	57
65+	192	16.7	126	7	8	14	19	31	38	80
GRAND TOTAL	**921**	**13.3**	**72**	**6**	**7**	**11**	**15**	**22**	**31**	**56**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	468	1.1		<1	<1	<1	1	1	2	4
20-34	2139	1.2		<1	<1	<1	1	1	2	4
35-49	307	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	97	4.1	45	<1	<1	2	4	8	21	75
20-34	685	3.1	16	<1	<1	2	4	6	9	20
35-49	213	2.3	6	<1	<1	1	2	5	6	16
50-64										
65+										
TOT. SINGLE DX	2914	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	995	3.0	17	<1	<1	2	3	6	9	22
TOTAL 0-19 YRS	565	1.6	9	<1	<1	<1	1	2	4	18
20-34	2824	1.6	5	<1	<1	<1	1	3	5	10
35-49	520	1.6	3	<1	<1	<1	1	3	4	9
50-64										
65+										
GRAND TOTAL	**3909**	**1.6**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5250	1.5	1	<1	<1	1	2	3	3	6
20-34	32676	1.4	1	<1	<1	1	2	2	3	6
35-49	9652	1.4		<1	<1	1	2	2	3	6
50-64	2145	1.6	2	<1	<1	1	2	2	3	7
65+	889	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	2041	2.7	9	<1	1	2	3	5	7	13
20-34	16383	2.6	9	<1	<1	2	3	5	7	13
35-49	13065	2.5	11	<1	<1	1	2	5	8	15
50-64	4690	3.0	20	<1	<1	2	3	7	10	21
65+	3416	4.3	33	<1	1	2	5	10	14	34
TOT. SINGLE DX	50612	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	39595	2.8	14	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	7291	1.9	4	<1	<1	1	2	3	5	9
20-34	49059	1.8	4	<1	<1	1	2	3	5	9
35-49	22717	2.0	7	<1	<1	1	2	4	6	12
50-64	6835	2.6	15	<1	<1	2	2	5	9	19
65+	4305	3.8	28	<1	1	2	4	9	13	31
GRAND TOTAL	**90207**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	999	1.1		<1	<1	<1	<1	1	2	3
20-34	4231	1.1	1	<1	<1	<1	<1	1	2	3
35-49	647	1.1	1	<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	846	1.7	15	<1	<1	<1	<1	2	5	19
20-34	2859	1.9	10	<1	<1	<1	1	3	6	16
35-49	582	1.9	5	<1	<1	1	2	4	5	13
50-64										
65+										
TOT. SINGLE DX	5877	1.1	1	<1	<1	<1	<1	1	2	3
" MULTIPLE DX	4287	1.9	11	<1	<1	<1	1	3	5	16
TOTAL 0-19 YRS	1845	1.4	7	<1	<1	<1	<1	1	2	8
20-34	7090	1.4	5	<1	<1	<1	<1	2	3	9
35-49	1229	1.5	4	<1	<1	<1	1	2	4	9
50-64										
65+										
GRAND TOTAL	**10164**	**1.4**	**5**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**9**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	845	1.3		<1	<1	1	1	2	3	5
20-34	5578	1.2		<1	<1	1	1	2	2	4
35-49	892	1.2		<1	<1	1	1	2	2	4
50-64	4	6.0	31	1	1	5	10	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	210	2.6	13	<1	1	2	3	5	7	24
20-34	1316	2.3	6	<1	<1	1	2	4	6	13
35-49	328	2.8	16	<1	<1	1	3	6	8	22
50-64	22	7.9	96	1	1	4	10	26	30	33
65+	24	10.0	174	1	1	6	13	20	34	65
TOT. SINGLE DX	7320	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	1900	2.5	13	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	1055	1.6	4	<1	<1	1	2	3	4	8
20-34	6894	1.4	2	<1	<1	1	1	2	3	7
35-49	1220	1.6	5	<1	<1	1	1	2	4	9
50-64	26	7.6	86	1	1	4	10	25	29	33
65+	25	9.7	169	1	1	5	13	20	32	65
GRAND TOTAL	**9220**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.5	2	1	2	5	6	6	6	6
20-34	100	4.1	3	1	1	4	5	6	7	10
35-49	15	3.9	3	<1	2	4	5	5	7	8
50-64	11	5.2	5	1	3	5	6	8	10	10
65+	12	5.8	2	4	4	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	21	4.9	4	2	2	5	6	8	9	10
20-34	556	4.9	3	2	3	5	6	7	8	11
35-49	69	5.3	4	3	3	5	6	8	9	13
50-64	22	6.4	6	2	3	6	8	9	11	14
65+	31	7.3	6	4	4	7	8	11	12	15
TOT. SINGLE DX	146	4.3	4	1	1	4	5	6	7	10
" MULTIPLE DX	699	5.1	4	2	3	5	6	7	8	13
TOTAL 0-19 YRS	29	4.8	4	1	2	5	6	7	9	10
20-34	656	4.7	4	2	3	5	6	7	8	11
35-49	84	5.1	4	2	3	5	6	8	9	12
50-64	33	6.0	6	2	3	6	7	9	10	14
65+	43	6.9	6	4	4	7	8	10	11	15
GRAND TOTAL	**845**	**4.9**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.6	5	<1	<1	2	4	5	7	14
20-34	468	2.7	4	<1	<1	2	4	5	6	8
35-49	176	2.5	2	<1	<1	2	4	5	6	7
50-64	80	3.6	4	<1	2	3	4	6	7	15
65+	47	4.1	6	1	2	4	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	101	3.6	6	1	1	3	5	6	8	13
20-34	1010	3.6	12	<1	1	3	5	6	8	13
35-49	382	3.5	10	<1	<1	3	5	7	8	14
50-64	163	4.5	19	1	2	4	5	8	12	33
65+	254	4.8	31	1	2	4	5	8	12	36
TOT. SINGLE DX	859	2.8	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	1910	3.8	15	<1	1	3	5	7	8	17
TOTAL 0-19 YRS	189	3.1	6	<1	<1	3	4	6	7	14
20-34	1478	3.3	10	<1	<1	3	5	6	7	11
35-49	558	3.2	8	<1	<1	3	4	6	7	12
50-64	243	4.2	15	1	2	3	4	7	10	18
65+	301	4.7	28	1	2	4	5	8	12	30
GRAND TOTAL	**2769**	**3.5**	**12**	**<1**	**<1**	**3**	**5**	**6**	**8**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.1	7	<1	1	3	6	8	9	9
20-34	209	4.5	5	1	2	5	6	7	8	11
35-49	705	5.2	4	2	3	5	7	8	9	12
50-64	1503	5.5	4	2	3	5	7	8	9	12
65+	1096	5.8	4	3	3	6	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	8	5.6	13	<1	1	5	7	11	13	13
20-34	489	5.7	12	2	2	5	7	9	10	15
35-49	1939	6.5	10	3	3	6	8	10	12	17
50-64	2913	6.6	9	3	4	6	8	10	11	17
65+	2834	6.9	10	3	4	6	8	10	12	18
TOT. SINGLE DX	3521	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	8183	6.6	10	3	4	6	8	10	12	17
TOTAL 0-19 YRS	16	4.9	10	<1	<1	4	7	9	12	13
20-34	698	5.4	11	2	2	5	7	8	10	14
35-49	2644	6.1	9	2	3	6	7	9	11	15
50-64	4416	6.2	8	3	3	6	7	9	11	16
65+	3930	6.6	9	3	4	6	8	10	12	17
GRAND TOTAL	**11704**	**6.3**	**9**	**3**	**3**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	3.0	11	<1	<1	1	4	9	11	16
20-34	503	3.3	5	<1	1	3	4	6	8	12
35-49	210	3.5	5	1	1	3	5	7	8	11
50-64	127	4.9	7	1	1	5	6	8	10	13
65+	84	5.9	12	1	1	6	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	151	4.0	20	<1	1	3	4	9	14	23
20-34	365	4.1	16	1	1	3	5	7	9	24
35-49	263	5.3	20	1	1	4	7	10	13	22
50-64	310	7.1	47	2	3	6	8	11	14	30
65+	311	8.7	61	2	3	7	10	15	22	36
TOT. SINGLE DX	1085	3.7	8	<1	1	3	5	7	9	12
" MULTIPLE DX	1400	6.0	38	1	1	5	7	11	15	29
TOTAL 0-19 YRS	312	3.5	16	<1	<1	2	4	9	11	21
20-34	868	3.6	10	<1	1	3	5	7	8	16
35-49	473	4.5	15	1	1	4	6	9	11	18
50-64	437	6.5	37	1	2	6	8	10	12	26
65+	395	8.1	53	1	3	7	9	14	19	34
GRAND TOTAL	**2485**	**5.0**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	3.0	9	<1	<1	2	4	7	9	16
20-34	893	3.1	8	<1	<1	2	4	7	10	14
35-49	336	3.3	10	<1	<1	2	4	7	10	15
50-64	214	4.0	17	<1	1	3	5	8	9	22
65+	276	4.4	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	331	4.3	32	<1	1	3	5	9	11	29
20-34	1170	4.3	23	1	1	3	5	8	11	23
35-49	569	6.0	30	1	1	5	8	12	17	27
50-64	730	6.3	38	1	2	5	7	12	16	32
65+	1238	6.9	50	1	2	5	8	12	17	41
TOT. SINGLE DX	2013	3.4	10	<1	<1	2	4	7	9	14
" MULTIPLE DX	4038	5.7	37	1	1	4	7	11	15	29
TOTAL 0-19 YRS	625	3.7	22	<1	<1	2	5	8	10	19
20-34	2063	3.8	18	<1	1	3	5	8	10	20
35-49	905	5.0	24	<1	1	3	7	11	14	24
50-64	944	5.8	35	1	1	5	7	11	14	30
65+	1514	6.5	43	1	2	5	8	11	16	35
GRAND TOTAL	**6051**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	341	2.0	2	<1	<1	1	2	4	5	8
20-34	1482	1.8	1	<1	<1	1	2	3	4	7
35-49	750	1.9	2	<1	<1	1	2	3	4	9
50-64	288	2.4	6	<1	<1	2	3	4	5	13
65+	143	2.9	8	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	218	3.7	24	1	1	3	4	6	8	18
20-34	833	3.5	18	<1	1	2	4	7	9	22
35-49	513	4.6	39	<1	1	3	5	10	15	41
50-64	407	6.0	49	<1	1	4	7	14	22	36
65+	552	8.2	121	1	1	5	10	17	28	66
TOT. SINGLE DX	3004	2.0	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	2523	5.2	54	1	1	3	6	11	17	40
TOTAL 0-19 YRS	559	2.7	12	<1	<1	2	3	5	7	14
20-34	2315	2.4	8	<1	<1	2	3	4	6	13
35-49	1263	3.0	19	<1	<1	2	3	6	9	23
50-64	695	4.5	35	<1	1	2	5	10	17	34
65+	695	7.1	103	1	1	4	9	15	24	63
GRAND TOTAL	**5527**	**3.4**	**29**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.0	6	1	1	2	5	7	7	7
20-34	35	4.2	15	<1	<1	3	6	10	11	17
35-49	62	5.2	22	1	1	4	7	10	18	22
50-64	72	5.9	19	1	2	5	7	10	12	28
65+	105	8.2	40	2	2	7	10	18	21	30
2. MULTIPLE DX										
0-19 YRS	4	18.3	367	2	2	13	59	99+	99+	99+
20-34	40	5.9	35	<1	1	4	7	14	18	30
35-49	78	9.4	62	1	2	7	13	21	29	33
50-64	132	11.9	144	1	2	9	16	22	28	68
65+	314	14.8	159	3	3	11	20	29	38	69
TOT. SINGLE DX	279	6.4	29	1	1	5	8	13	19	25
" MULTIPLE DX	568	12.8	142	2	3	10	17	26	34	67
TOTAL 0-19 YRS	9	9.8	205	1	1	5	13	73	99+	99+
20-34	75	5.1	26	<1	<1	3	6	11	15	28
35-49	140	7.6	49	1	1	5	9	17	23	32
50-64	204	9.8	108	1	2	7	13	21	25	54
65+	419	13.2	137	2	3	10	17	26	36	67
GRAND TOTAL	**847**	**10.7**	**114**	**1**	**2**	**7**	**14**	**22**	**30**	**54**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	1.5	1	<1	<1	1	2	3	4	7
20-34	170	2.5	2	<1	1	2	3	4	6	8
35-49	47	2.9	8	<1	<1	2	4	6	7	16
50-64	19	3.5	42	<1	<1	2	3	4	19	30
65+	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	96	2.4	12	<1	1	1	3	4	6	23
20-34	161	3.8	39	1	1	3	4	6	7	31
35-49	51	6.5	85	1	1	4	7	14	28	47
50-64	37	5.0	37	1	1	3	6	9	19	31
65+	31	5.8	26	1	1	4	7	14	18	21
TOT. SINGLE DX	361	2.3	5	<1	1	2	3	4	6	11
" MULTIPLE DX	376	4.1	39	1	1	3	4	7	12	33
TOTAL 0-19 YRS	218	1.9	6	<1	1	1	2	4	5	11
20-34	331	3.1	21	<1	1	2	4	5	7	12
35-49	98	4.8	51	<1	1	3	5	8	15	45
50-64	56	4.5	39	1	1	2	4	9	19	31
65+	34	5.9	26	1	1	4	7	14	17	21
GRAND TOTAL	**737**	**3.2**	**23**	**<1**	**1**	**2**	**4**	**6**	**8**	**29**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.2	5	<1	<1	<1	2	6	8	9
20-34	19	3.2	11	<1	<1	2	4	6	11	15
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	<1	<1	2	3	4	5	5
20-34	71	8.4	215	<1	<1	3	6	26	38	78
35-49	13	3.8	12	<1	<1	2	6	8	12	13
50-64	12	4.8	19	<1	1	4	6	10	16	17
65+	30	6.0	21	1	1	5	9	12	17	17
TOT. SINGLE DX	57	2.4	6	<1	<1	1	3	5	8	15
" MULTIPLE DX	141	6.5	120	<1	<1	3	7	16	26	67
TOTAL 0-19 YRS	36	2.2	4	<1	<1	1	3	5	7	9
20-34	90	7.3	176	<1	<1	3	6	21	36	75
35-49	23	2.7	9	<1	<1	1	4	7	9	13
50-64	14	4.5	17	<1	1	3	5	8	15	17
65+	35	5.4	20	1	1	3	8	11	16	17
GRAND TOTAL	**198**	**5.3**	**90**	**<1**	**<1**	**2**	**5**	**11**	**18**	**53**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5060	2.6	1	1	2	3	3	4	4	5
20-34	28196	2.8	1	1	2	3	3	4	4	5
35-49	1475	2.9		1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5164	3.0	2	1	2	3	3	4	5	8
20-34	31094	3.2	3	2	2	3	4	4	5	8
35-49	2471	3.4	3	2	2	3	4	5	5	10
50-64										
65+										
TOT. SINGLE DX	34731	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	38729	3.2	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	10224	2.8	2	1	2	3	3	4	5	7
20-34	59290	3.0	2	1	2	3	3	4	5	7
35-49	3946	3.2	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**73460**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.3		1	1	2	3	3	4	5
20-34	606	2.6	1	1	1	3	3	4	4	6
35-49	47	2.5		1	1	3	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	204	2.8	4	1	1	3	3	5	6	13
20-34	1395	3.1	11	1	1	3	4	5	6	13
35-49	164	3.1	3	1	1	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	728	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	1763	3.1	10	1	1	3	4	5	6	12
TOTAL 0-19 YRS	279	2.7	3	1	1	2	3	4	5	11
20-34	2001	3.0	8	1	1	3	3	4	5	12
35-49	211	3.0	3	1	1	3	3	5	5	10
50-64										
65+										
GRAND TOTAL	**2491**	**2.9**	**7**	**1**	**1**	**3**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1332	2.6	1	1	1	2	3	4	4	6
20-34	8658	2.7	1	1	2	3	3	4	4	5
35-49	529	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2095	3.0	3	1	2	3	3	4	5	8
20-34	13825	3.1	3	1	2	3	4	4	5	8
35-49	1169	3.2	3	1	2	3	4	5	5	9
50-64										
65+										
TOT. SINGLE DX	10519	2.7	1	1	1	3	3	4	4	5
" MULTIPLE DX	17089	3.1	4	1	2	3	4	4	5	8
TOTAL 0-19 YRS	3427	2.8	3	1	1	3	3	4	5	8
20-34	22483	2.9	3	1	2	3	3	4	5	7
35-49	1698	3.0	3	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**27608**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41052	2.4	1	1	1	2	3	3	4	5
20-34	255517	2.5	1	1	1	2	3	4	4	5
35-49	15760	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15324	3.0	5	1	1	3	3	4	5	10
20-34	105129	2.9	4	1	1	3	3	4	5	9
35-49	9937	3.1	4	1	2	3	4	5	5	10
50-64										
65+										
TOT. SINGLE DX	312329	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	130390	3.0	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	56376	2.6	2	1	1	2	3	4	4	7
20-34	360646	2.6	2	1	1	3	3	4	4	6
35-49	25697	2.8	3	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**442719**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4887	4.9	3	3	3	5	5	6	7	9
20-34	47938	4.9	2	3	3	5	6	6	7	8
35-49	3327	5.2	3	3	4	5	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12783	5.7	8	3	4	5	6	8	10	16
20-34	115464	5.4	8	3	4	5	6	7	8	15
35-49	13086	5.8	14	3	4	5	6	8	9	21
50-64										
65+										
TOT. SINGLE DX	56152	4.9	3	3	3	5	6	6	7	9
" MULTIPLE DX	141333	5.5	9	3	4	5	6	7	9	16
TOTAL 0-19 YRS	17670	5.4	7	3	4	5	6	7	9	15
20-34	163402	5.3	7	3	4	5	6	7	8	14
35-49	16413	5.7	13	3	4	5	6	7	9	19
50-64										
65+										
GRAND TOTAL	**197485**	**5.3**	**8**	**3**	**4**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	286	4.8	1	3	3	5	5	7	7	9
20-34	1836	4.9	6	3	3	5	5	6	7	9
35-49	107	5.1	2	3	4	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	497	5.7	5	3	4	5	6	8	10	16
20-34	4119	6.0	22	3	4	5	6	8	11	30
35-49	589	6.8	32	3	4	5	7	10	14	37
50-64										
65+										
TOT. SINGLE DX	2229	4.9	6	3	3	5	5	6	7	9
" MULTIPLE DX	5205	6.1	22	3	4	5	6	8	11	29
TOTAL 0-19 YRS	783	5.4	4	3	3	5	6	7	9	14
20-34	5955	5.7	18	3	4	5	6	7	10	24
35-49	696	6.5	28	3	4	5	7	9	13	36
50-64										
65+										
GRAND TOTAL	**7434**	**5.7**	**17**	**3**	**4**	**5**	**6**	**8**	**10**	**24**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	4.5	4	2	2	4	5	6	8	14
20-34	366	4.1	2	2	2	4	5	6	7	9
35-49	29	4.4	3	2	3	4	5	7	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	4.6	5	2	3	4	5	8	8	15
20-34	431	4.9	5	2	3	4	6	7	9	14
35-49	33	4.8	3	2	3	5	6	7	8	8
50-64										
65+										
TOT. SINGLE DX	429	4.1	3	2	2	4	5	6	7	9
" MULTIPLE DX	499	4.9	5	2	3	4	6	7	9	14
TOTAL 0-19 YRS	69	4.6	5	2	2	4	5	7	8	15
20-34	797	4.5	4	2	3	4	5	7	8	13
35-49	62	4.6	3	2	3	5	6	7	8	9
50-64										
65+										
GRAND TOTAL	**928**	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1029	1.6		1	1	2	2	2	3	4
20-34	1433	1.7		1	1	2	2	3	3	4
35-49	133	1.6		<1	1	1	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	120	2.3	3	1	1	2	2	4	6	11
20-34	286	2.5	6	1	1	2	3	4	6	16
35-49	66	3.5	23	1	1	2	3	6	12	33
50-64										
65+										
TOT. SINGLE DX	2595	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	472	2.5	8	1	1	2	3	4	7	15
TOTAL 0-19 YRS	1149	1.7	1	1	1	2	2	2	3	5
20-34	1719	1.8	2	1	1	2	2	3	3	6
35-49	199	2.2	9	<1	1	2	2	3	5	15
50-64										
65+										
GRAND TOTAL	**3067**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	4.3	27	<1	1	3	4	9	13	28
20-34	886	4.1	20	<1	<1	3	5	9	13	23
35-49	93	4.1	20	<1	<1	2	5	10	15	20
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	211	5.6	43	1	1	4	6	12	18	38
20-34	1124	4.6	36	<1	<1	3	5	10	16	35
35-49	336	2.6	27	<1	<1	<1	1	5	9	23
50-64										
65+										
TOT. SINGLE DX	1210	4.2	22	<1	1	3	5	9	13	24
" MULTIPLE DX	1671	4.3	36	<1	<1	2	5	10	15	35
TOTAL 0-19 YRS	442	4.9	36	<1	1	3	5	10	16	36
20-34	2010	4.4	30	<1	<1	3	5	10	13	30
35-49	429	2.9	26	<1	<1	<1	2	7	11	21
50-64										
65+										
GRAND TOTAL	**2881**	**4.3**	**30**	**<1**	**<1**	**3**	**5**	**9**	**14**	**30**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3506	2.2	1	<1	<1	2	3	3	4	6
20-34	19326	2.3	2	<1	<1	2	3	3	4	6
35-49	1211	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1452	2.7	4	<1	1	2	3	4	5	11
20-34	9021	2.8	5	<1	1	3	3	4	5	9
35-49	755	3.1	7	<1	1	3	3	4	5	15
50-64										
65+										
TOT. SINGLE DX	24043	2.3	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	11228	2.8	5	<1	1	3	3	4	5	10
TOTAL 0-19 YRS	4958	2.3	2	<1	<1	2	3	4	4	7
20-34	28347	2.5	3	<1	1	2	3	4	4	7
35-49	1966	2.6	4	<1	1	2	3	4	5	11
50-64										
65+										
GRAND TOTAL	**35271**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

69[illegible]. Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6350	2.4	1	1	1	2	3	3	4	5
20-34	41385	2.4		1	1	2	3	3	4	5
35-49	3013	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6443	2.8	3	1	1	3	3	4	5	8
20-34	43605	2.7	3	1	1	3	3	4	5	7
35-49	4227	2.9	2	1	1	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	50748	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	54275	2.8	3	1	1	3	3	4	5	7
TOTAL 0-19 YRS	12793	2.6	2	1	1	2	3	4	4	6
20-34	84990	2.6	2	1	1	2	3	4	4	6
35-49	7240	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	**105023**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	3.2	9	<1	1	2	4	6	9	18
20-34	154	3.6	8	1	1	3	5	7	10	15
35-49	85	3.1	5	<1	1	2	4	7	8	11
50-64	100	5.1	43	<1	1	3	5	14	19	34
65+	82	4.8	26	1	1	3	7	9	12	31
2. MULTIPLE DX										
0-19 YRS	90	4.6	17	1	1	4	5	8	12	25
20-34	146	5.3	33	1	1	4	5	11	17	33
35-49	155	7.5	92	1	1	4	8	25	33	99+
50-64	267	8.5	115	1	1	5	11	20	27	63
65+	293	10.2	145	1	2	7	14	22	35	86
TOT. SINGLE DX	512	4.0	18	<1	1	3	5	8	11	21
" MULTIPLE DX	951	8.0	103	1	1	4	10	18	28	65
TOTAL 0-19 YRS	181	3.9	14	<1	1	3	4	7	11	21
20-34	300	4.4	21	1	1	3	5	9	13	23
35-49	240	6.0	66	1	1	3	6	15	29	99+
50-64	367	7.6	98	1	1	4	9	18	26	54
65+	375	9.0	124	1	1	5	12	20	31	80
GRAND TOTAL	**1463**	**6.6**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**53**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1587	3.1	2	1	1	3	4	5	6	8
20-34	2863	2.9	2	1	1	3	4	4	5	7
35-49	1291	3.1	2	1	1	3	4	5	5	9
50-64	383	2.7	2	1	1	2	3	4	5	10
65+	82	3.3	8	1	1	3	4	5	8	18
2. MULTIPLE DX										
0-19 YRS	1484	3.8	7	2	2	3	4	6	7	12
20-34	2157	3.7	7	1	2	3	4	5	6	13
35-49	1109	3.4	2	1	2	3	4	5	6	10
50-64	436	4.3	29	1	1	3	4	6	12	32
65+	204	5.8	62	1	1	3	5	15	23	51
TOT. SINGLE DX	6206	3.0	2	1	1	3	4	5	5	8
" MULTIPLE DX	5390	3.8	11	1	2	3	4	5	7	16
TOTAL 0-19 YRS	3071	3.4	5	1	2	3	4	5	6	10
20-34	5020	3.2	5	1	1	3	4	5	6	9
35-49	2400	3.2	2	1	2	3	4	5	6	9
50-64	819	3.6	18	1	1	3	4	5	8	21
65+	286	5.1	48	1	1	3	5	11	20	42
GRAND TOTAL	**11596**	**3.4**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	2.2	2	1	1	2	3	4	5	9
20-34	707	2.5	6	1	1	2	3	4	5	10
35-49	156	2.9	5	1	1	2	4	6	7	10
50-64	57	3.1	8	<1	1	2	4	7	8	17
65+	12	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	743	4.0	17	1	1	3	5	7	11	21
20-34	1069	4.5	28	1	1	3	5	8	12	30
35-49	345	5.3	33	1	1	4	6	11	16	30
50-64	120	6.5	44	1	2	4	8	13	20	36
65+	85	8.2	69	1	2	5	10	19	26	42
TOT. SINGLE DX	1398	2.5	5	1	1	2	3	4	6	10
" MULTIPLE DX	2362	4.7	29	1	1	3	5	9	13	30
TOTAL 0-19 YRS	1209	3.3	12	1	1	2	4	6	9	18
20-34	1776	3.7	21	1	1	3	4	7	10	22
35-49	501	4.6	26	1	1	3	5	9	13	29
50-64	177	5.4	35	1	1	3	7	10	18	32
65+	97	7.6	64	1	2	5	9	18	24	42
GRAND TOTAL	**3760**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

701: Open reduction of maxillofacial fractures (76.72; 76.[illegible] 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	489	2.4	5	1	1	2	3	4	5	10
20-34	1365	2.8	6	1	1	2	4	5	7	11
35-49	445	2.9	11	<1	1	2	3	5	8	15
50-64	136	2.8	7	1	1	2	3	5	7	17
65+	49	2.5	2	<1	1	2	3	4	7	7
2. MULTIPLE DX										
0-19 YRS	925	5.4	40	1	1	4	6	11	15	30
20-34	2357	5.7	47	1	1	4	7	11	15	34
35-49	975	6.4	52	1	1	4	8	13	18	39
50-64	411	7.9	74	1	2	5	9	16	25	46
65+	267	10.1	109	1	2	7	13	22	30	59
TOT. SINGLE DX	2484	2.8	7	1	1	2	3	5	7	12
" MULTIPLE DX	4935	6.2	54	1	1	4	7	12	17	38
TOTAL 0-19 YRS	1414	4.4	31	1	1	3	5	9	12	26
20-34	3722	4.7	34	1	1	3	5	9	13	26
35-49	1420	5.3	42	1	1	3	6	11	15	30
50-64	547	6.6	63	1	1	4	8	14	23	44
65+	316	8.9	101	1	2	6	11	20	28	57
GRAND TOTAL	**7419**	**5.1**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	3.5	8	1	1	3	4	6	8	18
20-34	112	3.2	7	<1	1	3	4	7	8	16
35-49	110	2.9	7	1	1	2	3	5	6	18
50-64	133	2.7	3	1	1	2	3	4	6	9
65+	43	3.0	8	1	1	2	3	5	8	18
2. MULTIPLE DX										
0-19 YRS	125	4.7	23	1	2	3	5	9	17	27
20-34	147	6.0	42	1	1	4	7	11	18	35
35-49	156	5.2	40	1	1	3	6	11	16	29
50-64	166	4.6	35	1	1	3	5	9	16	28
65+	120	6.0	56	1	1	3	7	11	23	41
TOT. SINGLE DX	495	3.0	7	1	1	2	3	5	7	16
" MULTIPLE DX	714	5.3	40	1	1	3	6	10	17	33
TOTAL 0-19 YRS	222	4.2	17	1	1	3	5	8	10	24
20-34	259	4.8	29	1	1	3	6	9	14	31
35-49	266	4.2	28	1	1	3	4	7	14	27
50-64	299	3.7	22	1	1	2	4	7	10	26
65+	163	5.2	45	1	1	3	5	11	16	39
GRAND TOTAL	**1209**	**4.3**	**27**	**1**	**1**	**3**	**5**	**8**	**13**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1467	4.9	31	1	1	3	5	9	15	30
20-34	927	4.3	30	1	1	3	5	8	11	29
35-49	745	4.9	25	1	1	4	6	9	13	30
50-64	835	5.0	12	1	2	4	6	8	11	17
65+	285	6.4	30	1	2	5	8	12	16	33
2. MULTIPLE DX										
0-19 YRS	1656	6.6	56	1	2	5	7	13	20	42
20-34	1016	6.7	90	1	1	4	7	14	24	61
35-49	1064	6.6	76	1	1	4	7	14	23	50
50-64	1558	6.7	51	1	2	5	7	13	19	42
65+	820	10.2	117	2	2	7	12	22	34	58
TOT. SINGLE DX	4259	4.9	27	1	1	4	6	9	13	27
" MULTIPLE DX	6114	7.1	74	1	2	5	8	15	23	48
TOTAL 0-19 YRS	3123	5.8	45	1	1	4	6	11	17	38
20-34	1943	5.6	64	1	1	3	6	11	17	46
35-49	1809	5.9	56	1	1	4	6	12	19	45
50-64	2392	6.1	39	1	2	5	7	11	15	39
65+	1105	9.2	97	1	2	6	11	19	30	56
GRAND TOTAL	**10373**	**6.2**	**56**	**1**	**1**	**4**	**7**	**12**	**18**	**44**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	642	2.6	2	1	1	2	3	4	5	7
20-34	1265	2.7	2	1	1	2	3	5	5	7
35-49	1481	2.7	2	1	1	2	4	5	5	7
50-64	1481	3.0	2	1	1	3	4	5	6	8
65+	556	3.2	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	950	2.8	2	1	1	3	3	5	5	8
20-34	2295	3.0	4	1	1	3	4	5	6	9
35-49	3479	3.3	7	1	1	3	4	5	6	11
50-64	5393	3.4	5	1	1	3	4	5	7	11
65+	3702	3.9	9	1	1	3	5	6	8	16
TOT. SINGLE DX	5425	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	15819	3.4	7	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1592	2.7	2	1	1	2	3	4	5	7
20-34	3560	2.9	4	1	1	3	4	5	6	8
35-49	4960	3.1	6	1	1	3	4	5	6	9
50-64	6874	3.3	5	1	1	3	4	5	7	11
65+	4258	3.8	9	1	1	3	5	6	8	15
GRAND TOTAL	**21244**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3855	3.2	17	<1	1	2	4	6	9	22
20-34	4453	3.4	15	<1	1	2	4	6	9	18
35-49	3423	3.5	18	<1	1	2	4	6	9	21
50-64	2335	3.9	19	<1	1	3	4	7	11	23
65+	1064	5.0	28	1	1	3	6	10	15	31
2. MULTIPLE DX										
0-19 YRS	2157	7.2	98	1	1	4	8	19	28	52
20-34	4435	7.1	116	1	1	3	7	17	29	62
35-49	4400	7.0	103	1	1	3	7	16	28	57
50-64	4675	8.3	110	1	1	4	9	20	30	56
65+	4366	11.9	178	1	2	7	15	28	40	77
TOT. SINGLE DX	15130	3.6	18	<1	1	2	4	7	9	22
" MULTIPLE DX	20033	8.4	127	1	1	4	10	21	32	63
TOTAL 0-19 YRS	6012	4.7	50	<1	1	2	5	10	18	39
20-34	8888	5.2	69	1	1	3	5	11	18	48
35-49	7823	5.4	69	1	1	3	5	11	20	48
50-64	7010	6.8	85	1	1	4	7	16	25	49
65+	5430	10.5	157	1	2	6	14	25	37	71
GRAND TOTAL	**35163**	**6.3**	**86**	**1**	**1**	**3**	**6**	**15**	**24**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1726	5.4	39	1	1	4	6	11	16	33
20-34	1155	4.2	16	1	1	3	5	8	10	18
35-49	599	4.9	20	1	1	4	6	9	11	27
50-64	460	6.3	31	1	2	5	8	12	15	30
65+	654	10.3	49	3	4	9	13	17	21	38
2. MULTIPLE DX										
0-19 YRS	1169	8.1	114	1	2	4	9	19	32	57
20-34	1020	8.7	117	1	1	5	11	18	27	58
35-49	705	9.8	144	1	2	6	11	21	35	83
50-64	855	10.9	126	2	2	8	13	23	31	68
65+	2604	14.4	115	4	5	12	17	26	36	69
TOT. SINGLE DX	4594	5.8	35	1	1	4	7	12	16	31
" MULTIPLE DX	6353	11.4	127	1	2	8	14	23	33	68
TOTAL 0-19 YRS	2895	6.5	71	1	1	4	7	13	23	49
20-34	2175	6.3	69	1	1	4	7	13	19	47
35-49	1304	7.5	93	1	1	5	8	16	25	55
50-64	1315	9.3	98	1	2	7	11	19	27	58
65+	3258	13.6	105	3	5	11	16	24	33	64
GRAND TOTAL	**10947**	**9.0**	**96**	**1**	**2**	**6**	**11**	**19**	**27**	**54**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2282	2.4	10	<1	<1	2	3	4	5	18
20-34	3367	2.4	5	<1	<1	2	3	4	6	11
35-49	1642	2.7	7	<1	<1	2	3	5	7	15
50-64	1318	3.0	12	<1	<1	2	3	5	8	16
65+	1003	4.6	35	<1	1	3	5	9	14	29
2. MULTIPLE DX										
0-19 YRS	1412	4.3	50	<1	1	2	4	8	14	42
20-34	1597	5.4	73	<1	1	3	5	11	18	51
35-49	1138	6.0	61	1	1	3	7	13	21	44
50-64	1229	6.6	70	1	1	4	8	15	22	44
65+	2031	10.1	146	1	2	6	12	23	36	78
TOT. SINGLE DX	9612	2.8	12	<1	<1	2	3	5	7	17
" MULTIPLE DX	7407	6.8	92	1	1	3	8	16	24	54
TOTAL 0-19 YRS	3694	3.1	26	<1	<1	2	3	5	8	29
20-34	4964	3.4	30	<1	<1	2	3	6	9	29
35-49	2780	4.0	32	<1	1	2	4	8	13	30
50-64	2547	4.7	44	<1	1	3	5	10	16	39
65+	3034	8.3	117	1	1	5	10	19	28	68
GRAND TOTAL	**17019**	**4.5**	**50**	**<1**	**1**	**2**	**4**	**10**	**16**	**41**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	392	14.3	156	1	2	10	22	32	38	48
20-34	158	11.8	162	3	4	9	12	18	27	89
35-49	82	9.5	54	3	4	8	11	16	21	46
50-64	216	9.1	26	4	5	8	11	13	18	39
65+	594	11.6	32	5	6	11	14	18	21	32
2. MULTIPLE DX										
0-19 YRS	365	18.1	185	4	6	14	23	33	48	75
20-34	372	17.3	191	5	6	13	20	38	50	99
35-49	179	16.5	150	5	6	13	21	36	46	90
50-64	428	16.4	185	5	7	12	18	34	47	78
65+	2958	15.6	121	6	7	13	18	27	39	81
TOT. SINGLE DX	1442	11.9	84	3	4	10	14	22	29	47
" MULTIPLE DX	4302	16.1	141	5	7	13	18	29	42	81
TOTAL 0-19 YRS	757	16.1	174	2	3	12	23	32	42	72
20-34	530	15.7	189	4	6	11	17	31	47	93
35-49	261	14.3	130	4	5	10	17	29	42	69
50-64	644	13.9	144	5	6	10	15	27	39	74
65+	3552	15.0	109	6	7	13	17	25	36	77
GRAND TOTAL	**5744**	**15.0**	**130**	**5**	**6**	**12**	**17**	**28**	**39**	**76**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	596	8.7	51	2	3	7	11	16	22	40
20-34	532	10.0	43	3	4	9	12	17	22	33
35-49	426	9.8	38	4	4	8	12	18	22	39
50-64	1010	10.3	29	4	5	9	12	16	19	28
65+	4455	13.0	50	6	7	12	15	19	24	42
2. MULTIPLE DX										
0-19 YRS	854	16.0	155	4	5	13	20	31	45	87
20-34	1444	17.0	181	5	6	13	20	32	47	84
35-49	956	16.7	166	5	6	13	20	32	47	89
50-64	2651	16.3	141	6	7	13	19	29	41	86
65+	23012	16.6	120	7	8	14	19	29	40	88
TOT. SINGLE DX	7019	11.8	49	4	5	11	14	19	23	39
" MULTIPLE DX	28917	16.6	128	6	8	14	19	29	41	88
TOTAL 0-19 YRS	1450	13.0	126	3	4	10	16	26	36	70
20-34	1976	15.1	154	4	5	12	18	28	41	81
35-49	1382	14.6	137	4	5	11	17	28	41	77
50-64	3661	14.7	118	5	6	12	17	26	35	75
65+	27467	16.1	111	6	8	14	18	27	38	81
GRAND TOTAL	**35936**	**15.7**	**116**	**6**	**7**	**13**	**18**	**27**	**38**	**80**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1035	10.2	141	1	1	5	15	26	33	53
20-34	73	15.0	295	1	2	9	18	45	53	76
35-49	36	13.9	299	1	1	7	14	42	56	71
50-64	51	9.9	150	1	2	7	11	18	45	65
65+	146	10.1	103	1	2	7	14	21	27	58
2. MULTIPLE DX										
0-19 YRS	548	14.4	202	1	2	9	22	34	43	59
20-34	195	22.1	407	3	5	15	35	54	71	95
35-49	92	18.2	259	2	3	14	25	45	73	99+
50-64	139	20.4	358	3	4	13	26	53	69	99+
65+	578	16.2	204	3	4	12	20	37	51	99+
TOT. SINGLE DX	1341	10.5	151	1	1	5	15	26	35	58
" MULTIPLE DX	1552	16.8	253	2	3	12	23	41	54	92
TOTAL 0-19 YRS	1583	11.7	166	1	1	6	18	29	37	56
20-34	268	20.2	386	2	3	12	28	50	67	90
35-49	128	17.0	272	2	2	12	24	45	60	99+
50-64	190	17.6	323	2	3	11	22	46	67	94
65+	724	15.0	190	2	3	11	19	34	49	99+
GRAND TOTAL	**2893**	**13.9**	**215**	**1**	**2**	**9**	**19**	**34**	**47**	**78**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1436	3.3	20	<1	1	2	3	8	15	22
20-34	949	3.2	10	<1	1	2	4	7	9	17
35-49	638	3.5	13	<1	1	2	4	7	9	17
50-64	658	3.4	15	1	1	2	4	6	9	23
65+	509	3.5	14	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	465	7.4	106	1	1	4	9	19	24	56
20-34	668	7.1	79	1	1	4	8	17	24	48
35-49	491	6.7	66	1	1	5	8	14	20	43
50-64	520	7.7	81	1	1	4	10	19	26	40
65+	851	8.9	123	1	1	5	11	19	30	70
TOT. SINGLE DX	4190	3.4	16	<1	1	2	4	7	10	20
" MULTIPLE DX	2995	7.7	95	1	1	4	9	18	26	56
TOTAL 0-19 YRS	1901	4.3	44	1	1	2	4	11	17	29
20-34	1617	4.8	43	<1	1	3	5	10	16	34
35-49	1129	4.9	39	1	1	3	6	10	15	32
50-64	1178	5.3	49	1	1	3	6	12	19	34
65+	1360	6.9	90	1	1	4	8	15	24	62
GRAND TOTAL	**7185**	**5.2**	**53**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6758	2.8	4	1	1	2	3	5	7	11
20-34	8675	3.6	8	1	1	3	5	7	8	14
35-49	5693	4.2	12	1	1	4	5	8	10	16
50-64	4266	4.8	13	1	2	4	6	9	11	19
65+	2567	5.9	17	1	2	5	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	3172	6.0	64	1	1	4	6	12	18	44
20-34	7028	7.0	69	1	2	4	8	14	22	47
35-49	4685	7.6	84	1	2	5	9	15	23	56
50-64	4738	8.3	77	2	2	6	10	16	24	51
65+	5696	10.2	91	2	3	8	12	20	27	58
TOT. SINGLE DX	27959	3.9	11	1	1	3	5	7	9	16
" MULTIPLE DX	25319	7.9	80	1	2	5	9	16	24	51
TOTAL 0-19 YRS	9930	3.8	26	1	1	3	4	7	10	24
20-34	15703	5.1	39	1	1	4	6	10	14	34
35-49	10378	5.8	47	1	1	4	6	11	15	38
50-64	9004	6.7	50	1	2	5	8	13	18	38
65+	8263	8.8	72	2	3	7	11	17	23	49
GRAND TOTAL	**53278**	**5.8**	**48**	**1**	**1**	**4**	**7**	**11**	**16**	**38**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11266	2.1	6	<1	1	1	2	4	6	15
20-34	2656	3.3	12	1	1	2	4	7	9	16
35-49	2008	3.3	9	1	1	2	4	7	9	14
50-64	1886	3.2	8	1	1	2	4	7	9	14
65+	1839	3.7	20	1	1	2	4	8	10	19
2. MULTIPLE DX										
0-19 YRS	3256	4.7	54	1	1	2	5	10	16	39
20-34	2688	6.8	84	1	1	4	8	14	23	49
35-49	1915	7.0	89	1	1	4	8	14	22	52
50-64	2143	7.1	92	1	1	4	8	15	23	62
65+	4549	7.9	83	1	2	5	9	17	23	57
TOT. SINGLE DX	19655	2.6	10	<1	1	2	3	5	8	15
" MULTIPLE DX	14551	6.7	81	1	1	4	8	14	22	51
TOTAL 0-19 YRS	14522	2.7	19	<1	1	1	3	5	8	21
20-34	5344	5.1	51	1	1	3	6	10	16	39
35-49	3923	5.1	52	1	1	3	6	10	14	41
50-64	4029	5.3	57	1	1	3	6	11	16	42
65+	6388	6.7	69	1	1	4	8	14	21	48
GRAND TOTAL	**34206**	**4.4**	**44**	**1**	**1**	**2**	**5**	**9**	**14**	**35**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	776	4.0	30	<1	<1	2	4	10	15	25
20-34	671	2.5	12	<1	<1	1	3	5	8	21
35-49	344	2.6	11	<1	<1	1	3	6	8	16
50-64	398	3.7	24	<1	1	2	4	8	10	24
65+	567	4.6	31	<1	1	3	6	11	15	26
2. MULTIPLE DX										
0-19 YRS	414	6.7	92	1	1	3	8	17	22	54
20-34	630	7.5	112	1	1	4	9	17	27	53
35-49	348	6.3	62	1	1	4	8	14	21	44
50-64	474	6.9	86	1	1	4	8	15	24	51
65+	1258	8.5	108	1	1	5	11	20	29	60
TOT. SINGLE DX	2756	3.6	24	<1	<1	2	4	8	13	24
" MULTIPLE DX	3124	7.6	99	1	1	4	9	17	26	54
TOTAL 0-19 YRS	1190	4.9	54	<1	1	2	6	13	18	33
20-34	1301	5.0	67	<1	1	2	5	11	19	44
35-49	692	4.5	41	<1	1	2	5	10	15	31
50-64	872	5.4	61	<1	1	3	6	12	19	48
65+	1825	7.3	88	1	1	4	9	17	26	52
GRAND TOTAL	**5880**	**5.7**	**68**	**<1**	**1**	**3**	**7**	**14**	**21**	**46**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	528	3.4	18	1	1	2	4	5	10	24
20-34	937	2.5	2	1	1	2	3	4	5	8
35-49	357	3.2	15	1	1	3	4	5	7	13
50-64	171	4.3	13	1	1	4	5	8	11	19
65+	108	7.3	61	1	1	5	9	14	16	50
2. MULTIPLE DX										
0-19 YRS	247	6.2	56	1	1	4	7	14	20	35
20-34	423	5.5	42	1	1	3	6	11	17	36
35-49	205	6.0	67	1	1	4	7	12	18	56
50-64	184	6.8	85	1	2	4	7	14	20	73
65+	256	12.2	145	2	3	9	15	23	30	70
TOT. SINGLE DX	2101	3.2	14	1	1	2	4	5	8	18
" MULTIPLE DX	1315	7.2	81	1	1	4	8	16	22	49
TOTAL 0-19 YRS	775	4.3	32	1	1	3	5	9	15	28
20-34	1360	3.5	17	1	1	3	4	6	9	22
35-49	562	4.2	36	1	1	3	5	7	11	25
50-64	355	5.6	52	1	1	4	6	11	16	48
65+	364	10.7	126	1	2	8	13	21	28	56
GRAND TOTAL	**3416**	**4.8**	**43**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1884	3.4	18	<1	1	2	4	7	11	24
20-34	1772	2.9	8	<1	1	2	3	5	8	18
35-49	990	3.5	18	<1	1	2	4	7	10	23
50-64	494	4.7	28	<1	1	3	6	10	15	30
65+	301	8.4	72	1	1	6	11	20	25	43
2. MULTIPLE DX										
0-19 YRS	1592	5.9	63	1	1	3	6	15	22	40
20-34	1948	5.0	53	<1	1	3	5	10	17	41
35-49	1294	6.2	85	1	1	3	6	15	23	51
50-64	1128	9.7	163	1	1	5	12	23	40	77
65+	1371	16.5	254	2	2	12	22	40	51	88
TOT. SINGLE DX	5441	3.6	21	<1	1	2	4	8	12	25
" MULTIPLE DX	7333	8.3	133	1	1	4	10	21	33	59
TOTAL 0-19 YRS	3476	4.6	41	<1	1	2	5	11	18	32
20-34	3720	4.0	33	<1	1	2	4	8	13	31
35-49	2284	5.0	58	<1	1	3	5	10	17	44
50-64	1622	8.2	128	1	1	4	10	20	31	59
65+	1672	15.1	231	1	2	10	20	36	49	80
GRAND TOTAL	**12774**	**6.3**	**91**	**<1**	**1**	**3**	**6**	**16**	**25**	**51**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	473	6.2	16	2	3	5	7	11	15	25
20-34	10629	6.9	18	2	3	6	8	12	15	23
35-49	16171	7.2	18	3	3	6	9	12	15	23
50-64	6755	7.8	21	3	3	7	9	13	16	24
65+	1501	8.9	24	3	4	8	11	15	18	25
2. MULTIPLE DX										
0-19 YRS	174	10.6	60	3	4	8	14	24	31	99+
20-34	3746	9.3	45	3	4	8	11	16	21	36
35-49	8178	9.5	43	3	4	8	11	17	21	35
50-64	7202	10.6	53	3	4	9	13	19	24	38
65+	4179	13.0	82	4	5	11	16	24	30	50
TOT. SINGLE DX	35529	7.3	20	3	3	6	9	13	16	23
" MULTIPLE DX	23479	10.4	56	3	4	8	13	19	24	39
TOTAL 0-19 YRS	647	7.4	32	2	3	6	8	15	20	34
20-34	14375	7.5	27	2	3	6	9	13	17	27
35-49	24349	8.0	28	3	3	7	10	14	18	28
50-64	13957	9.2	40	3	4	8	11	16	21	33
65+	5680	11.9	71	4	5	10	14	21	27	46
GRAND TOTAL	**59008**	**8.5**	**36**	**3**	**3**	**7**	**10**	**15**	**19**	**31**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1208	1.9	1	<1	<1	1	2	4	4	6
20-34	3490	2.0	2	<1	<1	2	2	4	5	8
35-49	2273	2.1	2	<1	<1	2	3	4	5	8
50-64	1236	2.2	3	<1	<1	2	3	4	5	9
65+	409	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	1420	2.5	6	<1	<1	2	3	5	6	10
20-34	4072	2.4	5	<1	<1	2	3	5	6	11
35-49	3102	2.4	5	<1	<1	2	3	5	6	11
50-64	3574	2.7	9	<1	1	2	3	5	7	14
65+	2014	3.1	12	<1	1	2	4	6	9	16
TOT. SINGLE DX	8616	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	14182	2.6	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	2628	2.2	5	<1	<1	2	3	4	5	8
20-34	7562	2.2	4	<1	<1	2	3	4	5	9
35-49	5375	2.3	4	<1	<1	2	3	4	6	10
50-64	4810	2.6	8	<1	<1	2	3	5	7	13
65+	2423	3.0	12	<1	1	2	3	6	8	16
GRAND TOTAL	**22798**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2412	2.1	7	<1	<1	1	2	3	5	15
20-34	4099	2.1	5	<1	<1	1	2	4	5	11
35-49	2397	2.3	5	<1	<1	2	3	4	6	12
50-64	1410	2.9	11	<1	<1	2	3	5	8	17
65+	585	4.0	27	<1	1	2	4	8	13	28
2. MULTIPLE DX										
0-19 YRS	1686	3.3	33	<1	<1	2	3	7	10	30
20-34	3625	3.1	19	<1	<1	2	3	6	10	25
35-49	3040	3.7	34	<1	1	2	4	7	12	32
50-64	2720	5.0	59	1	1	3	5	11	19	40
65+	1841	8.3	124	1	1	4	10	22	32	53
TOT. SINGLE DX	10903	2.4	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	12912	4.4	51	<1	1	2	4	9	17	40
TOTAL 0-19 YRS	4098	2.6	18	<1	<1	2	2	4	7	22
20-34	7724	2.6	12	<1	<1	2	3	5	7	18
35-49	5437	3.1	22	<1	<1	2	3	6	9	25
50-64	4130	4.3	44	<1	1	2	4	9	15	36
65+	2426	7.2	104	1	1	3	8	19	29	50
GRAND TOTAL	**23815**	**3.5**	**32**	**<1**	**<1**	**2**	**3**	**7**	**12**	**31**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1069	9.8	14	5	6	9	11	14	16	25
20-34	918	9.2	21	4	5	8	11	15	18	28
35-49	1200	8.2	21	3	4	7	10	13	17	24
50-64	561	8.7	33	3	4	8	10	14	19	30
65+	90	11.1	45	4	4	10	14	19	23	37
2. MULTIPLE DX										
0-19 YRS	1125	14.8	122	6	7	11	16	27	36	68
20-34	1118	13.8	135	4	5	10	16	27	36	86
35-49	1499	11.6	73	4	5	9	13	21	27	47
50-64	1041	13.3	107	4	5	10	15	26	36	64
65+	476	16.4	182	4	5	13	20	33	44	75
TOT. SINGLE DX	3838	9.0	23	4	4	8	11	14	18	27
" MULTIPLE DX	5259	13.5	116	4	5	10	15	26	35	71
TOTAL 0-19 YRS	2194	12.3	76	6	7	10	13	21	28	56
20-34	2036	11.7	89	4	5	9	13	21	30	68
35-49	2699	10.1	53	4	4	8	12	18	23	39
50-64	1602	11.7	86	4	4	9	13	22	30	56
65+	566	15.6	164	4	5	12	18	31	42	74
GRAND TOTAL	**9097**	**11.6**	**81**	**4**	**5**	**9**	**13**	**21**	**28**	**55**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	3.6	7	1	1	3	5	7	8	12
20-34	826	3.7	7	1	1	3	5	7	8	14
35-49	743	3.8	7	<1	1	3	5	8	9	13
50-64	820	3.7	9	<1	1	3	5	7	9	13
65+	387	4.2	17	<1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	484	5.3	26	1	2	4	6	9	14	34
20-34	858	4.8	19	1	1	4	6	8	11	23
35-49	907	5.1	18	1	1	4	6	9	12	25
50-64	1107	5.4	37	1	1	4	6	10	15	27
65+	865	6.6	75	1	1	4	7	13	20	56
TOT. SINGLE DX	3140	3.8	9	<1	1	3	5	7	9	14
" MULTIPLE DX	4221	5.5	37	1	1	4	6	10	14	29
TOTAL 0-19 YRS	848	4.5	19	1	1	4	5	8	10	24
20-34	1684	4.3	14	1	1	4	5	8	10	19
35-49	1650	4.5	14	1	1	4	6	8	10	20
50-64	1927	4.7	26	1	1	4	6	9	11	23
65+	1252	5.9	59	1	1	4	7	12	16	42
GRAND TOTAL	**7361**	**4.7**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	11.9	36	3	4	11	15	19	25	27
20-34	249	10.9	21	6	7	10	12	15	18	30
35-49	654	10.7	18	6	7	10	12	15	17	27
50-64	2482	11.2	16	6	7	11	13	16	17	27
65+	4379	12.2	20	7	8	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	32	13.3	65	5	7	11	18	31	88	99+
20-34	432	12.8	49	6	7	11	14	21	27	37
35-49	1104	12.8	59	6	7	11	14	19	26	50
50-64	4237	13.6	54	7	8	12	15	20	27	47
65+	12740	15.2	71	8	9	13	17	23	30	55
TOT. SINGLE DX	7781	11.7	19	7	8	11	14	16	19	27
" MULTIPLE DX	18545	14.6	67	7	8	13	16	23	29	52
TOTAL 0-19 YRS	49	12.8	55	4	6	11	16	28	39	99+
20-34	681	12.1	40	6	7	11	13	18	25	35
35-49	1758	12.0	45	6	7	10	13	18	23	43
50-64	6719	12.7	42	7	8	11	14	18	24	40
65+	17119	14.4	60	7	8	13	16	22	27	49
GRAND TOTAL	**26326**	**13.8**	**55**	**7**	**8**	**12**	**16**	**21**	**26**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	10.2	94	2	3	6	12	27	29	44
20-34	66	10.2	32	4	4	10	12	15	17	40
35-49	124	10.6	35	3	6	10	12	16	23	56
50-64	470	11.7	24	6	7	11	14	17	20	32
65+	2864	13.0	35	6	8	12	15	19	22	35
2. MULTIPLE DX										
0-19 YRS	64	9.6	52	2	3	8	12	18	25	40
20-34	107	14.1	109	3	6	12	15	25	40	81
35-49	259	14.1	88	5	6	12	17	24	32	62
50-64	1229	16.0	106	7	8	13	18	27	40	72
65+	13382	16.6	107	7	8	14	19	27	36	80
TOT. SINGLE DX	3579	12.6	35	6	7	12	15	19	22	35
" MULTIPLE DX	15041	16.4	107	7	8	14	19	27	36	78
TOTAL 0-19 YRS	119	9.9	71	2	3	7	12	23	27	43
20-34	173	12.6	83	3	6	11	14	20	31	65
35-49	383	13.0	74	5	6	11	15	22	31	61
50-64	1699	14.8	87	6	8	12	17	24	36	61
65+	16246	15.9	97	7	8	14	18	26	34	73
GRAND TOTAL	**18620**	**15.7**	**96**	**7**	**8**	**13**	**18**	**25**	**34**	**71**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1817	3.5	3	1	1	3	4	6	6	9
20-34	2871	3.8	5	1	1	3	5	6	8	12
35-49	1115	5.2	17	1	1	4	7	11	14	19
50-64	2221	10.2	26	2	4	10	13	16	18	26
65+	4267	11.8	18	6	7	11	14	17	19	25
2. MULTIPLE DX										
0-19 YRS	1869	4.1	7	1	2	4	5	7	8	14
20-34	3944	4.5	13	1	2	4	5	7	10	18
35-49	1893	5.8	26	1	1	4	7	12	15	25
50-64	3754	11.6	45	2	4	11	15	18	22	35
65+	10344	13.7	47	7	8	13	16	20	25	40
TOT. SINGLE DX	12291	7.8	28	1	2	7	11	15	17	23
" MULTIPLE DX	21804	10.2	53	2	3	10	14	18	22	35
TOTAL 0-19 YRS	3686	3.8	5	1	1	3	5	6	7	12
20-34	6815	4.2	10	1	1	4	5	7	9	15
35-49	3008	5.5	23	1	1	4	7	11	15	24
50-64	5975	11.1	39	2	4	11	14	17	21	32
65+	14611	13.2	40	6	8	12	15	19	23	37
GRAND TOTAL	**34095**	**9.3**	**45**	**1**	**2**	**9**	**13**	**17**	**20**	**31**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2130	2.5	1	1	1	2	3	4	5	6
20-34	4717	2.7	2	1	1	2	3	5	5	8
35-49	2264	2.8	3	1	1	3	4	5	6	10
50-64	1968	3.3	5	1	1	3	4	6	7	12
65+	910	4.4	10	1	1	3	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	692	3.0	6	1	1	3	4	5	7	13
20-34	1891	3.3	12	1	1	3	4	6	7	17
35-49	1899	3.7	10	1	1	3	4	7	9	18
50-64	2739	4.3	17	1	1	3	5	7	11	22
65+	2104	5.7	27	1	2	4	7	11	15	28
TOT. SINGLE DX	11989	2.9	4	1	1	3	4	5	6	10
" MULTIPLE DX	9325	4.2	17	1	1	3	5	8	11	22
TOTAL 0-19 YRS	2822	2.7	3	1	1	2	3	4	5	8
20-34	6608	2.9	5	1	1	3	4	5	6	10
35-49	4163	3.2	7	1	1	3	4	6	7	13
50-64	4707	3.9	13	1	1	3	5	7	9	19
65+	3014	5.3	23	1	2	4	7	10	13	24
GRAND TOTAL	**21314**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1011	3.3	13	<1	<1	2	4	7	10	17
20-34	939	3.0	14	<1	<1	2	4	6	8	14
35-49	852	3.0	14	<1	<1	2	3	6	8	19
50-64	623	2.6	9	<1	<1	2	3	5	8	16
65+	225	3.3	22	<1	<1	2	4	7	9	24
2. MULTIPLE DX										
0-19 YRS	1466	5.4	44	1	1	4	6	11	16	38
20-34	1041	7.1	101	1	1	4	8	15	24	53
35-49	905	6.8	80	1	1	4	8	15	22	45
50-64	854	7.5	105	<1	1	4	9	18	28	49
65+	683	9.5	98	1	1	7	12	21	31	53
TOT. SINGLE DX	3650	3.0	14	<1	<1	2	4	6	9	17
" MULTIPLE DX	4949	6.9	83	1	1	4	8	15	23	48
TOTAL 0-19 YRS	2477	4.5	33	<1	1	3	5	9	14	30
20-34	1980	5.2	65	<1	1	3	6	10	16	37
35-49	1757	5.0	52	<1	<1	3	5	11	17	36
50-64	1477	5.4	71	<1	<1	3	6	13	20	43
65+	908	7.9	87	<1	<1	5	10	19	27	51
GRAND TOTAL	**8599**	**5.3**	**57**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1174	2.0	4	<1	<1	1	2	3	5	11
20-34	1583	2.0	6	<1	<1	1	2	4	5	11
35-49	1316	2.1	6	<1	<1	1	2	4	6	10
50-64	985	2.5	10	<1	<1	2	3	5	6	13
65+	464	4.0	23	<1	<1	2	5	9	12	24
2. MULTIPLE DX										
0-19 YRS	390	5.7	92	<1	1	3	6	13	21	74
20-34	682	5.7	82	<1	<1	3	6	14	22	50
35-49	947	6.3	82	<1	1	3	7	15	21	51
50-64	1257	7.1	78	<1	1	4	9	17	24	49
65+	1304	9.3	107	1	1	6	12	21	29	55
TOT. SINGLE DX	5522	2.3	8	<1	<1	1	2	4	6	13
" MULTIPLE DX	4580	7.2	91	<1	1	4	9	17	25	52
TOTAL 0-19 YRS	1564	2.9	29	<1	<1	1	3	5	10	25
20-34	2265	3.1	32	<1	<1	2	3	6	11	29
35-49	2263	3.8	42	<1	<1	2	4	8	14	34
50-64	2242	5.1	54	<1	<1	3	5	12	18	42
65+	1768	7.9	91	<1	1	5	10	18	26	52
GRAND TOTAL	**10102**	**4.5**	**52**	**<1**	**<1**	**2**	**4**	**11**	**17**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.2	3	<1	<1	2	2	5	6	10
20-34	111	2.3	5	<1	<1	2	3	5	6	14
35-49	210	1.9	3	<1	<1	1	2	3	4	10
50-64	733	1.9	1	<1	<1	2	2	3	4	6
65+	507	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	63	3.3	12	<1	1	2	4	7	11	19
20-34	147	4.9	56	1	1	3	5	11	18	59
35-49	205	2.9	5	<1	1	2	3	6	8	12
50-64	547	3.1	24	<1	1	2	3	5	7	33
65+	560	3.0	19	1	1	2	3	5	8	23
TOT. SINGLE DX	1633	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1522	3.2	23	<1	1	2	3	6	9	30
TOTAL 0-19 YRS	135	2.7	8	<1	<1	2	3	6	8	18
20-34	258	3.8	36	<1	<1	2	4	7	13	50
35-49	415	2.4	5	<1	<1	2	3	4	6	12
50-64	1280	2.4	12	<1	1	2	3	4	5	16
65+	1067	2.4	11	<1	1	2	2	4	6	16
GRAND TOTAL	**3155**	**2.5**	**13**	**<1**	**1**	**2**	**3**	**4**	**6**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1124	1.8	2	<1	<1	1	2	3	4	7
20-34	1643	1.8	1	<1	<1	1	2	3	4	7
35-49	764	1.8	2	<1	<1	1	2	3	4	9
50-64	379	1.8	1	<1	<1	1	2	3	4	6
65+	110	2.0	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	968	2.3	11	<1	1	2	2	4	6	12
20-34	1838	2.6	10	<1	1	2	3	5	6	16
35-49	837	2.6	7	<1	1	2	3	5	7	15
50-64	454	3.1	20	1	1	2	3	5	8	24
65+	263	3.6	37	1	1	2	4	6	11	37
TOT. SINGLE DX	4020	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	4360	2.6	13	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2092	2.0	6	<1	1	1	2	3	5	10
20-34	3481	2.2	7	<1	1	2	2	4	6	12
35-49	1601	2.2	5	<1	1	2	2	4	6	13
50-64	833	2.5	13	<1	1	2	3	4	6	15
65+	373	3.1	28	<1	1	2	3	5	9	20
GRAND TOTAL	**8380**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	690	2.2	3	<1	1	2	3	4	6	9
20-34	1577	2.6	4	<1	1	2	3	5	6	11
35-49	1502	2.8	4	<1	1	2	4	5	6	10
50-64	1758	3.5	11	1	1	3	4	6	7	12
65+	714	3.9	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	504	3.8	45	1	1	2	4	6	12	40
20-34	1146	4.1	31	1	1	3	4	8	12	31
35-49	1218	4.3	20	1	1	3	5	8	10	19
50-64	1689	4.9	27	1	1	4	5	9	12	28
65+	1156	6.4	50	1	2	4	7	12	18	41
TOT. SINGLE DX	6241	3.0	7	1	1	2	4	5	7	11
" MULTIPLE DX	5713	4.8	34	1	1	3	5	9	13	31
TOTAL 0-19 YRS	1194	2.9	22	<1	1	2	3	5	7	21
20-34	2723	3.2	16	<1	1	2	4	6	8	21
35-49	2720	3.5	12	1	1	3	4	6	8	17
50-64	3447	4.2	20	1	1	3	5	7	10	23
65+	1870	5.4	35	1	2	4	6	10	14	34
GRAND TOTAL	**11954**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1621	3.0	6	1	1	3	4	5	7	12
20-34	1320	3.0	5	1	1	3	4	5	6	11
35-49	956	2.9	4	1	1	3	4	5	6	11
50-64	530	3.5	11	1	1	3	4	6	8	14
65+	230	4.5	7	1	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	1974	3.7	18	1	1	3	4	6	8	21
20-34	889	6.3	109	1	1	4	6	12	22	84
35-49	574	5.1	52	1	1	3	5	9	16	71
50-64	491	6.9	105	1	1	4	7	14	28	74
65+	442	9.4	117	2	2	6	10	19	33	60
TOT. SINGLE DX	4657	3.1	6	1	1	3	4	5	7	12
" MULTIPLE DX	4370	5.3	64	1	1	3	5	10	17	50
TOTAL 0-19 YRS	3595	3.4	13	1	1	3	4	6	8	17
20-34	2209	4.3	50	1	1	3	5	7	11	38
35-49	1530	3.7	23	1	1	3	4	6	9	28
50-64	1021	5.1	59	1	1	3	5	9	15	41
65+	672	7.7	85	1	2	5	8	15	27	52
GRAND TOTAL	**9027**	**4.2**	**36**	**1**	**1**	**3**	**4**	**7**	**11**	**33**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	1.9	5	<1	1	1	2	3	4	10
20-34	466	2.1	3	<1	1	1	2	4	6	10
35-49	319	2.5	11	<1	<1	1	2	5	8	17
50-64	250	2.1	3	<1	<1	1	3	4	6	11
65+	137	2.6	8	<1	1	1	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	155	3.4	29	<1	1	2	3	6	9	35
20-34	479	4.8	41	1	1	3	5	12	15	41
35-49	357	6.0	85	1	1	3	6	16	24	65
50-64	337	6.2	87	1	1	3	7	15	23	53
65+	370	7.7	125	1	1	3	9	18	29	88
TOT. SINGLE DX	1395	2.2	6	<1	1	1	2	4	6	12
" MULTIPLE DX	1698	5.8	78	1	1	3	7	14	21	57
TOTAL 0-19 YRS	378	2.5	16	<1	1	2	2	4	6	25
20-34	945	3.5	25	<1	1	2	4	8	12	23
35-49	676	4.3	54	<1	1	2	4	10	18	45
50-64	587	4.5	56	<1	1	2	4	10	17	42
65+	507	6.3	99	1	1	3	7	15	23	70
GRAND TOTAL	**3093**	**4.2**	**49**	**<1**	**1**	**2**	**4**	**9**	**15**	**43**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.3	6	1	1	3	5	6	9	10
20-34	33	5.1	20	<1	1	4	7	12	15	19
35-49	21	4.1	17	<1	<1	2	6	9	14	18
50-64	13	5.8	51	1	1	3	6	18	23	24
65+	12	5.6	16	1	1	5	10	11	12	12
2. MULTIPLE DX										
0-19 YRS	9	8.8	47	1	1	7	13	18	22	22
20-34	49	15.8	380	1	2	9	19	44	65	89
35-49	38	16.9	576	1	2	5	18	63	89	99+
50-64	45	11.4	106	1	2	8	14	30	34	39
65+	73	19.8	287	4	4	13	30	45	61	96
TOT. SINGLE DX	95	4.7	21	<1	1	3	6	11	14	22
" MULTIPLE DX	214	16.2	319	2	2	10	20	41	61	98
TOTAL 0-19 YRS	25	5.2	27	1	1	3	7	13	15	22
20-34	82	11.5	261	1	1	6	14	22	50	83
35-49	59	12.4	412	<1	1	4	12	45	75	99+
50-64	58	10.2	98	1	1	7	13	27	33	39
65+	85	17.8	274	2	4	12	24	37	57	94
GRAND TOTAL	**309**	**12.7**	**255**	**1**	**1**	**7**	**15**	**33**	**50**	**92**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.9	4	<1	<1	2	4	6	7	11
20-34	103	4.3	84	1	1	2	4	8	11	53
35-49	94	6.4	37	1	2	4	8	15	20	30
50-64	149	6.9	57	1	1	4	8	16	24	37
65+	154	7.5	52	1	1	6	10	16	23	33
2. MULTIPLE DX										
0-19 YRS	104	6.2	56	1	1	3	7	18	26	32
20-34	264	11.4	133	1	2	8	15	23	37	60
35-49	724	14.3	169	2	3	11	19	30	39	69
50-64	1824	16.4	197	3	4	13	21	34	46	79
65+	3017	15.9	174	2	4	12	21	34	44	84
TOT. SINGLE DX	602	5.8	51	1	1	4	7	13	19	32
" MULTIPLE DX	5933	15.5	180	2	3	12	20	33	43	79
TOTAL 0-19 YRS	206	4.6	34	<1	1	3	5	9	18	30
20-34	367	9.4	130	1	1	5	12	22	33	60
35-49	818	13.4	161	2	2	10	18	29	38	67
50-64	1973	15.7	193	2	3	12	21	33	45	76
65+	3171	15.5	172	2	3	12	20	34	43	83
GRAND TOTAL	**6535**	**14.6**	**176**	**2**	**3**	**11**	**19**	**32**	**42**	**76**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.4	63	3	4	8	12	22	31	32
20-34	32	10.3	37	4	5	8	11	19	21	33
35-49	21	9.6	28	4	4	8	12	19	22	23
50-64	52	13.2	68	4	5	11	17	25	29	45
65+	90	13.7	71	5	6	12	17	23	26	53
2. MULTIPLE DX										
0-19 YRS	31	20.9	329	3	4	21	26	38	59	88
20-34	152	20.9	310	5	5	15	27	45	57	98
35-49	368	23.1	302	5	7	18	31	54	70	99+
50-64	1292	23.6	271	6	8	19	30	50	67	99+
65+	3477	21.9	249	6	8	17	27	45	62	99+
TOT. SINGLE DX	207	12.4	62	4	5	11	16	21	26	40
" MULTIPLE DX	5320	22.3	261	6	8	18	28	46	63	99+
TOTAL 0-19 YRS	43	18.0	275	3	4	13	23	35	46	88
20-34	184	19.0	279	5	5	13	25	42	55	94
35-49	389	22.3	297	5	7	17	30	51	68	99+
50-64	1344	23.2	268	6	8	19	29	49	67	99+
65+	3567	21.7	246	6	8	17	27	44	60	99+
GRAND TOTAL	**5527**	**22.0**	**257**	**6**	**7**	**17**	**28**	**46**	**62**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	8.8	12	5	5	8	11	14	17	17
20-34	15	12.5	93	5	5	9	15	23	37	42
35-49	12	12.8	112	1	4	9	13	33	36	37
50-64	32	12.7	52	4	6	12	16	20	23	42
65+	109	12.3	62	4	5	11	15	20	30	75
2. MULTIPLE DX										
0-19 YRS	36	16.3	236	4	5	12	20	28	75	99+
20-34	56	25.8	516	5	6	17	47	66	90	99+
35-49	114	24.7	391	6	8	18	34	69	88	99+
50-64	655	22.9	323	6	8	17	29	53	76	99+
65+	3941	18.9	232	5	6	14	24	39	58	99+
TOT. SINGLE DX	197	11.9	59	4	5	10	14	19	29	50
" MULTIPLE DX	4802	19.6	255	5	7	15	24	43	62	99+
TOTAL 0-19 YRS	65	12.9	148	4	5	10	17	24	34	97
20-34	71	23.0	454	5	6	15	32	63	87	99+
35-49	126	23.6	376	6	7	17	33	67	86	99+
50-64	687	22.4	315	6	8	17	29	52	75	99+
65+	4050	18.7	229	5	6	14	23	39	57	99+
GRAND TOTAL	**4999**	**19.3**	**250**	**5**	**7**	**14**	**24**	**42**	**61**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.7	14	1	2	4	5	10	13	18
20-34	18	12.8	361	2	3	7	14	18	59	86
35-49	18	12.3	56	2	3	11	18	22	27	29
50-64	27	12.8	104	2	4	9	15	27	38	41
65+	30	14.7	179	3	3	10	16	31	43	59
2. MULTIPLE DX										
0-19 YRS	44	13.9	245	2	3	7	20	36	53	67
20-34	81	21.1	369	4	5	14	24	49	70	82
35-49	233	21.8	269	4	6	18	29	46	59	85
50-64	520	24.2	332	6	8	19	31	52	71	99+
65+	874	22.4	266	6	7	18	29	48	62	99+
TOT. SINGLE DX	118	11.5	145	1	3	8	15	25	31	68
″ MULTIPLE DX	1752	22.6	293	5	7	18	29	49	63	99+
TOTAL 0-19 YRS	69	10.6	180	1	2	5	12	25	44	65
20-34	99	19.6	374	4	4	13	23	47	70	84
35-49	251	21.1	260	4	6	17	29	42	58	84
50-64	547	23.7	327	5	7	19	30	51	70	99+
65+	904	22.1	265	5	7	18	29	48	62	99+
GRAND TOTAL	**1870**	**21.9**	**291**	**4**	**6**	**17**	**29**	**47**	**62**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	3.7	14	1	1	3	5	8	10	23
20-34	119	5.0	11	1	1	5	7	8	11	20
35-49	52	6.1	30	1	1	5	8	12	14	31
50-64	22	5.1	32	1	1	3	5	13	21	22
65+	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	50	6.1	28	1	1	5	8	12	15	30
20-34	94	8.7	84	1	3	6	9	18	26	53
35-49	49	7.1	44	1	2	5	9	16	23	32
50-64	30	4.9	12	1	1	4	6	11	12	13
65+	20	5.5	9	1	1	6	8	9	10	10
TOT. SINGLE DX	300	4.8	18	1	1	4	6	9	11	23
″ MULTIPLE DX	243	7.1	52	1	1	5	8	13	21	42
TOTAL 0-19 YRS	153	4.5	20	1	1	3	6	10	12	24
20-34	213	6.7	47	1	1	5	7	11	18	44
35-49	101	6.6	37	1	1	5	8	13	22	31
50-64	52	5.0	21	1	1	4	6	11	13	22
65+	24	5.1	9	1	1	6	7	9	10	10
GRAND TOTAL	**543**	**5.8**	**34**	**1**	**1**	**5**	**7**	**11**	**16**	**30**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	2.7	7	<1	<1	2	3	6	10	15
20-34	159	3.5	15	<1	1	2	4	7	12	22
35-49	105	3.3	8	<1	<1	2	4	7	10	14
50-64	94	5.9	34	<1	1	5	7	12	19	29
65+	99	6.8	35	1	2	5	9	15	17	32
2. MULTIPLE DX										
0-19 YRS	53	4.7	45	<1	1	2	4	12	23	32
20-34	157	6.6	72	1	1	4	9	14	21	43
35-49	196	9.7	116	1	1	6	12	21	29	57
50-64	364	12.2	122	1	2	9	17	27	33	99
65+	626	13.2	158	2	3	10	17	29	39	99
TOT. SINGLE DX	523	4.4	22	<1	1	3	5	10	14	25
″ MULTIPLE DX	1396	11.3	135	1	2	8	15	25	34	84
TOTAL 0-19 YRS	119	3.6	25	<1	1	2	3	9	13	30
20-34	316	5.0	46	1	1	3	5	12	17	31
35-49	301	7.4	88	1	1	4	9	18	24	53
50-64	458	10.9	111	1	2	8	15	25	31	94
65+	725	12.3	146	2	3	9	16	26	37	96
GRAND TOTAL	**1919**	**9.4**	**114**	**1**	**1**	**6**	**12**	**22**	**30**	**68**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	12	2.6	1	2	2	2	3	4	6	6
35-49	7	4.7	30	1	1	3	4	14	17	17
50-64	19	6.4	30	1	2	5	9	12	19	24
65+	10	10.1	86	1	2	6	15	25	31	31
2. MULTIPLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	6	4.5	3	2	2	4	6	7	7	7
35-49	15	6.5	102	1	1	3	6	13	34	41
50-64	20	7.2	20	2	2	7	9	14	17	18
65+	36	11.8	120	3	4	8	14	22	25	65
TOT. SINGLE DX	50	6.0	39	1	2	4	8	14	20	31
″ MULTIPLE DX	79	8.9	85	2	2	7	10	18	23	58
TOTAL 0-19 YRS	4	7.8	34	<1	<1	8	12	14	14	14
20-34	18	3.2	3	2	2	3	4	6	7	7
35-49	22	5.9	78	1	1	3	4	14	27	41
50-64	39	6.8	25	2	2	6	9	12	18	24
65+	46	11.4	111	3	4	8	14	22	27	65
GRAND TOTAL	**129**	**7.8**	**69**	**2**	**2**	**5**	**9**	**17**	**22**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	615	1.6	1	<1	<1	1	2	3	3	5
20-34	2233	1.8	1	<1	<1	1	2	3	4	7
35-49	5215	2.0	3	<1	<1	2	2	3	5	8
50-64	4119	2.3	3	<1	<1	2	3	4	6	9
65+	2354	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	146	2.4	3	<1	<1	2	3	5	7	9
20-34	1273	3.4	21	<1	<1	2	4	7	10	23
35-49	4321	3.4	21	<1	<1	2	3	7	10	23
50-64	5038	4.4	31	<1	1	2	5	10	14	28
65+	5461	6.0	52	1	1	3	7	13	18	38
TOT. SINGLE DX	14536	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	16239	4.5	36	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	761	1.8	2	<1	<1	1	2	3	4	8
20-34	3506	2.4	10	<1	<1	2	2	4	6	16
35-49	9536	2.6	12	<1	<1	2	3	5	7	15
50-64	9157	3.4	20	<1	<1	2	4	7	10	21
65+	7815	5.0	41	<1	1	3	6	11	16	32
GRAND TOTAL	**30775**	**3.4**	**22**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.3	1	<1	1	2	3	4	5	6
20-34	117	2.8	2	<1	1	3	4	5	6	6
35-49	232	4.2	7	1	2	4	6	7	9	12
50-64	265	4.3	6	1	1	4	6	7	8	13
65+	426	5.2	10	1	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	27	5.8	79	<1	1	3	6	15	24	44
20-34	81	4.5	15	1	1	3	6	9	10	24
35-49	426	5.4	13	2	2	5	6	9	12	20
50-64	592	5.8	21	1	2	5	7	11	15	27
65+	1351	7.7	57	2	3	6	9	14	20	46
TOT. SINGLE DX	1133	4.3	8	1	1	4	6	7	9	15
" MULTIPLE DX	2477	6.7	41	2	2	5	8	12	18	37
TOTAL 0-19 YRS	120	3.1	21	<1	1	2	3	5	6	27
20-34	198	3.5	9	<1	1	3	4	6	8	18
35-49	658	4.9	12	1	2	4	6	8	10	20
50-64	857	5.3	17	1	2	4	6	9	13	22
65+	1777	7.1	47	2	2	6	8	13	18	38
GRAND TOTAL	**3610**	**6.0**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**30**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.8	23	1	1	5	9	13	14	14
20-34	286	5.5	5	2	3	5	7	8	10	13
35-49	2011	5.5	5	2	3	5	7	8	10	13
50-64	3227	5.7	5	2	3	5	7	8	10	13
65+	3253	6.1	6	3	3	6	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	17	7.2	12	2	3	7	8	13	15	15
20-34	377	6.2	10	2	3	6	7	10	12	19
35-49	2840	6.3	10	3	3	6	8	10	11	18
50-64	5863	6.9	16	3	3	6	8	11	14	22
65+	8603	7.8	24	3	4	7	9	12	15	26
TOT. SINGLE DX	8789	5.8	6	2	3	6	7	9	10	13
" MULTIPLE DX	17700	7.2	20	3	4	6	8	11	14	24
TOTAL 0-19 YRS	29	6.6	17	1	1	7	8	13	14	15
20-34	663	5.9	8	2	3	5	7	9	11	15
35-49	4851	5.9	9	2	3	6	7	9	11	15
50-64	9090	6.5	13	3	3	6	8	10	12	19
65+	11856	7.3	20	3	4	7	9	11	14	24
GRAND TOTAL	**26489**	**6.8**	**15**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1025	2.6	1	1	1	2	3	4	5	7
20-34	2373	2.8	2	<1	1	3	4	5	5	8
35-49	1826	3.1	3	1	1	3	4	5	6	9
50-64	927	3.2	4	1	1	3	4	5	6	9
65+	193	3.0	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	425	3.0	3	1	1	3	4	5	7	10
20-34	1728	3.3	6	1	1	3	4	6	7	13
35-49	3321	3.6	6	1	1	3	4	6	7	13
50-64	2229	3.9	11	1	1	3	5	7	9	17
65+	626	4.2	12	1	1	3	5	7	10	18
TOT. SINGLE DX	6344	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	8329	3.6	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1450	2.7	2	1	1	3	3	4	5	9
20-34	4101	3.0	5	1	1	3	4	5	6	10
35-49	5147	3.4	5	1	1	3	4	6	7	11
50-64	3156	3.7	9	1	1	3	4	6	8	15
65+	819	3.9	11	1	1	3	5	7	10	18
GRAND TOTAL	**14673**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2267	2.8	3	1	1	2	4	5	6	9
20-34	4117	2.7	3	1	1	2	3	5	6	8
35-49	650	2.7	2	1	1	2	4	5	6	9
50-64	129	3.0	28	<1	1	2	3	5	5	23
65+	29	3.6	11	<1	<1	3	4	6	13	16
2. MULTIPLE DX										
0-19 YRS	349	4.0	22	1	1	3	5	7	9	37
20-34	769	4.3	34	1	1	3	4	7	10	29
35-49	279	4.2	15	1	1	3	5	8	10	16
50-64	133	5.2	52	1	1	3	6	10	13	32
65+	70	8.8	183	1	2	5	9	15	35	82
TOT. SINGLE DX	7192	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	1600	4.5	37	1	1	3	5	8	11	31
TOTAL 0-19 YRS	2616	2.9	6	1	1	3	4	5	6	11
20-34	4886	3.0	9	1	1	3	4	5	6	10
35-49	929	3.2	7	1	1	3	4	5	7	13
50-64	262	4.1	42	<1	1	3	5	7	12	23
65+	99	7.3	138	1	1	4	7	14	20	72
GRAND TOTAL	**8792**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2424	2.3	10	<1	<1	1	2	4	7	16
20-34	2377	2.6	12	<1	<1	2	3	5	8	19
35-49	2244	2.6	9	<1	<1	2	3	5	8	18
50-64	1832	2.6	10	<1	<1	2	3	5	8	16
65+	1166	3.4	19	<1	<1	2	4	8	11	24
2. MULTIPLE DX										
0-19 YRS	1416	6.3	123	<1	1	3	6	15	30	95
20-34	2386	8.4	125	<1	1	4	10	21	31	67
35-49	3029	8.3	112	<1	1	5	10	20	28	60
50-64	4063	8.1	87	1	1	5	10	18	26	51
65+	6276	9.9	116	1	2	7	12	21	30	63
TOT. SINGLE DX	10043	2.6	12	<1	<1	2	3	5	8	18
" MULTIPLE DX	17170	8.7	112	1	1	5	11	20	29	62
TOTAL 0-19 YRS	3840	3.8	56	<1	<1	2	3	7	14	44
20-34	4763	5.5	77	<1	<1	2	6	14	23	46
35-49	5273	5.9	77	<1	<1	3	7	14	22	46
50-64	5895	6.4	70	<1	<1	3	8	15	22	43
65+	7442	8.9	106	<1	1	6	11	19	28	59
GRAND TOTAL	**27213**	**6.4**	**83**	**<1**	**<1**	**3**	**8**	**15**	**23**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4852	3.7	21	<1	1	2	4	8	11	23
20-34	5607	4.2	22	<1	1	3	5	9	12	23
35-49	3239	4.7	30	<1	1	3	6	10	14	26
50-64	2170	5.5	40	<1	1	3	7	11	18	33
65+	1823	6.5	62	<1	1	4	8	14	21	36
2. MULTIPLE DX										
0-19 YRS	9535	5.6	66	1	1	3	6	12	20	47
20-34	15197	6.7	85	1	1	4	8	15	24	53
35-49	10155	9.1	121	1	1	5	11	21	31	61
50-64	10943	11.4	143	1	2	8	15	26	36	69
65+	19312	13.6	186	1	2	10	18	31	44	97
TOT. SINGLE DX	17691	4.5	31	<1	1	3	5	10	14	28
" MULTIPLE DX	65142	9.7	138	1	1	6	12	23	34	70
TOTAL 0-19 YRS	14387	4.9	52	<1	1	3	5	11	17	42
20-34	20804	6.0	70	<1	1	3	7	13	21	48
35-49	13394	8.0	103	1	1	5	10	19	28	55
50-64	13113	10.4	131	1	1	7	13	24	34	65
65+	21135	13.0	179	1	2	9	17	30	43	93
GRAND TOTAL	**82833**	**8.6**	**119**	**1**	**1**	**5**	**11**	**21**	**31**	**64**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	703	5.7	39	<1	1	4	7	14	18	32
20-34	785	5.8	44	<1	1	3	8	13	18	36
35-49	495	6.6	59	<1	1	4	8	15	20	40
50-64	416	7.7	75	1	1	5	10	18	25	40
65+	426	10.1	92	1	2	7	14	23	29	48
2. MULTIPLE DX										
0-19 YRS	885	12.7	169	1	1	9	18	30	39	75
20-34	1203	14.5	229	1	2	10	19	33	49	81
35-49	1032	15.4	202	2	2	12	20	35	45	89
50-64	1294	16.1	214	2	3	12	22	36	48	79
65+	2518	19.5	240	2	4	16	26	41	54	92
TOT. SINGLE DX	2825	6.9	60	1	1	4	9	16	21	38
" MULTIPLE DX	6932	16.5	225	1	2	12	22	36	49	87
TOTAL 0-19 YRS	1588	9.6	124	1	1	6	13	24	32	58
20-34	1988	11.1	174	1	1	7	14	27	38	74
35-49	1527	12.6	173	1	2	9	17	30	40	72
50-64	1710	14.0	194	1	2	10	19	33	44	74
65+	2944	18.1	230	2	3	14	24	38	51	88
GRAND TOTAL	**9757**	**13.7**	**196**	**1**	**2**	**9**	**19**	**32**	**43**	**76**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	3.7	25	<1	<1	2	4	9	13	29
20-34	349	5.4	74	<1	1	2	6	12	20	43
35-49	187	3.8	24	<1	1	2	4	10	12	38
50-64	108	5.4	52	<1	1	3	5	15	22	34
65+	86	8.3	154	1	1	4	9	20	28	75
2. MULTIPLE DX										
0-19 YRS	235	8.3	150	<1	1	3	10	21	31	67
20-34	500	13.7	294	1	1	6	19	40	52	81
35-49	342	15.9	388	1	1	8	24	47	65	99+
50-64	356	15.2	304	1	1	9	20	40	58	96
65+	465	18.3	391	1	2	12	27	57	75	99+
TOT. SINGLE DX	982	4.9	59	<1	1	2	5	11	17	41
" MULTIPLE DX	1898	14.8	327	1	1	8	21	44	59	99+
TOTAL 0-19 YRS	487	5.9	91	<1	1	2	6	14	24	52
20-34	849	10.3	221	1	1	4	12	30	45	75
35-49	529	11.6	293	1	1	4	15	33	57	99+
50-64	464	12.9	262	1	1	7	17	35	53	91
65+	551	16.7	367	1	2	10	23	53	69	99+
GRAND TOTAL	**2880**	**11.4**	**258**	**1**	**1**	**5**	**14**	**33**	**52**	**95**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1015	2.2	9	<1	<1	2	2	4	5	11
20-34	708	2.5	4	<1	<1	2	3	5	6	11
35-49	719	2.6	6	<1	1	2	3	5	7	13
50-64	668	2.3	6	<1	1	2	3	4	5	12
65+	260	2.6	26	<1	1	2	3	4	6	30
2. MULTIPLE DX										
0-19 YRS	893	3.9	50	<1	1	2	4	7	11	68
20-34	994	5.0	57	<1	1	3	5	9	17	43
35-49	1312	4.9	39	1	1	3	6	9	15	33
50-64	1574	5.0	50	1	1	3	6	11	16	41
65+	1523	10.5	144	1	2	7	13	24	42	99+
TOT. SINGLE DX	3370	2.4	8	<1	<1	2	3	5	6	11
" MULTIPLE DX	6296	6.1	78	1	1	3	7	14	22	72
TOTAL 0-19 YRS	1908	3.0	29	<1	<1	2	3	5	9	31
20-34	1702	3.9	37	<1	1	2	4	7	11	31
35-49	2031	4.1	29	1	1	3	5	8	12	28
50-64	2242	4.2	39	1	1	2	4	9	14	37
65+	1783	9.3	135	1	1	6	12	22	37	99+
GRAND TOTAL	**9666**	**4.8**	**57**	**<1**	**1**	**2**	**5**	**11**	**17**	**51**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	3.5	14	<1	1	2	4	6	11	23
20-34	81	4.2	17	1	1	3	5	9	12	24
35-49	62	4.0	50	1	1	2	4	8	15	94
50-64	59	3.8	13	1	1	2	5	10	12	17
65+	54	4.6	44	1	1	3	5	9	13	46
2. MULTIPLE DX										
0-19 YRS	157	6.8	110	1	1	3	7	11	27	63
20-34	189	6.6	73	1	1	4	8	12	16	56
35-49	204	6.9	39	1	2	5	8	13	19	34
50-64	324	8.0	49	1	2	6	10	16	21	42
65+	709	10.1	95	2	3	7	12	20	28	57
TOT. SINGLE DX	319	4.0	27	1	1	3	4	9	12	32
" MULTIPLE DX	1583	8.5	80	1	2	6	10	17	25	48
TOTAL 0-19 YRS	220	5.8	85	1	1	3	6	10	17	57
20-34	270	5.9	58	1	1	4	7	11	15	48
35-49	266	6.3	44	1	1	4	7	13	18	39
50-64	383	7.4	46	1	1	5	10	15	19	40
65+	763	9.7	94	2	3	7	12	19	28	56
GRAND TOTAL	**1902**	**7.8**	**74**	**1**	**2**	**5**	**9**	**16**	**23**	**47**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	846	2.9	10	1	1	2	3	6	9	18
20-34	11200	3.2	13	1	1	2	4	8	11	17
35-49	15251	3.2	11	1	1	2	4	8	10	17
50-64	7655	3.1	11	1	1	2	3	7	10	16
65+	2176	3.3	18	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	721	4.3	27	1	1	2	5	10	14	23
20-34	7237	5.1	28	1	1	3	7	11	15	25
35-49	11924	5.1	29	1	1	3	7	11	15	26
50-64	10162	5.5	36	1	1	3	7	12	17	29
65+	6958	7.1	58	1	1	4	10	16	21	38
TOT. SINGLE DX	37128	3.2	13	1	1	2	4	8	10	17
" MULTIPLE DX	37002	5.5	37	1	1	3	7	12	17	30
TOTAL 0-19 YRS	1567	3.6	19	1	1	2	4	8	11	20
20-34	18437	4.0	20	1	1	2	5	9	12	21
35-49	27175	4.0	20	1	1	2	5	9	12	21
50-64	17817	4.4	27	1	1	2	6	10	14	24
65+	9134	6.2	52	1	1	3	8	14	19	36
GRAND TOTAL	**74130**	**4.4**	**26**	**1**	**1**	**2**	**5**	**10**	**14**	**24**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	242	3.4	12	1	1	2	4	7	10	17
20-34	783	3.5	13	1	1	2	4	7	10	20
35-49	1146	3.8	19	1	1	2	4	8	11	21
50-64	2018	3.5	14	1	1	2	4	7	10	19
65+	2157	3.4	15	1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	334	6.1	71	1	1	4	7	13	18	40
20-34	1090	6.2	49	1	1	4	8	13	17	40
35-49	2537	6.7	57	1	1	4	8	14	20	38
50-64	7450	6.4	52	1	1	4	8	13	18	40
65+	13428	6.6	40	1	2	5	9	13	18	31
TOT. SINGLE DX	6346	3.5	16	1	1	2	4	7	10	19
" MULTIPLE DX	24839	6.5	47	1	1	5	8	13	18	34
TOTAL 0-19 YRS	576	4.9	48	1	1	3	6	11	16	32
20-34	1873	5.1	36	1	1	3	6	11	15	34
35-49	3683	5.8	48	1	1	4	7	12	17	35
50-64	9468	5.8	46	1	1	4	7	12	16	34
65+	15585	6.2	38	1	1	4	8	13	17	30
GRAND TOTAL	**31185**	**5.9**	**42**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	27	3.1	5	<1	1	2	5	7	8	10
35-49	200	3.0	9	1	1	2	4	7	10	15
50-64	368	2.8	7	1	1	2	3	7	9	13
65+	158	2.7	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	10	1.8	3	<1	<1	1	2	5	7	7
20-34	71	4.2	8	1	1	3	6	8	11	12
35-49	708	4.1	14	1	1	2	6	9	11	17
50-64	1985	4.5	20	1	1	3	6	10	13	20
65+	1541	4.8	23	1	1	3	7	11	14	23
TOT. SINGLE DX	755	2.9	8	1	1	2	3	7	10	13
" MULTIPLE DX	4315	4.5	20	1	1	3	6	10	13	21
TOTAL 0-19 YRS	12	1.8	3	<1	<1	1	2	4	7	7
20-34	98	3.9	8	1	1	3	5	8	10	12
35-49	908	3.8	13	1	1	2	5	9	11	16
50-64	2353	4.2	19	1	1	2	6	10	12	19
65+	1699	4.6	22	1	1	3	6	10	14	22
GRAND TOTAL	**5070**	**4.3**	**19**	**1**	**1**	**2**	**6**	**10**	**13**	**20**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	443	4.1	16	1	1	3	6	9	12	18
20-34	2009	4.7	16	1	1	3	7	10	12	18
35-49	2416	4.8	18	1	1	3	7	10	12	18
50-64	2960	4.3	15	1	1	3	6	10	12	16
65+	2758	4.3	17	1	1	2	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	593	6.1	73	1	1	4	8	13	18	50
20-34	2998	7.2	53	1	1	5	10	14	20	39
35-49	5452	6.9	40	1	1	5	9	14	17	32
50-64	12073	6.8	40	1	1	5	9	14	17	32
65+	20614	7.7	50	1	2	6	10	15	20	36
TOT. SINGLE DX	10586	4.5	17	1	1	3	7	10	12	17
" MULTIPLE DX	41730	7.3	47	1	1	6	10	14	19	34
TOTAL 0-19 YRS	1036	5.2	50	1	1	3	7	11	15	31
20-34	5007	6.2	40	1	1	4	9	13	17	31
35-49	7868	6.2	35	1	1	5	9	12	16	27
50-64	15033	6.3	36	1	1	5	9	13	16	29
65+	23372	7.3	48	1	1	6	10	15	19	34
GRAND TOTAL	**52316**	**6.7**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**32**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30103	3.4	19	1	1	2	4	6	8	20
20-34	45216	3.9	18	1	1	3	5	7	10	21
35-49	30809	4.4	20	1	1	3	5	9	11	22
50-64	22202	5.0	22	1	1	4	6	10	13	23
65+	17916	6.1	31	1	2	5	8	11	15	29
2. MULTIPLE DX										
0-19 YRS	49488	5.4	61	1	1	3	6	10	16	46
20-34	74573	5.5	38	1	1	4	6	10	15	33
35-49	83681	6.2	35	1	2	5	8	12	16	31
50-64	134112	7.2	40	2	2	6	9	13	18	33
65+	309100	8.6	55	2	3	7	10	16	21	41
TOT. SINGLE DX	146246	4.3	22	1	1	3	5	8	11	23
" MULTIPLE DX	650954	7.4	50	1	2	6	9	14	19	38
TOTAL 0-19 YRS	79591	4.7	47	1	1	3	5	8	13	39
20-34	119789	4.9	32	1	1	3	6	9	13	30
35-49	114490	5.7	32	1	1	4	7	11	15	29
50-64	156314	6.9	39	1	2	5	8	13	17	32
65+	327016	8.5	55	2	3	7	10	16	21	41
GRAND TOTAL	**797200**	**6.8**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14397	5.9	86	1	1	3	5	14	25	49
20-34	7574	6.9	56	1	1	5	8	14	21	40
35-49	7301	6.7	38	1	2	5	8	13	18	31
50-64	5156	6.7	42	1	2	5	8	13	19	34
65+	4194	7.4	57	1	2	6	9	14	20	41
2. MULTIPLE DX										
0-19 YRS	20641	7.0	115	1	2	4	6	15	28	69
20-34	13631	8.1	83	1	2	5	9	17	25	52
35-49	16133	8.0	63	2	2	6	9	15	22	44
50-64	24496	8.2	61	2	2	6	10	15	22	44
65+	58572	9.5	74	2	3	7	11	18	25	50
TOT. SINGLE DX	38622	6.5	62	1	1	4	7	14	21	42
" MULTIPLE DX	133473	8.6	79	2	2	6	10	17	24	51
TOTAL 0-19 YRS	35038	6.6	104	1	1	3	6	15	26	61
20-34	21205	7.6	74	1	2	5	9	16	23	47
35-49	23434	7.6	56	1	2	6	9	15	21	39
50-64	29652	8.0	58	2	2	6	10	15	21	42
65+	62766	9.4	74	2	3	7	11	18	25	50
GRAND TOTAL	**172095**	**8.1**	**76**	**1**	**2**	**6**	**10**	**16**	**24**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17572	3.5	25	<1	1	3	4	6	8	25
20-34	13836	3.6	28	<1	<1	2	4	7	10	28
35-49	9622	4.4	25	1	1	3	5	9	12	26
50-64	9088	5.1	25	1	1	4	7	10	13	25
65+	8483	5.8	29	1	2	4	7	11	14	29
2. MULTIPLE DX										
0-19 YRS	37050	5.7	71	1	1	3	6	10	19	55
20-34	25105	5.6	53	1	1	4	6	11	18	40
35-49	33704	5.9	37	1	1	4	7	11	16	31
50-64	67702	6.7	36	1	2	5	8	13	17	31
65+	163154	8.0	48	2	2	6	10	15	20	37
TOT. SINGLE DX	58601	4.3	27	<1	1	3	5	8	12	27
" MULTIPLE DX	326715	7.0	49	1	2	5	9	14	19	37
TOTAL 0-19 YRS	54622	5.0	57	1	1	3	5	9	15	48
20-34	38941	4.9	46	<1	1	3	5	10	16	36
35-49	43326	5.5	35	1	1	4	7	11	15	30
50-64	76790	6.5	36	1	2	5	8	12	16	30
65+	171637	7.9	48	2	2	6	10	15	20	37
GRAND TOTAL	**385316**	**6.6**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number Title

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number **Title**

- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - With fracture-reduction – *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 With internal fixation
  - 713 Open, except with internal fixation
    - 712 With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number — Title

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin